


Yuvasri G
192512372



> Ethernet II, Src: 42:cf:fd:e3:66:f3 (42:cf:fd:e3:66:f3), Dst: WNC_8a:23:04 (38:8d:3d:8a:23:04)
> Internet Protocol Version 4, Src: 10.50.214.235, Dst: 10.50.214.179
> User Datagram Protocol, Src Port: 53, Dst Port: 62656

v Domain Name System (response)

Transaction ID: 0x0002

> Flags: 0x8180 Standard query response, No error

Questions: 1

Answer RRs: 1

Authority RRs: 0

Additional RRs: 0

> Queries

> Answers

[\[Request In: 11060\]](#)

[Time: 4.279600 milliseconds]

0000	38 8d 3d 8a 23 04 42 cf fd e3 66 f3 08 00 45 00	8 = # B . . f . . E .
0010	00 4b 36 ee 40 00 40 11 41 b1 0a 32 d6 eb 0a 32	. K 6 . @ . @ . A . 2 . . 2
0020	d6 b3 00 35 f4 c0 00 37 78 09 00 02 81 80 00 01	. . . 5 . . . 7 x
0030	00 01 00 00 00 00 03 77 77 77 05 67 6d 61 69 6c	 w w w . g m a i l
0040	03 63 6f 6d 00 00 01 00 01 c0 0c 00 01 00 01 00	. c o m
0050	00 00 30 00 04 8e fa b6 45	. . 0

Domain Name System (dns), 47 bytes

☒ Show packet bytes Layout: Vertical (Stacked) ▾

Close

Help

Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.

C:\Users\PRAVEENA>nslookupwww.gmail.com
'nslookupwww.gmail.com' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\PRAVEENA>nslookup www.gmail.com
Server: UnKnown
Address: 10.50.214.235

Non-authoritative answer:
Name: www.gmail.com
Addresses: 2404:6800:4007:810::2005
142.250.182.69

C:\Users\PRAVEENA>|

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



dns

No.	Time	Source	Destination	Protocol	Length	Info
10780	42.544731500	2401:4900:7b91:98c0...	2401:4900:7b91:98c0...	DNS	126	Standard query 0x310b AAAA peoplestack-pa.clients6.google.com
10786	42.545760700	2401:4900:7b91:98c0...	2401:4900:7b91:98c0...	DNS	126	Standard query 0xbcc7 HTTPS peoplestack-pa.clients6.google.com
10788	42.546016200	2401:4900:7b91:98c0...	2401:4900:7b91:98c0...	DNS	126	Standard query 0x612f A peoplestack-pa.clients6.google.com
10902	43.143704500	2401:4900:7b91:98c0...	2401:4900:7b91:98c0...	DNS	155	Standard query response 0x310b AAAA peoplestack-pa.clients6.google.com AAAA 2404:6800:4007:834::200a
10903	43.143706700	2401:4900:7b91:98c0...	2401:4900:7b91:98c0...	DNS	177	Standard query response 0xbcc7 HTTPS peoplestack-pa.clients6.google.com SOA ns1.google.com
10914	43.150301500	2401:4900:7b91:98c0...	2401:4900:7b91:98c0...	DNS	143	Standard query response 0x612f A peoplestack-pa.clients6.google.com A 142.251.220.106
11052	43.524329500	10.50.214.179	10.50.214.235	DNS	86	Standard query 0x0001 PTR 235.214.50.10.in-addr.arpa
11059	43.531391700	10.50.214.235	10.50.214.179	DNS	86	Standard query response 0x0001 No such name PTR 235.214.50.10.in-addr.arpa
11060	43.538548200	10.50.214.179	10.50.214.235	DNS	73	Standard query 0x0002 A www.gmail.com
11061	43.542827800	10.50.214.235	10.50.214.179	DNS	89	Standard query response 0x0002 A www.gmail.com A 142.250.182.69
11063	43.546100400	10.50.214.179	10.50.214.235	DNS	73	Standard query 0x0003 AAAA www.gmail.com
11068	43.552072100	10.50.214.235	10.50.214.179	DNS	101	Standard query response 0x0003 AAAA www.gmail.com AAAA 2404:6800:4007:810::2005
11858	47.413947500	10.50.214.179	54.179.64.189	DNS	292	Standard query 0x0a04[Malformed Packet]
11943	48.056772500	10.50.214.179	54.179.64.189	DNS	1396	Standard query 0x0a04[Malformed Packet]
11975	48.330378800	10.50.214.179	54.179.64.189	DNS	1396	Standard query 0x0a04[Malformed Packet]
12541	52.426986900	10.50.214.179	54.179.64.189	DNS	292	Standard query 0x0a04[Malformed Packet]

> Frame 11068: Packet, 101 bytes on wire (808 bits), 101 bytes captured (808 bits) on interface \Device\

> Ethernet II, Src: 42:cf:fd:e3:66:f3 (42:cf:fd:e3:66:f3), Dst: WNC_8a:23:04 (38:8d:3d:8a:23:04)

> Internet Protocol Version 4, Src: 10.50.214.235, Dst: 10.50.214.179

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

> Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 87

Identification: 0x36f0 (14064)

> 010. = Flags: 0x2, Don't fragment

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 64

Protocol: UDP (17)

Header Checksum: 0x41a3 [validation disabled]

[Header checksum status: Unverified]

Source Address: 10.50.214.235

Destination Address: 10.50.214.179


[Stream index: 12]

> User Datagram Protocol, Src Port: 53, Dst Port: 5353

```

0000 38 8d 3d 8a 23 04 42 cf fd e3 66 f3 08 00 45 00 8.=.#.B. .f...E.
0010 00 57 36 f0 40 00 40 11 41 a3 0a 32 d6 eb 0a 32 .W6.@.@. A..2...2
0020 d6 b3 00 35 f4 c1 00 43 79 40 00 03 81 80 00 01 ...5...C y@.....
0030 00 01 00 00 00 00 03 77 77 77 05 67 6d 61 69 6c .....w ww.gmail
0040 03 63 6f 6d 00 00 1c 00 01 c0 0c 00 1c 00 01 00 .com....
0050 00 00 0c 00 10 24 04 68 00 40 07 08 10 00 00 00 .....$.h .@.....
0060 00 00 00 20 05 .....

```



SIMATS ENGINEERING Sign In

20250730132358

.....

The username and password you entered is invalid

LOGIN

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.stream eq 10

No.

Time

Source

Destination

Protocol

Length

Info

29	3.831147300	10.82.210.124	103.249.82.245	TCP	66	62914 → 443 [SYN] Seq=0 Win=64240
31	3.879407500	103.249.82.245	10.82.210.124	TCP	66	443 → 62914 [SYN, ACK] Seq=0 Ack=1
32	3.879581000	10.82.210.124	103.249.82.245	TCP	54	62914 → 443 [ACK] Seq=1 Ack=1 Win=
36	3.890232100	10.82.210.124	103.249.82.245	TLSv1.2	571	Client Hello (SNI=arms.sse.saveeth
39	3.964924600	103.249.82.245	10.82.210.124	TCP	1354	443 → 62914 [ACK] Seq=1 Ack=518 Wi
40	3.964935600	103.249.82.245	10.82.210.124	TCP	1354	443 → 62914 [ACK] Seq=1301 Ack=518
41	3.965095200	10.82.210.124	103.249.82.245	TCP	54	62914 → 443 [ACK] Seq=518 Ack=2601
42	3.966772500	103.249.82.245	10.82.210.124	TCP	1354	443 → 62914 [ACK] Seq=2601 Ack=518
43	3.966782500	103.249.82.245	10.82.210.124	TLSv1.2	709	Server Hello, Certificate, Server
45	3.966935000	10.82.210.124	103.249.82.245	TCP	54	62914 → 443 [ACK] Seq=518 Ack=4556
55	4.014137000	10.82.210.124	103.249.82.245	TLSv1.2	212	Client Key Exchange, Change Cipher

> Frame 36: Packet, 571 bytes on wire (4568 bits), 571 byte

> Ethernet II, Src: HonHaiPrecis_70:8c:73 (90:32:4b:70:8c:7

> Internet Protocol Version 4, Src: 10.82.210.124, Dst: 103

> Transmission Control Protocol, Src Port: 62914, Dst Port:

> Transport Layer Security

0000 6e f5 18 91 80 e9 90 32 4b 70 8c 73 08 00 45 00

0010 02 2d 75 4c 40 00 80 06 eb c1 0a 52 d2 7c 67 f9

0020 52 f5 f5 c2 01 bb 79 0e c9 83 59 7f c8 a6 50 18

0030 02 00 97 0a 00 00 16 03 01 02 00 01 00 01 fc 03

0040 03 cb 5c 28 3a 10 a2 8b 78 76 25 54 73 4a f0 68

0050 cb ac 0b fd f2 d8 19 17 78 9f ab bd 6e 89 78 74

0060 1b 20 09 27 9d fb 19 5d c3 aa 86 7d f6 3a 1c 59

0070 7a 2a 5c e8 75 0e 9a 31 47 09 b0 14 a9 2f 8c 3b

0080 61 89 00 20 13 01 13 02 13 03 c0 2b c0 2f c0 2c

0090 c0 30 cc a9 cc a8 c0 13 c0 14 00 9c 00 9d 00 2f

00a0 00 35 00 ff 01 00 01 93 00 00 00 1a 00 18 00 00

00b0 15 61 72 6d 73 2e 73 73 65 2e 73 61 76 65 74

00c0 68 61 2e 63 6f 6d 00 0b 00 04 03 00 01 02 00 0a

00d0 00 0c 00 0a 00 1d 00 17 00 1e 00 19 00 18 00 23

wireshark_Wi-FiQ3DPU3.pcapng

Packets: 138 · Displayed: 13 (9.4%) · Dropped: 0 (0.0%)

Profile: Default

Type here to search

32°C Mostly cloudy

10:49 AM 08/17/26

*Wi-Fi

File Edit View Go Capture Analyze

tcp.stream eq 10

No.	Time	Source
29	3.831147300	10.82.21
31	3.879407500	103.249.
32	3.879581000	10.82.21
36	3.890232100	10.82.21
39	3.964924600	103.249.
40	3.964935600	103.249.
41	3.965095200	10.82.21
42	3.966772500	103.249.
43	3.966782500	103.249.
45	3.966935000	10.82.21
55	4.014137000	10.82.21

> Frame 36: Packet, 571 bytes on wire (capture length 571 bytes) captured on interface Wi-Fi
 > Ethernet II, Src: HonHaiPrecision, Dst: 08:00:27:00:00:00
 > Internet Protocol Version 4, Src: 10.82.21.1, Dst: 103.249.10.10
 > Transmission Control Protocol, Src Port: 443, Dst Port: 80
 > **Transport Layer Security**

Wireshark · Follow TCP Stream (tcp.stream eq 10) · Wi-Fi

```

.....\(:...xv%TsJ.h.....x...n.xt. '...]}...}.Yz*\..u..1G ...
/;a.. .....+./.,.0...../..5.....arms.sse.saveetha.com..
.....
.....#.....http/1.1.http/1.0.....
.0.....
.....+.....-.....3.&.$... .9M2.L...<..1.61
.....4<..objb...../.....
.....
.....d..j..M....}.m.^J,.ogo.&..U~p..!lX K ...#......,A..SJJ....y. .W...
:.0..... .http/1.1.....0...0.....&9.....
.....].+0
.....*.H..
.....031.0 ..U....US1.0...U.
.....
Let's Encrypt1.0
..U....YR10..
260720195621Z.
261018195620Z0 1.0...U....arms.sse.saveetha.com0.."0
.....*.H..
.....0..
.....P..6j3..n....s.dy.v3.C..S.....;[.....k.....:..
j..+.$..k0..$.A.....3Rj..L.....>#.....N.....T...qY
EI\../.^.....:R.....`...W.9.X.....L>.6...U(..^...;<69.^h.P.2.r....
`.e...@G./...t.....4....p5U..._WN....`..x..m.r.....,.J.f. I.f
Q.....!0...0...U.....0...U.%..0
.....

```

2 client pkts, 5 server pkts, 3 turns.

Entire conversation (5281 bytes) Show as ASCII No delta times Stream 10

Find: ☐ Case sensitive **Find Next**

Filter Out This Stream Print Save as... Back Close Help

Packets: 138 · Displayed: 13 (9.4%) · Dropped: 0 (0.0%) Profile: Default