

Student 2 **Akshaya T** 192520019RD

10 / 10 submitted

Q1. Quadratic equation

Score: 10.00 TC: 2/2 passed

CODE

```
#include <stdio.h>
#include <math.h>

int main()
{
    float a, b, c, d, r1, r2;

    scanf("%f %f %f", &a, &b, &c);

    d = sqrt(b*b - 4*a*c);

    r1 = (-b + d) / (2*a);
    r2 = (-b - d) / (2*a);

    printf("%.2f %.2f", r1, r2);

    return 0;
}
```

INPUT

1 -5 6

OUTPUT

3.00 2.00

Q2. Prime numbers

Score: 10.00 TC: 3/3 passed

CODE

```
#include <stdio.h>

int main()
{
    int n, i, j, c;

    scanf("%d", &n);

    if(n < 2)
    {
        printf("No prime numbers");
    }
    else
    {
        for(i = 2; i ≤ n; i++)
        {
            c = 0;

            for(j = 1; j ≤ i; j++)
            {
                if(i % j == 0)
                    c++;
            }

            if(c == 2)
                printf("%d ", i);
        }
    }

    return 0;
}
```

INPUT

20

OUTPUT

2 3 5 7 11 13 17 19

Q3. Palindrome**CODE**

```
#include <stdio.h>

int main()
{
    char s[20];
    int i, l = 0, f = 1;

    scanf("%s", s);

    while(s[l] != '\0')
        l++;

    for(i = 0; i < l / 2; i++)
    {
        if(s[i] != s[l - i - 1])
        {
            f = 0;
            break;
        }
    }

    if(f == 1)
        printf("Palindrome");
    else
        printf("Not a Palindrome");

    return 0;
}
```

INPUT**OUTPUT****Q4. Pyramid****CODE**

```
#include <stdio.h>

int main()
{
    int i, j, n;

    printf("Enter number of rows: ");
    scanf("%d", &n);

    for (i = 1; i ≤ n; i++)
    {
        for (j = 1; j ≤ i; j++)
        {
            printf("%d ", j);
        }

        printf("\n");
    }

    return 0;
}
```

INPUT**OUTPUT**

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_AT-2 Experiments • Student Submissions Report

Q5. Voting

Score: 10.00 **TC: 2/2 passed**

CODE

```
#include <stdio.h>

int main()
{
    int age;

    scanf("%d", &age);

    if(age ≥ 18)
        printf("Eligible");
    else
        printf("Not eligible");

    return 0;
}
```

INPUT**OUTPUT**

Q6. Calculator

Score: 3.33 TC: 1/3 passed

CODE

```
#include <stdio.h>

int main()
{
    int a, b;
    char op;

    scanf("%d %c %d", &a, &op, &b);

    switch(op)
    {
        case '+':
            printf("Add result = %d", a + b);
            break;

        case '-':
            printf("Subtraction result = %d", a - b);
            break;

        case '*':
            printf("Multiplication result = %d", a * b);
            break;

        case '/':
            if(b == 0)
                printf("Error: Division by zero");
            else
                printf("Division result = %d", a / b);
            break;

        default:
            printf("Invalid operator");
    }

    return 0;
}
```

INPUT

15/0

OUTPUT

Error: Division by zero

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_AT-2 Experiments • Student Submissions Report

Q7. Month counting

Score: 0.00 TC: 0/2 passed

CODE

```
#include <stdio.h>

int main()
{
    int m;

    scanf("%d", &m);

    switch(m)
    {
        case 2:
            printf("28");
            break;

        case 4:
        case 6:
        case 9:
        case 11:
            printf("30");
            break;

        case 1:
        case 3:
        case 5:
        case 7:
        case 8:
        case 10:
        case 12:
            printf("31");
            break;

        default:
            printf("Invalid");
    }

    return 0;
}
```

INPUT

7

OUTPUT

31

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_AT-2 Experiments • Student Submissions Report

Q8. Positive or negative

Score: 10.00 TC: 2/2 passed

CODE

```
#include <stdio.h>

int main()
{
    int n;

    scanf("%d", &n);

    if(n > 0)
        printf("Positive");
    else if(n < 0)
        printf("Negative");
    else
        printf("Zero");

    return 0;
}
```

INPUT

50

OUTPUT

Positive

Q9. Multiplication Table

Score: 10.00 TC: 2/2 passed

CODE

```
#include <stdio.h>

int main()
{
    int n, i;

    scanf("%d", &n);

    for(i = 1; i ≤ 10; i++)
    {
        printf("%d x %d = %d\n", n, i, n * i);
    }

    return 0;
}
```

INPUT

5

OUTPUT

```
5 x 1 = 5
5 x 2 = 10
5 x 3 = 15
5 x 4 = 20
5 x 5 = 25
5 x 6 = 30
5 x 7 = 35
5 x 8 = 40
5 x 9 = 45
5 x 10 = 50
```

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_AT-2 Experiments • Student Submissions Report

Q10. Factorial

Score: 10.00 **TC: 3/3 passed**

CODE

```
#include <stdio.h>

int main()
{
    int n, i;
    long long factorial = 1;

    scanf("%d", &n);

    for(i = 1; i ≤ n; i++)
    {
        factorial = factorial * i;
    }

    printf("%lld", factorial);

    return 0;
}
```

INPUT

5

OUTPUT

120