

Student 2 **Akshaya T** 192520019RD

10 / 10 submitted

Q1. Payroll System

Score: 9.00

CODE

```
START

    Declare basicSalary, bonus, totalSalary

    Input basicSalary
    Input bonus

    totalSalary = basicSalary + bonus

    Display totalSalary

STOP
```

OUTPUT

Q2. Swapping Variables

Score: 10.00

CODE

```
START

    Declare a, b, temp

    Input a and b

    temp=a
    a=b
    b=temp

    Display a and b

STOP
```

OUTPUT

Q3. Swapping without third Variables

Score: 10.00

CODE

```
START

    Declare a, b

    Input a and b

    a = a + b
    b = a - b
    a = a - b

    Display a and b

STOP
```

OUTPUT

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_Assessment Test-1 Pseudocode writing • Student Submissions Report

Q4. Simple Interest

Score: 10.00

CODE

```
START

    Declare P, R, T, SI

    Input P
    Input R
    Input T

    SI = (P × R × T) / 100

    Display SI

STOP
```

OUTPUT

Q5. Celsius to Fahrenheit

Score: 9.00

CODE

```
START

    Declare Celsius, Fahrenheit

    Input Celsius

    Fahrenheit = (Celsius × 9 / 5) + 32

    Display Fahrenheit

STOP
```

OUTPUT

Q6. Quotient and remainder

Score: 9.00

CODE

```
START

    Declare dividend, divisor, quotient, remainder

    Input dividend
    Input divisor

    quotient = dividend / divisor
    remainder = dividend % divisor

    Display quotient
    Display remainder

STOP
```

OUTPUT

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_Assessment Test-1 Pseudocode writing • Student Submissions Report

Q7. Odd or even**Score: 10.00****CODE**

```
START

  Declare number

  Input number

  IF number % 2 = 0 THEN
    Display "Number is Even"
  ELSE
    Display "Number is Odd"
  END IF

STOP
```

OUTPUT**Q8. Quadratic equation****Score: 10.00****CODE**

```
START

  Input a, b, c

   $D = b \times b - 4 \times a \times c$ 

  IF  $D > 0$  THEN
     $\text{Root1} = (-b + \sqrt{D}) / (2 \times a)$ 
     $\text{Root2} = (-b - \sqrt{D}) / (2 \times a)$ 
    Display Root1 and Root2

  ELSE IF  $D = 0$  THEN
     $\text{Root} = -b / (2 \times a)$ 
    Display Root

  ELSE
    Display "Imaginary roots"

  END IF

STOP
```

OUTPUT**Q9. Scientific calculator application****Score: 8.00****CODE**

```
START
  Input number
  Square = number × number
  Cube = number × number × number
  Display Square and Cube
STOP
```

OUTPUT

(no output)

SIMATS Engineering • Department of Computer Science and Engineering • CSA0209 — C PROGRAMMING • 06-08-2026 • Category: CO1_Assessment Test-1 Pseudocode writing • Student Submissions Report

Q10. Largest among three numbers**Score: 8.00****CODE**

```
START
  Input a, b, c
  largest = a

  IF b > largest
    largest = b

  IF c > largest
    largest = c

  Display largest
STOP
```

OUTPUT