

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – C Code Output Prediction

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 1 – C Code Output Prediction
Weightage:	35% of CIA	Total Marks:	100
CO1 Statement:	Apply suitable data structures and ADTs for efficient problem solving by analyzing time and space complexity.		
Student Name:	K. Kabilan	Reg. No.:	192521157
Section / Batch:		Date:	10/07/2026

Code of Conduct

I K. Kabilan, Reg. No: 192521157 (Name / Reg No)

certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: **K. Kabilan**

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Linked data structure	Basic data structure	1 - 2	20
Primitive and Non-Primitive Data Structure - Linear and Non-Linear Data Structure	Classifications of Linear data structure	3 - 4	20
Search Data Structure	Linear Search and Binary Search	5 -6	20
Recursion, Performance analysis	Recursion	7 - 8	20
Array Data Structures	Implementations Using Array data structure	9 - 10	20
GRAND TOTAL:			100 Marks

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)

QUESTIONS

Q1
C Code – Array Traversal
10 marks**Q2**
C Code – Linear Search
10 marks**Q3**
C Code – Binary Search Mid
10 marks**Q4**
C Code – Pointer with Array
10 marks**Q5**
C Code – Array Update
10 marks**Q6**
C Code – Linked List Node
10 marks**Q7**
C Code – Time Complexity Loop
10 marks**Q8**
C Code – ...**Q1 C Code – Array Traversal**

10 marks

```
#include <stdio.h>

int main() {
    int arr[] = {5, 10, 15, 20};
    int i, sum = 0;
    for(i = 0; i < 4; i++)
        sum += arr[i];
    printf("%d", sum);
    return 0;
}
```

Your Answer

50

 **Save Answer**

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)**QUESTIONS****Q1**
C Code – Array Traversal
10 marks**Q2**
C Code – Linear Search
10 marks**Q3**
C Code – Binary Search Mid
10 marks**Q4**
C Code – Pointer with Array
10 marks**Q5**
C Code – Array Update
10 marks**Q6**
C Code – Linked List Node
10 marks**Q7**
C Code – Time Complexity Loop
10 marks**Q8**
C Code – Node Class**Q2 C Code – Linear Search**

10 marks

```
#include <stdio.h>

int main() {
    int arr[] = {2,4,6,8,10};
    int key = 8;
    int i;
    for(i=0;i<5;i++){
        if(arr[i] == key){
            printf("%d",i);
            break;
        }
    }
}
```

Your Answer

3

 Save Answer

✓ Saved

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)**QUESTIONS****Q1**
C Code – Array Traversal
10 marks**Q2**
C Code – Linear Search
10 marks**Q3**
C Code – Binary Search Mid
10 marks**Q4**
C Code – Pointer with Array
10 marks**Q5**
C Code – Array Update
10 marks**Q6**
C Code – Linked List Node
10 marks**Q7**
C Code – Time Complexity Loop
10 marks**Q8****Q3 C Code – Binary Search Mid**

10 marks

```
#include <stdio.h>
int main() {
    int low=0, high=7;
    int mid;
    mid=(low+high)/2;
    printf("%d", mid);
}
```

Your Answer

3

 **Save Answer**

QUESTIONS

Q1 ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓
C Code – Linked List Node
10 marks**Q7**
C Code – Time Complexity Loop
10 marks**Q8**
C Code – Nested Loop
10 marks**Q4 C Code – Pointer with Array**

10 marks

```
#include<stdio.h>
int main(){
int arr[]={10,20,30};
int *p=arr;
printf("%d",*(p+2));
}
```

Your Answer

30

 **Save Answer**

**SIMATS**
ENGINEERING

SIMATS Online Programming Lab
DS PROGRAMMING

KABILAN K
192521157RA

QUESTIONS

Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code - Linked List Node
10 marks

Q7
C Code - Time Complexity Loop
10 marks

Q8
C Code - Nested Loop
10 marks

Q5 C Code – Array Update 10 marks

```
#include<stdio.h>
int main(){
int arr[]={1,2,3};
arr[1]=arr[0]+arr[2];
printf("%d",arr[1]);
}
```

Your Answer

4

Save Answer

QUESTIONS

Q1
C Code – Array Traversal
10 marks**Q2**
C Code – Linear Search
10 marks**Q3**
C Code – Binary Search Mid
10 marks**Q4**
C Code – Pointer with Array
10 marks**Q5**
C Code – Array Update
10 marks**Q6**
C Code - Linked List Node
10 marks**Q7**
C Code - Time Complexity Loop
10 marks**Q8**
C Code - Nested Loop
10 marks**Q6 C Code - Linked List Node**

10 marks

```
#include<stdio.h>
struct Node{
int data;
struct Node *next;
};
int main(){
struct Node n1,n2;
n1.data=10;
n2.data=20;
n1.next=&n2;
n2.next=NULL;
printf("%d",n1.next->data);
}
```

Your Answer

20

 **Save Answer**

QUESTIONS

Q1 ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓
C Code – Linked List Node
10 marks**Q7** ✓
C Code – Time Complexity Loop
10 marks**Q8**
C Code – Nested Loop
10 marks**Q7 C Code - Time Complexity Loop**

10 marks

```
for(i=0;i<n;i++)  
printf("**");  
The complexity is
```


Your Answer

 $O(n)$  Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)**QUESTIONS****Q1** ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓
C Code – Linked List Node
10 marks**Q7** ✓
C Code – Time Complexity Loop
10 marks**Q8** ✓**Q8 C Code - Nested Loop**

10 marks

```
for(i=0;i<n;i++)  
for(j=0;j<n;j++)  
printf("%s");
```

Your Answer $O(n^2)$  Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)**QUESTIONS****Q1** ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓
C Code – Linked List Node
10 marks**Q7** ✓
C Code – Time Complexity Loop
10 marks**Q8** ✓
C Code – ...
10 marks**Q9 C Code - Binary Search Complexity**

10 marks

```
while(low<=high){  
    mid=(low+high)/2;  
}
```

Your Answer[Q\(logn\)](#) **Save Answer**

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1 ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓
C Code - Linked List Node
10 marks**Q7** ✓
C Code - Time Complexity Loop
10 marks**Q8** ✓**Q10** C Code - Pointer Increment

10 marks

```
#include<stdio.h>
int main()
{
    int a[]={5,10,15};
    int *p=a;
    p++;
    printf("%d",*p);
}
```

Your Answer

10

 Save Answer



SIMATS
ENGINEERING

SIMATS Online Programming Lab
DS PROGRAMMING

 KABILAN K
192521157RA

Q4
C Code – Pointer with Array
10 marks

✓

Q5
C Code – Array Update
10 marks

✓

Q6
C Code - Linked List Node
10 marks

✓

Q7
C Code - Time Complexity Loop
10 marks

✓

Q8
C Code - Nested Loop
10 marks

✓

Q9
C Code - Binary Search
Complexity
10 marks

✓

Q10
C Code - Pointer Increment
10 marks

✓

10/10 answered

Your Answer

10

Save Answer

© 2026 SIMATS Online Lab. All rights reserved.