

PC0

PhysicalConfigDesktopProgrammingAttributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.0.1

Pinging 192.168.0.1 with 32 bytes of data:

Reply from 192.168.0.1: bytes=32 time=2ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 2ms

C:\>ping 192.168.0.1

Pinging 192.168.0.1 with 32 bytes of data:

Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

Top

Heavy rain Tomorrow

Search

8:17 PM 11/20/2025

Cisco Packet Tracer


FileEditOptionsViewToolsExtensionsHelp

LogicalPhysical x 52 y 142 [Root]

Time: 00:00:53

RealtimeSimulation

Automatically Choose Connection Type



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 222, y: 212 [Root] 06:33:30

```
graph TD; Switch0[2950-24 Switch0] --- PC0[PC-PT PC0]; Switch0 --- PC1[PC-PT PC1]; Switch0 --- PC2[PC-PT PC2]; Switch0 --- Printer0[Printer-PT Printer0];
```

Time: 00:33:53.377 PLAY CONTROLS Event List Realtime Simulation

Automatically Choose Connection Type

27°C Partly cloudy

8:35 PM 11/20/2025

