

Your Code

```
1 students = [
2     (" A001 ", "ARUN KUMAR", [78, 85, 92]),
3     ("A002", "Bala", [45, 67, 52]),
4     (" a003", "arun kumar", [88, 91, 95]),
5     ("A004", "CHARAN", [72, 76, 81]),
6     ("A005", "Divya ", [55, 48, 62])
7 ]
8
9
10 normalized = []
11 for sid, name, marks in students:
12     norm_id = sid.strip().upper()
13     norm_name = name.strip().lower()
14     normalized.append((norm_id, norm_name, marks))
15
16
17 totals = []
18 passed_all = []
19 failed_any = []
20 avg_above_75 = []
21
22 highest_total = None
23 lowest_total = None
```

Input

stdin input

Output

```
Traceback (most recent call
last):
  File
"C:\Windows\TEMP\sandbox_19252124
9RC_6a8fd888b2d006.89053173\main.
py", line 75, in <module>
```

Your Code

```
1 students = [
2     ("Arun", [78, 85, 92, 67]),
3     ("Bala", [45, 67, 55, 49]),
4     ("Charan", [90, 92, 88, 95]),
5     ("Divya", [65, 72, 70, 68]),
6     ("Esha", [88, 76, 91, 84])
7 ]
8
9
10 totals = {}
11 averages = {}
12
13 print("Student Totals:")
14 for name, marks in students:
15     total = sum(marks)
16     totals[name] = total
17     print(f"{name} : {total}")
18
```

Input

stdin input

Output

```
Student Totals:
Arun : 322
Bala : 216
Charan : 365
Divya : 275
Esha : 339
```

Your Code

```
1 names = [
2     " Arun Kumar ",
3     "ARUN KUMAR",
4     " arun kumar",
5     "Bala Krishnan",
6     "BALA KRISHNAN ",
7     "Charan",
8     " charan ",
9     "DIVYA DEVI",
10    "Divya Devi"
11 ]
12
13 normalized = [name.strip().lower() for name in names]
14 print("Normalized:")
15 print(normalized)
16
17
18 seen = set()
19 duplicates = set()
```

Input

stdin input

Output

```
Normalized:
['arun kumar', 'arun kumar',
'arun kumar', 'bala krishnan',
'bala krishnan', 'charan',
'charan', 'divya devi', 'divya
devi']
```

Your Code

```
1 products = [  
2     ("Laptop", 5, 55000),  
3     ("Mouse", 25, 700),  
4     ("Keyboard", 8, 1200),  
5     ("Monitor", 12, 15000),  
6     ("Printer", 4, 12000),  
7     ("Headset", 15, 2500)  
8 ]  
9  
10  
11 inventory_values = []  
12 print("Inventory Values:")  
13 for name, qty, price in products:  
14     value = qty * price  
15     inventory_values.append((name, value))  
16     print(name, ":", value)  
17  
18  
19 total_value = sum(value for name, value in inventory_values)  
20 print("\nTotal Inventory Value:", total_value)  
21
```

Input

stdin input

Output

```
Inventory Values:  
Laptop : 275000  
Mouse : 17500  
Keyboard : 9600  
Monitor : 180000  
Printer : 48000
```

Your Code

```
1 feedback = """  
2 Python programming is easy to learn.  
3 Python programming is powerful.  
4 Learning Python requires practice.  
5 Practice makes programming skills better.  
6 """  
7  
8 text_lower = feedback.lower()  
9  
10 for char in ".,!?:;":  
11     text_lower = text_lower.replace(char, "")  
12  
13  
14 words = text_lower.split()  
15  
16  
17 total_words = len(words)  
18  
19  
20 unique_words_set = set(words)  
21 num_unique_words = len(unique_words_set)  
22  
23  
24 freq_python = words.count("python")  
25  
26  
27 freq_programming = words.count("programming")
```

Input

stdin input

Output

```
Total Words: 19  
Unique Words: 13  
  
Frequency of python: 3  
Frequency of programming: 3
```

Your Code

```
1 employees = [  
2     ("E101", "Arun", ["Python", "SQL", "ML"]),  
3     ("E102", "Bala", ["Java", "SQL", "HTML"]),  
4     ("E103", "Charan", ["Python", "ML", "SQL"]),  
5     ("E104", "Divya", ["Python", "Java", "Cloud"]),  
6     ("E105", "Esha", ["Python", "ML", "Cloud"])  
7 ]  
8  
9  
10 python_emps = [name for eid, name, skills in employees if "Python" in skills]  
11  
12  
13 py_ml_emps = [name for eid, name, skills in employees if "Python" in skills and "ML" in skills]  
14  
15  
16 sql_not_java = [name for eid, name, skills in employees if "SQL" in skills and "Java" not in skills]  
17  
18  
19 java_or_cloud = [name for eid, name, skills in employees if "Java" in skills or "Cloud" in skills]  
20  
21  
22 skill_count = {}  
23 for eid, name, skills in employees:
```

Input

stdin input

Output

```
Python:  
Arun, Charan, Divya, Esha  
  
Python + ML:  
Arun, Charan, Esha
```

Your Code

```
1 transactions = [  
2     ("T101", "Deposit", 5000),  
3     ("T102", "Withdraw", 2000),  
4     ("T103", "Deposit", 8000),  
5     ("T104", "Withdraw", 1500),  
6     ("T105", "Deposit", 3000),  
7     ("T106", "Withdraw", 7000)  
8 ]  
9  
10  
11 total_deposits = sum(amount for _, type, amount in transactions if type == "Deposit")  
12  
13  
14 total_withdrawals = sum(amount for _, type, amount in transactions if type == "Withdraw")  
15  
16  
17 net_balance = total_deposits - total_withdrawals  
18
```

Input

stdin input

Output

```
Total Deposit: 16000  
Total Withdrawal: 10500  
Net Balance: 5500  
  
Largest Deposit: 8000  
Largest Withdrawal: 7000
```

Your Code

```
1 passwords = [  
2     "Python@123",  
3     "python123",  
4     "PYTHON@123",  
5     "Py@45",  
6     "Python123",  
7     "Java#4567",  
8     "Admin@2026"  
9 ]  
10  
11 valid_passwords = []  
12 invalid_passwords = [] # List of tuples: (password, [failed_reasons])  
13  
14 for pwd in passwords:  
15     failed_conditions = []  
16  
17     # Condition 1: At least 8 characters  
18     if len(pwd) < 8:  
19         failed_conditions.append("Less than 8 characters")  
20
```

Input

stdin input

Output

```
Traceback (most recent call  
last):  
  File  
    "C:\Windows\TEMP\sandbox_19252124  
9RC_6a8fd85a570191.18001777\main.  
py", line 122, in <module>
```

Your Code

```
1 text = "data science uses data analysis and data visualization"
2
3
4 words = text.split()
5
6
7 total_words = len(words)
8
9
10 unique_words = list(set(words))
11
12
13 repeated_words = set([w for w in words if words.count(w) > 1])
14
15
16 frequency = {}
17 for w in words:
18     frequency[w] = frequency.get(w, 0) + 1
19
20
21
22 most_frequent_word = max(frequency, key=frequency.get)
23
```

Input

stdin input

Output

```
File
"C:\Windows\TEMP\sandbox_19252124
9RC_6a8fd879c39614.44310572\main.
py", line 19
    " = frequency.get(w, 0) + 1
    ^
```

Your Code

```
1 records = [
2     ("Arun", "Python"),
3     ("ARUN", "Python"),
4     ("Bala", "Java"),
5     ("bala", "Java"),
6     ("Charan", "Python")
7 ]
8
9 names = []
10
11 for record in records:
12     name = record[0].strip().lower()
13
14     if name not in names:
15         names.append(name)
16
17 print(names)
```

Input

stdin input

Output

```
['arun', 'bala', 'charan']
```

Snipping Tool