

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** JAVA PROGRAMMING Baby Shalini E

QUESTIONS 20 / 20 completed

Convert

CONVERT

Write a Java program to convert a given string to a char array.

PROGRAM EDITOR Java Run Save

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         char[] chars = str.toCharArray();
10
11         System.out.println(chars);
12     }
13 }
```

INPUT

Hello

OUTPUT

Hello

25°C Partly cloudy

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** JAVA PROGRAMMING Baby Shalini E

Substring

SUBSTRING

Write a Java program to create a substring from a given string.

PROGRAM EDITOR Java Run Save

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         int start = sc.nextInt();
9         int end = sc.nextInt();
10
11         System.out.println(str.substring(start, end));
12     }
13 }
```

INPUT

Programming
3
7

OUTPUT

gram

30°C Light rain

simats browser java - Google

SIMATS Online Lab

java/JAVA LEVEL 1.docx at ma

QuestionAI Homework Power

+

Ask Gemini

Not secure

simatslab.saveetha.com/practice_app/onlineide/onlineide?topic=strings

Search

Star

Print

Download

School

More

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).



SIMATS Online Programming Lab

JAVA PROGRAMMING

Baby Shalini E

19:56:12 GMT

Repeat

REPEAT

Write a Java program to find the first non-repeated character in a given string.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         char result = '\0';
9
10        for (int i = 0; i < str.length(); i++) {
11            int count = 0;
12
13            for (int j = 0; j < str.length(); j++) {
14                if (str.charAt(i) == str.charAt(j))
15                    count++;
16            }
17
18            if (count == 1) {
19                result = str.charAt(i);
20                break;
21            }
22        }
23    }
24 }
```

OUTPUT

S

Swiss

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** JAVA PROGRAMMING Baby Shalini E

QUESTIONS 20 / 20 completed

Trim

Write a Java program to trim a given string and remove leading and trailing spaces.

PROGRAM EDITOR Java Run Save

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         System.out.println(str.trim());
10    }
11 }
```

INPUT

Hello World

OUTPUT

Hello World

25°C Partly cloudy Search ENG IN 22:14 10-08-2026

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** JAVA PROGRAMMING Baby Shalini E

QUESTIONS 20 / 20 completed

Split

Write a Java program to split a given string into an array of substrings based on a specified delimiter.

PROGRAM EDITOR Java Run Save

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         String delimiter = sc.nextLine();
9
10        String[] parts = str.split(java.util.regex.Pattern.quote(delimiter));
11
12        for (String part : parts) {
13            System.out.println(part);
14        }
15    }
16 }
```

INPUT

Java,Python,C++

OUTPUT

Java
Python
C++

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** JAVA PROGRAMMING Baby Shalini E 19253126880

QUESTIONS 20 / 20 completed

Replace

REPLACE

Write a Java program to replace a specified character with another character in a given string.

PROGRAM EDITOR Java Run Save

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         char oldChar = sc.nextLine().charAt(0);
9         char newChar = sc.nextLine().charAt(0);
10
11         String result = str.replace(oldChar, newChar);
12
13         System.out.println(result);
14     }
15 }
```

INPUT

```
hello
l
K
```

OUTPUT

```
heKKo
```

25°C Partly cloudy

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** JAVA PROGRAMMING Baby Shalini E 19253126880

RM-Char

RM-CHAR

Write a Java program to remove a specified character from a given string.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         System.out.println(str.toUpperCase());
10     }
11 }
```

OUTPUT

```
HELLO WORLD
```

simats browser java - Google S...

SIMATS Online Lab

java - /JAVA LEVEL 1.docx at ma...

QuestionAI Homework Power...

+

Ask Gemini

+

-

+

+

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

Baby Shalini E

192521268RD

Upper

UPPER

Write a Java program to convert a given string to uppercase.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         System.out.println(str.toUpperCase());
10    }
11 }
```

hello world

OUTPUT

HELLO WORLD

30°C
Light rain

Search

ENG
IN

22:08
10-08-2026

simats browser java - Google S...

SIMATS Online Lab

java - /JAVA LEVEL 1.docx at ma...

QuestionAI Homework Power...

+

Ask Gemini

+

-

+

+

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

Baby Shalini E

192521268RD

Find

FIND

Write a Java program to find the index of a given character or substring in a given string.

```
1 import java.util.Scanner;
2
3 class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         String search = sc.nextLine();
9
10        int index = str.indexOf(search);
11
12        System.out.println("Index: " + index);
13    }
14 }
```

Hello world
Helo

OUTPUT

Index: -1

30°C
Light rain

Search

ENG
IN

22:08
10-08-2026

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** Baby Shalini E 192521268RD

Suffix

SUFFIX

Write a Java program to check if a given string ends with a specific suffix.

```
1 import java.util.Scanner;
2
3 class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         String suffix = sc.nextLine();
9
10        if (str.endsWith(suffix))
11            System.out.println("String ends with the suffix");
12        else
13            System.out.println("String does not end with the suffix");
14        }
15    }
```

OUTPUT

HelloWorld
World

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** Baby Shalini E 192521268RD

Compare

COMPARE

Write a Java program to compare two strings lexicographically.

```
1 import java.util.Scanner;
2
3 class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str1 = sc.nextLine();
8         String str2 = sc.nextLine();
9
10        int result = str1.compareTo(str2);
11
12        if (result == 0)
13            System.out.println("Strings are equal");
14        else if (result < 0)
15            System.out.println("First string is smaller");
16        else
17            System.out.println("First string is greater");
18        }
19    }
```

OUTPUT

First string is smaller

apple
banana

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** Baby Shalini E 192521268RD

Concatenate

CONCATINATE

Write a Java program to concatenate two given strings.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str1 = sc.nextLine();
8         String str2 = sc.nextLine();
9
10        System.out.println(str1 + str2);
11    }
12 }
```

hello
world

OUTPUT

30°C Light rain Search ENG IN 22:06 10-08-2026

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** Baby Shalini E 192521268RD

Reverse

REVERSE

Write a Java program to reverse a given string.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         String rev = "";
10
11        for (int i = str.length() - 1; i >= 0; i--) {
12            rev = rev + str.charAt(i);
13        }
14
15        System.out.println(rev);
16    }
17 }
```

hello

OUTPUT

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** Baby Shalini E 192521268RD

Remove

REMOVE

Write a Java program to remove all white spaces from a given string.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         str = str.replaceAll("\\s", "");
10
11         System.out.println(str);
12     }
13 }
```

OUTPUT

HelloWorldJava

Hello World Java

30°C Light rain

simats browser java - Google S... SIMATS Online Lab java-/JAVA LEVEL 1.docx at ma... QuestionAI Homework Power... Ask Gemini

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** Baby Shalini E 192521268RD

Lower

LOWER

Write a Java program to convert a given string to lowercase.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8
9         System.out.println(str.toLowerCase());
10     }
11 }
```

OUTPUT

hello java

HELLO JAVA

30°C Light rain

Length

LENGTH
Write a Java program to find the length of the longest substring without repeating characters in a given string.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         int max = 0;
9
10        for (int i = 0; i < str.length(); i++) {
11            String temp = "";
12
13            for (int j = i; j < str.length(); j++) {
14                char ch = str.charAt(j);
15
16                if (temp.indexOf(ch) != -1)
17                    break;
18
19                temp = temp + ch;
20                max = Math.max(max, temp.length());
21            }
22        }
23    }
24 }
```

OUTPUT

3

abcabcbb

Check

CHECK
Write a Java program to check if a given string contains only digits.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         boolean flag = true;
9
10        for (int i = 0; i < str.length(); i++) {
11            if (!Character.isDigit(str.charAt(i))) {
12                flag = false;
13                break;
14            }
15        }
16
17        if (flag)
18            System.out.println("Only digits");
19        else
20            System.out.println("Not only digits");
21    }
22 }
```

OUTPUT

Only digits

123456

Occurrence

OCCURRENCE
Write a Java program to count the number of occurrences of a given character in a string.

```
1 import java.util.*;
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         char ch = sc.next().charAt(0);
9
10        int count = 0;
11
12        for (int i = 0; i < str.length(); i++) {
13            if (str.charAt(i) == ch)
14                count++;
15        }
16
17        System.out.println(count);
18    }
19 }
```

OUTPUT

2

programming
g



SIMATS Online Programming Lab

JAVA PROGRAMMING

Baby Shalini E

192521268RD

Write a Java program to check if a given string is a palindrome or not.

```
5 Scanner sc = new Scanner(System.in);
6
7 String str = sc.nextLine();
8 String rev = "";
9
10 for (int i = str.length() - 1; i >= 0; i--) {
11     rev = rev + str.charAt(i);
12 }
13
14 if (str.equalsIgnoreCase(rev)) {
15     System.out.println("Palindrome");
16 } else {
17     System.out.println("Not a Palindrome");
18 }
19
20 sc.close();
21 }
22 }
```

OUTPUT

Not a Palindrome



SIMATS Online Programming Lab

JAVA PROGRAMMING

Baby Shalini E

192521268RD

QUESTIONS 20 / 20 completed

Palindrome

PALINDROME

Write a Java program to check if a given string is a palindrome or not.

PROGRAM EDITOR

Java

Run Save

```
2
3 public class Main {
4     public static void main(String[] args) {
5         Scanner sc = new Scanner(System.in);
6
7         String str = sc.nextLine();
8         String rev = "";
9
10        for (int i = str.length() - 1; i >= 0; i--) {
11            rev = rev + str.charAt(i);
12        }
13
14        if (str.equalsIgnoreCase(rev)) {
15            System.out.println("Palindrome");
16        } else {
17            System.out.println("Not a Palindrome");
18        }
19
20        sc.close();
21    }
22 }
```

INPUT

Madam