

SIMATS ENGINEERING ASSESSMENT TOOL 1

COURSE CODE: CSA51

COURSE NAME: Cryptography and Network Security

COURSE OUTCOME COVERED

CO2: Analyze Public Key crypto system strategies using RSA and key Exchange for Encryption algorithm to strengthen information security. (BL4,BL5)

Analytical Problem Solving: 40%

QUESTIONS:

Total Marks: 50

Annexure A

Code of Conduct:

I _____ (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the student:

Annexure A

Analytical Problem Solving

1. RSA Encryption Analysis

Given $p=11$, $q=13$

- a. Compute n and $\phi(n)$
- b. Choose $e=7$ and find the private key d
- c. Encrypt the message $M=9$
- d. Decrypt the ciphertext and verify the result
- e. Analyze how changing e affects security

2. Block Cipher Mode Evaluation

Given plaintext blocks:

$P=[1010,1010,1111,1010]$, Key = $K=1100$

- a. Encrypt using ECB and CBC modes (Assume IV = 0000)
- b. Compare the ciphertext outputs
- c. Analyze which mode hides patterns better and explain why

3. DES vs 3-DES vs Blowfish Performance Study

Given:

- a. DES key size = 56 bits, time = 2 ms/block
- b. 3-DES key size = 168 bits, time = 6 ms/block
- c. Blowfish key size = 128 bits, time = 1 ms/block

For 1000 blocks of data:

- i. Calculate total encryption time for each algorithm
- ii. Analyze trade-offs between security and performance
- iii. Recommend the best algorithm for secure real-time communication

4. Diffie-Hellman Key Exchange Analysis

Given:

- a. $p=23$, $g=5$
- b. User A private key = 6
- c. User B private key = 15
- d. Compute public keys for A and B
- e. Compute the shared secret key
- f. Demonstrate how a Man-in-the-Middle attacker could alter the exchange
- g. Suggest a secure method to prevent the attack

5. ECC vs RSA Comparison

Given:

- RSA key size = 1024 bits
- ECC key size = 160 bits (equivalent security)
- Device processing capacity = limited (IoT device)
- Analyze computational cost for both systems
- Estimate which consumes less power and memory
- Justify which cryptosystem is better for the given scenario with reasoning

RUBRICS FOR CALCULATION:

Criteria	Weightage	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Problem Understanding	20%	Clearly interprets problem, identifies all parameters and requirements accurately	Understands problem with minor gaps	Partial understanding; misses key elements	Misinterprets or unable to understand problem
Method Selection	20%	Selects most appropriate method/formula with	Selects correct method with minor errors	Inappropriate or partially correct method	Unable to select method

		strong justification			
Solution Process	25%	Logical, systematic steps with correct approach throughout	Mostly correct steps with minor mistakes	Disorganized steps; multiple errors	No clear process
Accuracy of Calculation	20%	All calculations accurate; correct final answer	Minor calculation errors	Frequent errors; incorrect final answer	No valid calculations
Interpretation of Results	15%	Clearly interprets results with units and engineering relevance	Basic interpretation with minor omissions	Limited or unclear interpretation	No interpretation