

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – Coding Challenge Task

Course Code:	CSA06	Course Title:	Design and Analysis of Algorithms
CO Assessed:	CO4: Articulation (BL4, BL5)	Assessment:	Assessment Tool 1 – Coding Challenge Task
Weightage:	40% of CIA	Total Marks:	100
CO4 Statement:	Solve optimization problems using dynamic programming and greedy strategies.		
Student Name:	V.JAGADISH	Reg. No.:	192521352
Section / Batch:		Date:	

Instructions to Students

- Answer the following question. Total Marks: 100.
- Carefully analyze the given questions.
- Write clear code for the given problem.
- Analyze the Time complexity and Space complexity of your code using dynamic programming and greedy strategies

Question Type	Focus Area	Questions
Coding Challenge Task	Focus on Code and analyze optimization problems using dynamic programming and greedy strategies	Q1

SECTION A – Coding Challenge Task

A building has multiple floors, and a limited number of eggs are available to determine the highest floor from which an egg can be dropped without breaking. The goal is to minimize the number of attempts required in the worst case. Use Dynamic Programming to find the optimal strategy. Input Format: eggs = number of eggs floors = number of floors Sample Input: eggs = 2 floors = 10 Expected Output: Min Attempts = 4

Code of Conduct

I _____ (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: _____

RUBRICS FOR CALCULATION

Coding Challenge Task

Criteria	Weightage	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Problem Understanding	20%	Clearly understands problem constraints, edge cases, and competitive requirements	Understands problem with minor gaps in constraints	Partial understanding; misses key constraints	Misinterprets problem or constraints
Algorithm	25%	Selects optimal algorithm with best time and space complexity for competitive constraints	Uses efficient algorithm with minor scope for improvement	Uses basic/inefficient approach	No clear algorithmic approach
Code Implementation	20%	Writes correct, efficient, and clean code that passes all constraints	Code works with minor errors or inefficiencies	Partially correct code; fails for some cases	Code does not execute or gives incorrect results
Competitive Performance	20%	Solves problem within time limits and handles large inputs effectively	Solves within acceptable time with minor delays	Struggles with time limits or larger inputs	Unable to solve within time constraints
Test Case Handling	15%	Handles all test cases including edge and hidden cases	Handles most test cases	Misses important edge cases	Fails on multiple test cases

Marks Evaluation:

Criteria	Wt.	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Problem Understanding	20%				
Algorithm	25%				
Code Implementation	20%				
Competitive Performance	20%				
Test Case Handling	15%				
Total Marks (100):					

Faculty In-charge	Course Coordinator	Head of Department
Name: _____	Name: _____	Name: _____
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

Algorithm: Egg Dropping Problem Using Dynamic Programming

Step 1: Start.

Step 2: Read the number of eggs E and floors F .

Step 3: Create a DP table $dp[E+1][F+1]$.

Step 4: Initialize the base cases:

- $dp[e][0] = 0$ for 0 floors.
- $dp[e][1] = 1$ for 1 floor.
- $dp[1][f] = f$ for 1 egg.

Step 5: For each number of eggs from 2 to E :

Step 6: For each number of floors from 2 to F :

- Set $best = \infty$.

Step 7: Try dropping the egg from every floor x from 1 to f .

Step 8: Calculate the two possible cases:

- If the egg **breaks**: $dp[e-1][x-1]$
- If the egg **does not break**: $dp[e][f-x]$

Step 9: Find the worst case:

$$worst = 1 + \max(dp[e-1][x-1], dp[e][f-x])$$

Step 10: Select the minimum among all possible dropping floors:

$$dp[e][f] = \min(dp[e][f], worst)$$

Step 11: Repeat until the DP table is completely filled.

Step 12: Return $dp[E][F]$.

Step 13: Stop.

For the given input

Eggs = 2

Floors = 10

The result is:

Minimum Attempts = 4

Egg Dropping Problem
5 marks

0/1 answered

A building has multiple floors, and a limited number of eggs are available to determine the highest floor from which an egg can be dropped without breaking. The goal is to minimize the number of attempts required in the worst case. Use Dynamic Programming to find the optimal strategy. Input Format: eggs = number of eggs floors = number of floors Sample Input: eggs = 2 floors = 10 Expected Output: Min Attempts = 4

Your Code

```
1 def egg_drop(eggs, floors):
2     # dp[e][f] = min attempts with e eggs and f floors
3     dp = [[0] * (floors + 1) for _ in range(eggs + 1)]
4
5     # Base cases
6     for e in range(1, eggs + 1):
7         dp[e][0] = 0
8         if floors >= 1:
9             dp[e][1] = 1
10    for f in range(1, floors + 1):
11        dp[1][f] = f # With 1 egg, need f attempts in worst case
12
13    # Fill DP table
14    for e in range(2, eggs + 1):
15        for f in range(2, floors + 1):
16            best = float('inf')
17            for x in range(1, f + 1): # drop from floor x
18                worst = 1 + max(dp[e - 1][x - 1], dp[e][f - x])
19                best = min(best, worst)
20    dp[e][f] = best
21
```

Input

2
10

Output

Min Attempts = 4