

- ① Design the n/w model for subnetting - class c addressing
Using PT.
- ② Design & Config. of star, bus, ring, hybrid using PT

29/8/26

CSA0711- COMPUTER NETWORKS

Model Practical Exam

K. Sandhya
(192521378)

1. AIM: To design a network model for subnetting using class c IP addressing in Cisco Packet Tracer.


Procedure:

1. open Cisco Packet Tracer
2. Add the required PCs, switches and router.
3. connect the devices using suitable cables
4. Assign a class c IP address to the network.
5. Divide the network into required subnets using subnetting.
6. Configure the IP address and subnet mask for each PC.

17/26

7. Check connectivity using the ping command.

8. Verify that the PCs in the required Subnets can communicate successfully.



Input:

* Network Address 192.168.1.0

* Subnet Mask: 255.255.255.0

* Required Subnet: 4

* PCs with suitable IP addresses from each Subnet.

output:

- * The class c network is successfully divided into 4 subnets.
- * communication between the required devices is successfully
- * ping shows successfully connectivity.

Result:

The class successfully subnetted and configured using cisco packet Tracer.



AIM:

To design and configure star, ring, bus and hybrid network using cisco Packet Tracer.

Procedure :


1. Open cisco packet Tracer.
2. Select the required network of devices such as pcs, switches and routers.

3. Design the star topology using and connect all PCs to the central switch
4. Design the ring topology using a common line
5. Design the bus topology devices in closed loop.
6. Hybrid topology by combining two or more topologies
7. Assign suitable IP addresses to the PCs
8. Verify and successfully communication between the devices.




2. Bus topology.

1. Star topology



Ring Topology



Hybrid topology

Output:

Star, bus, Ring, hybrid topology
is successfully created.

Result:

The star, bus, ring, and hybrid
network topologies were successfully
designed using cisco packet tracer.

