

28/07/26

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q1 Keyword Arguments5 marks

Write a function employee(empid, name, salary) and call the function by changing the order of the arguments using keywords.

Your Code

```
1 def employee(empid, name, salary):
2     print("Employee ID:", empid)
3     print("Name:", name)
4     print("Salary:", salary)
5     employee(salary="50000", name="mohan", empid="101")
```

Input

stdin input

Output

```
Employee ID: 101
Name: mohan
Salary: 50000
```

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q2 Keyword Arguments5 marks

Write a function book(title, author, price) and display the book details using keyword arguments.

Your Code

```
1 def book(title, author, price):
2     print("Title:", title)
3     print("Author:", author)
4     print("Price:", price)
5     book(title="book", author="Jamaa", title="Python Programming")
```

Input

stdin input

Output

```
Title: Python Programming
Author: Jamaa
Price: 500
```

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q3 Variable-Length Arguments (*args)5 marks

Write a function that accepts any number of integers and returns their sum.

Your Code

```
1 def total(*n):
2     return sum(n)
3 print(total(10, 20, 30, 40))
```

Input

stdin input

Output

```
100
```

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q4 Variable-Length Arguments (*args)5 marks

Write a function that accepts any number of marks and returns the average.

Your Code

```
1 def average(*marks):
2     return sum(marks) / len(marks)
3 print(average(80, 90, 70, 60))
```

Input

stdin input

Output

```
75.0
```

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q5 Variable-Length Arguments (*args)

5 marks

Write a function that accepts any number of strings and prints each string on a new line.

Your Code

```
1 def display(*a):
2     for i in a:
3         print(i)
4 display("Apple", "Bat", "Yazhini")
```

Input

stdin input

Output

Apple
Bat
Yazhini

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q6 Variable-Length Arguments (*args)

5 marks

Write a function that accepts any number of numbers and returns the largest value.

Your Code

```
1 def largest(*n):
2     return max(n)
3 print(largest(7, 10, 26, 10))
```

Input

stdin input

Output

26

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q7 Recursive Functions

5 marks

Write a recursive function to generate the Fibonacci series up to n terms.

Your Code

```
1 def f(n):
2     if n <= 1:
3         return n
4     return f(n - 1) + f(n - 2)
5 n = int(input())
6 for i in range(n):
7     print(f(i), end=" ")
```

Input

16

Output

0 1 1 2 3 5 8 13 21 34 55 89 144
233 377 610

SIMATS Online Programming Lab

PYTHON PROGRAMMING

Suba Shree K
192521396RD

← Back

Q8 Recursive Functions

5 marks

Write a recursive function to find the sum of digits of a number.

Your Code

```
1 def sum_digits(n):
2     if n == 0:
3         return 0
4     return n % 10 + sum_digits(n // 10)
5 n = int(input())
6 print(sum_digits(n))
```

Input

12345

Output

15

[← Back](#)

Q9 Recursive Functions

5 marks

Write a recursive function to reverse a string.

Your Code

```
1 def reverse(s):  
2     if len(s) == 0:  
3         return s  
4     return reverse(s[1:]) + s[0]  
5 text = input()  
6 print(reverse(text))
```

Input

Output

```
nohtyP
```