

QUESTIONS

Q1



Find the bugs, include the missing lines in the following snippet.

10 marks

Q2

Buggy Code in an array

10 marks

Q3

Identify an errors in the following snippet

10 marks

Q4

Buggy Code in Stack Push Operation

10 marks

Q5

Buggy Code in Stack POP Operation

10 marks

Q6

Buggy Code in underflow operation

Q1 Find the bugs, include the missing lines in the following snippet.

```
int linearSearch(int arr[], int n, int key) {  
    for(int i = 0; i <= n; i++) {  
        if(arr[i] == key)  
            return i;  
    }  
    return -1;  
}
```

🔧 Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the

Your Fixed Code

```
1 int linearsearch(int arr[], int n, int key) {  
2     for(int i = 0; i < n; i++) {  
3         if(arr[i] == key) {  
4             return i;  
5         }  
6     }  
7     return -1;  
8 }
```

Buggy Code in an array
10 marks

Q3
Identify an errors in the following snippet
10 marks

Q4
Buggy Code in Stack Push Operation
10 marks

Q5
Buggy Code in Stack POP Operation
10 marks

Q6
Buggy Code in underflow operation
10 marks

Q7
Find the issue in the following code snippet.
10 marks

Q8
Buggy code in node creation
10 marks

Q9
Include missing statements and display the list of elements in linkedlist
10 marks

```
return 0;  
}
```

Expected output:
10 20 30 40 50

🔧 Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 #include <stdio.h>  
2 int main() {  
3     int arr[5] = {10,20,30,40,50};  
4     for(int i = 0; i < 5; i++)  
5         printf("%d" ,arr[i]);  
6     return 0;  
7 }  
8
```

▶ Run

☁ Save

🚀 Submit Fix

Test Input

stdin input (optional)

Output

1020304050

Buggy Code in Stack Push Operation
10 marks

Q5
Buggy Code in Stack POP Operation
10 marks

Q6
Buggy Code in underflow operation
10 marks

Q7
Find the issue in the following code snippet.
10 marks

Q8
Buggy code in node creation
10 marks

Q9
Include missing statements and display the list of elements in linkedlist
10 marks

Q10

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the

Your Fixed Code

```
1 int binarysearch(int arr[], int n, int key)
2 {
3     int low = 0, high = n - 1;
4     while(low <= high)
5     {
6         int mid = (low + high)/2;
7         if(arr[mid] == key) return mid;
8         else if(arr[mid] < key)
9         {
10             low = mid + 1;
11         }
12         else
13         { high = mid - 1;
14         }
15     }
16 return - 1;
17 }
```

✓ Submitted

Q5

Buggy Code in Stack POP
Operation
10 marks

Q6

Buggy Code in underflow
operation
10 marks

Q7

Find the issue in the following
code snippet.
10 marks

Q8

Buggy code in node creation
10 marks

Q9

Include missing statements and
display the list of elements in
linkedList
10 marks

Q10

Buggy code in node creation

```
printf("%d", stack[top]);  
}
```

✳ **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the box below.

Your Fixed Code

```
1 #include <stdio.h>  
2 #define MAX 5  
3 int stack[MAX];  
4 int top = -1;  
5 void push(int data) {  
6     if (top == MAX - 1) {  
7         printf("Stack Overflow\n");  
8     } else {  
9         stack[++top] = data;  
10    }  
11 }  
12 int main() {  
13     push(10);  
14     push(20);  
15     printf("%d", stack[top]);  
16     return 0;  
17 }
```

QUESTIONS

Q1



Find the bugs, include the missing lines in the following snippet.

10 marks

Q2



Buggy Code in an array

10 marks

Q3



Identify an errors in the following snippet

10 marks

Q4



Buggy Code in Stack Push Operation

10 marks

Q5 Buggy Code in Stack POP Operation

```
#include <stdio.h>
#define MAX 5
int stack[MAX];
int top = 2;
int pop() {
    if (top == -1)
        return -1;
    return stack[++top];
}
```

🔧 Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the box below.

Your Fixed Code

QUESTIONS

Q1

Find the bugs, include the missing lines in the following snippet.

10 marks



Q2

Buggy Code in an array

10 marks



Q3

Identify an errors in the following snippet

10 marks



Q4

Buggy Code in Stack Push Operation

10 marks



Q5

Buggy Code in Stack POP Operation

10 marks



Q6

Buggy Code in underflow



Q6 Buggy Code in underflow operation

```
int pop() {  
    if(top == 0) {  
        printf("Underflow");  
        return -1;  
    }  
    return stack[top--];  
}
```

🔧 Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the

Your Fixed Code

```
1 int pop() {  
2     if (top == -1) {  
3         printf("Underflow");  
4         return -1;  
5     }  
6     return stack[top--];  
7 }
```

Q5

Buggy Code in Stack POP
Operation
10 marks



Q6

Buggy Code in underflow
operation
10 marks



Q7

Find the issue in the following
code snippet.
10 marks



Q8

Buggy code in node creation
10 marks

Q9

Include missing statements and
display the list of elements in
linkedList
10 marks

Q10

```
queue[rear++] = x;
printf("Value is %d", queue[rear]);
}}
```

✳ Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the box below.

Your Fixed Code

```
1 #include <stdio.h>
2 #define MAX 5
3 int queue[MAX];
4 int front = 0, rear = 0;
5 void enqueue(int x) {
6     if (rear == MAX) {
7         printf("Overflow\n");
8         return;
9     } else {
10         queue[rear] = x;
11         printf("Value is %d\n", queue[raer]);
12         rear++;
13     }
14 }
15 int main() {
```

10 marks

Q4

Buggy Code in Stack Push Operation

10 marks



Q5

Buggy Code in Stack POP Operation

10 marks



Q6

Buggy Code in underflow operation

10 marks



Q7

Find the issue in the following code snippet.

10 marks



Q8

Buggy code in node creation

10 marks



Q9

Include missing statements and display the list of elements in linkedlist

10 marks

```
newNode->data = 10;
newNode->next = NULL;

printf("%d", newNode->data);

return 0;
}
```

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the

Your Fixed Code

```
1 #include <stdio.h>
2 #include <stdlib.h>
3 struct Node {
4     int data;
5     struct Node *next;
6 };
7 int main() {
8     Struct Node *newNode = (struct Node
9                             ) *malloc(sizeof(struct Node));
10    printf("Enter data: ");
11    scanf("%d", &newNode->data);
12    free(newNode);
13    return 0;
14 }
```


Find the bugs, include the missing lines in the following snippet.
10 marks

Q2 ✓
Buggy Code in an array
10 marks

Q3 ✓
Identify an errors in the following snippet
10 marks

Q4 ✓
Buggy Code in Stack Push Operation
10 marks

Q5 ✓
Buggy Code in Stack POP Operation
10 marks

Q6 ✓
Buggy Code in underflow operation
10 marks

Q7 ✓

```
void display(struct Node *head)
{
    while(head != NULL);
    {
        printf("%d ", head->data);
        head = head->next;
    }
}
```

🔧 Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the box below.

Your Fixed Code

```
1 void display(struct Node *head)
2 {
3     while (head != NULL)
4     {
5         printf("%d ", head->data);
6         head = head->next;
7     }
8 }
```

Q5
Buggy Code in Stack POP
Operation
10 marks

Q6
Buggy Code in underflow
operation
10 marks

Q7
Find the issue in the following
code snippet.
10 marks

Q8
Buggy code in node creation
10 marks

Q9
Include missing statements and
display the list of elements in
linkedList
10 marks

Q10
Buggy code in node creation
10 marks

```
return 0;  
}
```

✳ **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the

Your Fixed Code

```
1 #include <stdio.h>  
2 #include <stdlib.h>  
3 struct Node  
4 {  
5     int data;  
6     struct Node *next;  
7 };  
8 int main()  
9 {  
10     struct Node *temp = (struct Node  
11                          ) *malloc(sizeof(struct Node));  
12     temp->data = 25  
13     temp->next = NULL;  
14     printf("%d", temp->data);  
15     free(temp);  
16     return 0;  
17 }
```