

Your Code

```
import java.util.Scanner;
class reverse{
    public static void main(String[] args){
        Scanner sc= new Scanner(System.in);

        int n=sc.nextInt();
        int var=0;
        while(n!=0){
            var=(var*10)+n%10;
            n=n/10;
        }
        System.out.println(var);
    }
}
```

Program Input (stdin)

14567

Output

76541

Run

Copy



Shot on Y91
vivo dual camera

2026.07.29 09:37

Amul - Log (E) Frequency - Array

Program to find the Frequency of each element in the array.

Sample Input & Output:

{1, 2, 8, 3, 2, 2, 2, 5, 3}

Element | Frequency

1	1
2	4
3	2
5	1
8	1

Your Code

```
import java.util.Scanner;  
  
class freq{  
    public static void main(String[] args){  
  
    }  
}
```

Program Input (stdin)

Enter input if required...

Output

SIMATS Online Programming Lab

Submit

6

Week 10: (Q) Half Diamond -- loops

Write a program to print the following pattern.
Sample Input:
Enter the number to be printed: 5
The Number of Line printed: 5
5
4
3
2
1

View Code

```
import java.util.Scanner;

class number {
    public static void main(String[] args) {
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int p=sc.nextInt();
        for(int i=1;i<=p;i++){
            for(int j=1;j<=i;j++){
                System.out.println(n);
            }
        }
    }
}
```

Program Input (stdin)

5
2

Output

SIMATS Lab (E) String Present — Strings

Write a program that finds whether a given character is present in a string or not. In case it is present it prints the index of where it is present. Do not use built-in find functions to search the character.

Sample Input:

Enter the string: I am a programmer

Enter the character to be searched: p

Sample Output:

p is found in string at index: 9

Note: Check for non available character in the given statement as hidden test case.

Your Code

Program Input (stdin)

Enter input if required...

Output