



Browser...

Output



```
1 import java.util.*;
2
3 public class Browser {
4     public static void main
        (String[] args) {
5
6         Stack<String> pages = new
            Stack<>();
7
8         pages.push("Google");
9         pages.push("YouTube");
10        pages.push("OpenAI");
11
12        pages.pop();
13
14        System.out.println("Current
```

Run



Browser....

Output



Current Page : YouTube

```
=== Code Execution Successful ===
```



Token.j...

Output



```
1 import java.util.*;
2
3 public class Token {
4     public static void main
        (String[] args) {
5
6         Queue<Integer> q = new
            LinkedList<>();
7
8         q.offer(101);
9         q.offer(102);
10        q.offer(103);
11
12        System.out.println("Served
            : " + q.poll());
13
```

Run



Token.j...

Output



Served : 101

[102, 103]

=== Code Execution Successful ===



Wareho...

Output



```
3 public class Warehouse {
4     public static void main
      (String[] args) {
5
6         ArrayList<String> items =
          new ArrayList<>();
7
8         items.add("TV");
9         items.add("Fan");
10        items.add("Damaged");
11        items.add("AC");
12
13        Iterator<String> it = items
          .iterator();
14
15        while (it.hasNext()) {
16            if (it.next().equals
              ("Damaged"))
17                it.remove();
18        }
19
20        System.out.println(items);
21    }
22 }
```

Run



Wareho...

Output



[TV, Fan, AC]

=== Code Execution Successful ===



Universit...

Output



```
3 public class University {
4     public static void main
      (String[] args) {
5
6         ArrayList<String> students
          = new ArrayList<>();
7
8         students.add("Ravi");
9         students.add("Arun");
10        students.add("Kumar");
11
12        Iterator<String> it =
          students.iterator();
13
14        while (it.hasNext()) {
15            if (it.next().equals
              ("Arun"))
16                it.remove();
17        }
18
19        System.out.println(students
          );
20    }
21 }
```

Run



Universit...

Output



[Ravi, Kumar]

=== Code Execution Successful ===



Hospital...

Output



```
3 public class Hospital {
4     public static void main
      (String[] args) {
5
6         Queue<Integer> token = new
          LinkedList<>();
7         HashMap<Integer, String>
          patient = new HashMap
            <>();
8
9         token.offer(1);
10        token.offer(2);
11
12        patient.put(1, "Ravi");
13        patient.put(2, "Arun");
14
15        int t = token.poll();
16
17        System.out.println("Serving
          Token : " + t);
18        System.out.println("Patient
          : " + patient.get(t));
19    }
20 }
```

Run



Apply today



Hospital...

Output



Serving Token : 1

Patient : Ravi

=== Code Execution Successful ===