

1Q TARGET=192.168.1.10


nmap -sV -p 135,139,445 \$TARGET

rpcinfo -p \$TARGET

enum4linux -a \$TARGET

nmap --script vuln -p 135,139,445 \$TARGET

nmap -sV --script msrpc-enum \$TARGET



```
Debian 10.x 64-bit (2)
view@viewsh@kali: ~
Session Actions Edit View Help
view@viewsh@kali:~$ TARGET=192.168.1.10
nmap -sV -p 135,139,445 $TARGET
rpcinfo -p $TARGET
enum4linux -a $TARGET
nmap --script vuln -p 135,139,445 $TARGET
nmap -sV --script msrpc-enum $TARGET
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:09 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.43 seconds
192.168.1.10: 800: Remote system error - Connection timed out
Starting enum4linux v0.9.1 ( http://labs.portcullis.co.uk/application/enum4linux/ ) on Thu Aug 27 14:12:16 2026

----- ( Target Information ) -----
Target ..... 192.168.1.10
RID Range ..... 500-550,1000-1050
Username ..... ''
Password ..... ''
Known Usernames .. administrator, guest, krbtgt, domain admins, root, bin, none

----- ( Enumerating Workgroup/Domain on 192.168.1.10 ) -----

[E] Can't find workgroup/domain

----- ( Nbtstat Information for 192.168.1.10 ) -----

Looking up status of 192.168.1.10
No reply from 192.168.1.10

----- ( Session Check on 192.168.1.10 ) -----

[E] Server doesn't allow session using username '', password ''. Aborting remainder of tests.
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:12 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 13.82 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:12 +0530
```

2Q TARGET=192.168.1.10

nmap -sV -p 80,443 \$TARGET

nikto -h http://\$TARGET

gobuster dir -u http://\$TARGET -w /usr/share/wordlists/dirb/common.txt

curl -I http://\$TARGET

burpsuite

```
Debian 10.x 64-bit (2) x
viewwvishesh@kali: ~
Session Actions Edit View Help
viewwvishesh@kali: ~
$ TARGET=192.168.1.10
nmap -sV -p 80,443 $TARGET
nikto -h http://$TARGET
gobuster dir -u http://$TARGET -w /usr/share/wordlists/dirb/common.txt
curl -I http://$TARGET
burpsuite
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:10 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.50 seconds
- Nikto v2.6.0
+ [FAIL] Unable to connect to 192.168.1.10:80.
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
[+] Url: http://192.168.1.10
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
Starting gobuster in directory enumeration mode
Progress: 0 / 1 (0.00%)
2026/08/27 14:11:19 error on running gobuster on http://192.168.1.10/: timeout occurred during the request
```

3Q TARGET=192.168.1.10

nmap -sV -p 80,443 \$TARGET

nmap --script http-title,http-headers -p 80,443 \$TARGET

nmap --script vuln -p 80,443 \$TARGET

nikto -h http://\$TARGET

gobuster dir -u http://\$TARGET -w /usr/share/wordlists/dirb/common.txt

```
Debian 10.x 64-bit (2) x
viewwvishesh@kali: ~
Session Actions Edit View Help
viewwvishesh@kali: ~
$ TARGET=192.168.1.10
nmap -sV -p 80,443 $TARGET
nmap --script http-title,http-headers -p 80,443 $TARGET
nmap --script vuln -p 80,443 $TARGET
gobuster dir -u http://$TARGET -w /usr/share/wordlists/dirb/common.txt
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:12 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.43 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:12 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.40 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-27 14:12 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 13.00 seconds
- Nikto v2.6.0
+ [FAIL] Unable to connect to 192.168.1.10:80.
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
[+] Url: http://192.168.1.10
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
Starting gobuster in directory enumeration mode
Progress: 0 / 1 (0.00%)
2026/08/27 14:13:54 error on running gobuster on http://192.168.1.10/: timeout occurred during the request
viewwvishesh@kali: ~
```

4Q adb devices


adb shell pm list packages

adb shell pm path com.example.app

adb shell dumpsys package com.example.app

tcpdump -i any -w capture.pcap

wireshark capture.pcap



```
view@kali: ~  
$ adb devices  
adb: shell pm list packages  
adb: shell pm path com.example.app  
adb: shell dumpsys package com.example.app  
tcpdump: -i any -w capture.pcap  
wireshark capture.pcap  
Command 'adb' not found, but can be installed with:  
sudo apt install adb  
Command 'adb' not found, but can be installed with:  
sudo apt install google-android-platform-tools-installer  
Command 'adb' not found, but can be installed with:  
sudo apt install adb  
Command 'adb' not found, but can be installed with:  
sudo apt install google-android-platform-tools-installer  
Command 'adb' not found, but can be installed with:  
sudo apt install adb  
Command 'adb' not found, but can be installed with:  
sudo apt install google-android-platform-tools-installer  
tcpdump: any: You don't have permission to perform this capture on that device  
(Attempt to create packet socket failed - CAP_NET_RAW may be required)  
** (Wireshark:109412) 14:31:17.120415 [GUI WARNING] -- failed to register with host portal QDBusError("org.freedesktop.portal.Error.failed", "Could not register app ID: Connection already associated with an ap  
plication ID")  
view@kali: ~  
$
```

5Q TARGET=192.168.1.10

nmap -sV \$TARGET

nmap -p 135,139,445,3389 \$TARGET

nmap --script vuln -p 135,139,445,3389 \$TARGET

nmap -p- \$TARGET

nmap -sV -sC \$TARGET

