


Q1

```
nmap -sV -sC 192.168.1.10
nmap --script vuln 192.168.1.10
nmap -p- -sV 192.168.1.10
```




The screenshot shows a terminal window with the following commands and output:

```
(viswaviswesh@kali)~$ nmap -sV -sC 192.168.1.10
nmap --script vuln 192.168.1.10
nmap -p- -sV 192.168.1.10

Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.46 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 13.40 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.37 seconds
```

Q2

```
nmap -sS -sV -p- 192.168.1.10
nmap -sT -sV -p- 192.168.1.10
nmap -sS -p 22,21,80,443 --reason 192.168.1.10
nmap -sT -p 22,21,80,443 --reason 192.168.1.10
```



The screenshot shows a terminal window with the following commands and output:

```
(viswaviswesh@kali)~$ nmap -sS -sV -p- 192.168.1.10
nmap -sT -sV -p- 192.168.1.10
nmap -sS -p 22,21,80,443 --reason 192.168.1.10
nmap -sT -p 22,21,80,443 --reason 192.168.1.10

Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.32 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.28 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.12 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:40 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.13 seconds
```

Q3

```
sudo nmap -sA -p 21,22,80,443,3389 target_ip
```

```
sudo nmap -sS -f -p 80,443 target_ip
```

```
sudo nmap -sS --source-port 53 -p 80,443 target_ip
```

```
sudo nmap -sN -p 80,443 target_ip
```

```
sudo nmap -sF -p 80,443 target_ip
```


```
sudo nmap -sX -p 80,443 target_ip
```

```
sudo nmap -sS -D 192.168.1.5,192.168.1.6,ME -p 80,443 target_ip
```

```
viswaviwesh@kali: ~  
[viswaviwesh@kali]~  
$ sudo nmap -sA -p 21,22,80,443,3389 target_ip  
sudo nmap -sA -p 21,22,80,443,3389 target_ip  
Failed to resolve "target_ip".  
[sudo] password for viswaviwesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 5.99 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
Failed to resolve "target_ip".  
[sudo] password for viswaviwesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 1.37 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
Failed to resolve "target_ip".  
[sudo] password for viswaviwesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 6.39 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
Failed to resolve "target_ip".  
[sudo] password for viswaviwesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 5.61 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
Failed to resolve "target_ip".  
[sudo] password for viswaviwesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 1.43 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
Failed to resolve "target_ip".  
[sudo] password for viswaviwesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:52 +0530  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 1.27 seconds  
[viswaviwesh@kali]~  
$
```

Q4


```
nmap -sT -p- 192.168.1.10
nmap -sU -p- 192.168.1.10
nmap -sS -p- 192.168.1.10
nmap -sS -sV -p 21,22,3306 192.168.1.10
```



```
viswaviswesh@kali: ~  
$ nmap -sT -p- 192.168.1.10  
nmap -sU -p- 192.168.1.10  
nmap -sS -p- 192.168.1.10  
nmap -sS -sV -p 21,22,3306 192.168.1.10  
  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:35 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.11 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:35 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.12 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:36 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.11 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:36 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.28 seconds  
  
viswaviswesh@kali: ~  
$
```

Q5

```
nmap -sV -sC -p 21,22,3306 192.168.1.10  
nmap --script vuln -p 21,22,3306 192.168.1.10  
nmap -p 21 --script ftp-anon 192.168.1.10  
nmap -p 22 --script ssh2-enum-algos 192.168.1.10  
nmap -p 3306 --script mysql-info 192.168.1.10
```



```
viswaviswesh@kali: ~  
$ nmap -sV -sC -p 21,22,3306 192.168.1.10  
nmap --script vuln -p 21,22,3306 192.168.1.10  
nmap -p 21 --script ftp-anon 192.168.1.10  
nmap -p 22 --script ssh2-enum-algos 192.168.1.10  
nmap -p 3306 --script mysql-info 192.168.1.10  
  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.41 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 13.46 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.20 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.24 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-13 13:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.20 seconds  
  
viswaviswesh@kali: ~  
$
```

