


CO4 – AT1

KALI LINUX CODE – CORRECTED

Replace the values in the first 2 lines with your authorized lab target.

QUESTION 1

```
TARGET_IP="192.168.56.101"
DOMAIN="example.local"
whois "$DOMAIN"
dig "$DOMAIN"
ping -c 4 "$TARGET_IP"
traceroute "$TARGET_IP"
ip addr
ip route
ss -tuln
nmap -sV -sC "$TARGET_IP"
nmap -p 80,443 -sV "$TARGET_IP"
whatweb "http://$TARGET_IP"
curl -I "http://$TARGET_IP"
curl -k -I "https://$TARGET_IP"
wget --server-response --spider "http://$TARGET_IP"
nikto -h "http://$TARGET_IP"
gobuster dir -u "http://$TARGET_IP" -w /usr/share/wordlists/dirb/common.txt
dirb http://\$TARGET\_IP
```



```
viswaviswesh@kali: ~  
$ TARGET_IP="192.168.56.101"  
DOMAIN="example.local"  
whois "$DOMAIN"  
dig "$DOMAIN"  
ping -c 4 "$TARGET_IP"  
traceroute "$TARGET_IP"  
ip addr  
ip route  
ss -tuln  
nmap -sV -sC "$TARGET_IP"  
nmap -p 80,443 -sV "$TARGET_IP"  
whatweb "http://$TARGET_IP"  
curl -I "http://$TARGET_IP"  
curl -k -I "https://$TARGET_IP"  
wget --server-response --spider "http://$TARGET_IP"  
nikto -h "http://$TARGET_IP"  
gobuster dir -u "http://$TARGET_IP" -w /usr/share/wordlists/dirb/common.txt  
dirb "http://$TARGET_IP"  
  
No whois server is known for this kind of object.  
  
; <<>> DiG 9.20.23-1-Debian <<>> example.local  
;; global options: +cmd  
;; Got answer:  
;; WARNING: .local is reserved for Multicast DNS  
;; You are currently testing what happens when an mDNS query is leaked to DNS  
;; -->HEADER<-- opcode: QUERY, status: NXDOMAIN, id: 63023  
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1  
  
;; OPT PSEUDOSECTION:  
; EDNS: version: 0, flags:; udp: 512  
;; QUESTION SECTION:  
;example.local. IN A  
  
;; AUTHORITY SECTION:  
 . 86199 IN SOA a.root-servers.net. nstld.verisign-grs.com. 2026081800 1800 900 604800 86400  
  
;; Query time: 92 msec  
;; SERVER: 8.8.8.8#53(8.8.8.8) (UDP)  
;; WHEN: Tue Aug 18 14:18:20 IST 2026  
;; MSG SIZE rcvd: 117  
  
PING 192.168.56.101 (192.168.56.101) 56(84) bytes of data.  
— 192.168.56.101 ping statistics —  
4 packets transmitted, 0 received, 100% packet loss, time 3056ms
```

QUESTION 2

nmap -sV TARGET

nikto -h TARGET

curl -I TARGET

curl TARGET/robots.txt

gobuster dir -u TARGET -w /usr/share/wordlists/dirb/common.txt

curl "TARGET/search?id=1"

curl "TARGET/search?query=<script>alert(1)</script>"

curl "TARGET/page?file=../../../../etc/passwd"

curl -c cookies.txt TARGET/login

cat cookies.txt

zapproxy

burpsuite

```
Debian 10.x 64-bit (2) x
1 2 3 4
viewavishesh@kali: ~$
Session Actions Edit View Help
curl "TARGET/search?query=<script>alert(1)</script>"
curl "TARGET/page?file=../../../../etc/passwd"
curl -c cookies.txt TARGET/login
cat cookies.txt
zapproxy
burpsuite
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-18 14:36 +0530
Failed to resolve "TARGET".
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 1.79 seconds
- Nikto v2.6.0

+ [FAIL] ERROR: Cannot resolve hostname 'TARGET' because 'No address associated with hostname'.
curl: (6) Could not resolve host: TARGET
curl: (6) Could not resolve host: TARGET

Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)

[*] Url: http://TARGET
[*] Method: GET
[*] Threads: 10
[*] Wordlist: /usr/share/wordlists/dirb/common.txt
[*] Negative Status codes: 404
[*] User Agent: gobuster/3.8.2
[*] Timeout: 10s

Starting gobuster in directory enumeration mode

Progress: 0 / 1 (0.00%)
2026/08/18 14:36:43 error on running gobuster on http://TARGET/: unable to connect to http://TARGET/: dial tcp: lookup TARGET on 8.8.8.8:53: no such host
curl: (6) Could not resolve host: TARGET
curl: (6) Could not resolve host: TARGET
curl: (6) Could not resolve host: TARGET
curl: (6) Could not resolve host: TARGET
# Netscape HTTP Cookie File
# https://curl.se/docs/http-cookies.html
# This file was generated by libcurl! Edit at your own risk.

Command 'zapproxy' not found, but can be installed with:
sudo apt install zapproxy
Do you want to install it? (N/y)
```

QUESTION 3

```
curl -I http://TARGET
```

```
curl -I https://TARGET
```


```
curl -I https://TARGET | grep -Ei "Content-Security-Policy|Strict-Transport-Security|X-Frame-Options|X-Content-Type-Options"
```

```
curl -L -I http://TARGET
```

```
nmap -p 443 --script ssl-enum-ciphers TARGET
```

```
nmap -p 443 --script ssl-cert TARGET
```

```
nmap -p 443 --script ssl-enum-ciphers,ssl-cert TARGET
```



```
viswaviswesh@kali: ~  
Session Actions Edit View Help  
(viswaviswesh@kali)-[~]  
$ curl -I http://TARGET  
  
curl -I https://TARGET  
  
curl -I https://TARGET | grep -Ei "Content-Security-Policy|Strict-Transport-Security|X-Frame-Options|X-Content-Type-Options"  
  
curl -L -I http://TARGET  
  
nmap -p 443 --script ssl-enum-ciphers TARGET  
  
nmap -p 443 --script ssl-cert TARGET  
  
nmap -p 443 --script ssl-enum-ciphers,ssl-cert TARGET  
curl: (6) Could not resolve host: TARGET  
curl: (6) Could not resolve host: TARGET  
curl: (6) Could not resolve host: TARGET  
curl: (6) Could not resolve host: TARGET  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-18 14:38 +0530  
Failed to resolve "TARGET".  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 6.90 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-18 14:38 +0530  
Failed to resolve "TARGET".  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 5.87 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-18 14:38 +0530  
Failed to resolve "TARGET".  
WARNING: No targets were specified, so 0 hosts scanned.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 5.88 seconds  
(viswaviswesh@kali)-[~]  
$
```

QUESTION 4

zaproxy

```
curl -i "http://TARGET/student?id=1"
```

```
curl -i "http://TARGET/student?id=2"
```

```
curl -i "http://TARGET/admin"
```

```
curl -i "http://TARGET/student?id=1" -b cookies.txt
```

```
curl -i "http://TARGET/student?id=2" -b cookies.txt
```

```
curl -i "http://TARGET/admin" -b cookies.txt
```

[illegible]

QUESTION 5

```
nikto -h TARGET
```

zaproxy

```
wapiti -u http://TARGET
```

```
curl -I http://TARGET
```

```
curl -I http://TARGET/robots.txt
```

```
curl -I http://TARGET/admin
```

```
curl -I http://TARGET/login
```

```
nmap -sV TARGET
```

```
viswaviswesh@kali: ~  
Session Actions Edit View Help  
viswaviswesh@kali:~  
$ nikto -h TARGET  
zapproxy  
wapiti -u http://TARGET  
curl -I http://TARGET  
curl -I http://TARGET/robots.txt  
curl -I http://TARGET/admin  
curl -I http://TARGET/login  
nmap -sV TARGET  
- Nikto v2.6.0  
+ [FAIL] ERROR: Cannot resolve hostname 'TARGET' because 'No address associated with hostname'.  
Found Java version 25.0.3  
Available memory: 7717 MB  
Using JVM args: -Xmx1929m  
3232 [main] INFO org.parosproxy.paros.Constant - Copying default configuration to /home/viswaviswesh/.ZAP/config.xml  
3908 [main] INFO org.parosproxy.paros.Constant - Creating directory /home/viswaviswesh/.ZAP/session  
3909 [main] INFO org.parosproxy.paros.Constant - Creating directory /home/viswaviswesh/.ZAP/dirbuster  
3910 [main] INFO org.parosproxy.paros.Constant - Creating directory /home/viswaviswesh/.ZAP/fuzzers  
3910 [main] INFO org.parosproxy.paros.Constant - Creating directory /home/viswaviswesh/.ZAP/plugin  
4395 [main] INFO org.zaproxy.zap.GuiBootstrap - ZAP 2.17.0 started 18/08/2026, 14:42:19 with home: /home/viswaviswesh/.ZAP/ cores: 16 maxMemory: 1 GB  
4885 [AWT-EventQueue-0] WARN org.zaproxy.zap.GuiBootstrap - Failed to set awt app class name: Unable to make field private static java.lang.String sun.awt.X11.XToolkit.awtAppClassName accessible: module java.desktop does not "opens sun.awt.X11" to unnamed module @15b5fd87  
8895 [AWT-EventQueue-0] INFO org.parosproxy.paros.view.View - Initialising View  
19486 [ZAP-BootstrapGUI] INFO org.zaproxy.zap.control.ExtensionFactory - Installed add-ons: [[id=alertFilters, version=26.0.0], [id=ascannerules, version=78.0.0], [id=authhelper, version=0.34.0], [id=automation, version=0.58.0], [id=bruteforce, version=20.0.0], [id=callhome, version=0.20.0], [id=client, version=0.20.0], [id=commonlib, version=1.39.0], [id=database, version=0.9.0], [id=diff, version=18.0.0], [id=direct orylistv1, version=9.0.0], [id=domxss, version=23.0.0], [id=encoder, version=1.8.0], [id=exim, version=0.16.0], [id=formhandler, version=6.8.0], [id=fuzz, version=13.16.0], [id=gettingStarted, version=20.0.0], [id=grailjs, version=0.12.0], [id=graphql, version=0.29.0], [id=help, version=22.0.0], [id=hud, version=0.19.0], [id=insights, version=0.6.1], [id=invoke, version=17.0.0], [id=network, version=8.25.0], [id=oast , version=0.24.0], [id=onlineMenu, version=15.0.0], [id=openapi, version=46.0.0], [id=postman, version=0.9.0], [id=pscan, version=0.6.0], [id=pscanrules, version=70.0.0], [id=quickstart, version=53.0.0], [id=reporter, version=21.0.0], [id=reports, version=0.43.0], [id=requester, version=7.9.0], [id=retest, version=0.11.0], [id=retire, version=0.52.0], [id=reveal, version=18.0.0], [id=scanpolicies, version=0.7.0], [id=scripts, version=45.17.0], [id=selenium, version=15.43.0], [id=sequence, version=9.0.0], [id=soap, version=29.0.0], [id=spider, version=0.18.0], [id=spiderAjax, version=23.29.0], [id=tips, version=16.0.0], [id=webdriverlinux, version=169.0.0], [id=websocket, version=35.0.0], [id=zest, version=48.11.0]]  
19562 [ZAP-BootstrapGUI] INFO org.zaproxy.zap.control.ExtensionFactory - Loading extensions  
22076 [ZAP-BootstrapGUI] INFO org.zaproxy.addon.network.internal.TLSutils - Using supported SSL/TLS protocols: [TLSv1.2, TLSv1.3]  
23803 [ZAP-BootstrapGUI] INFO org.zaproxy.zap.control.ExtensionFactory - Extensions loaded  
25931 [ZAP-BootstrapGUI] INFO org.flywaydb.core.FlywayExecutor - Database: jdbc:hsqldb:file:/home/viswaviswesh/.ZAP/session/untitled1 (HSQL Database Engine 2.7)  
26129 [ZAP-BootstrapGUI] INFO org.flywaydb.core.internal.schemahistory.JdbcTableSchemaHistory - Schema history table "PUBLIC"."AUTHHELPER_FLYWAY_SCHEMA_HISTORY" does not exist yet  
26140 [ZAP-BootstrapGUI] INFO org.flywaydb.core.internal.command.DbValidate - Successfully validated 6 migrations (execution time 00:00.062s)  
26171 [ZAP-BootstrapGUI] INFO org.flywaydb.core.internal.schemahistory.JdbcTableSchemaHistory - Creating Schema History table "PUBLIC"."AUTHHELPER_FLYWAY_SCHEMA_HISTORY" with baseline ...  
26258 [ZAP-BootstrapGUI] INFO org.flywaydb.core.internal.command.DbBaseline - Successfully baselined schema with version: 0  
26375 [ZAP-BootstrapGUI] INFO org.flywaydb.core.internal.command.DbMigrate - Current version of schema "PUBLIC": 0
```