

```
1 - scanme.nmap.org
```

```
nmap -sn scanme.nmap.org
```

```
nmap -sS scanme.nmap.org
```


```
nmap -sV scanme.nmap.org
```

```
sudo nmap -O scanme.nmap.org
```


```
nmap -sC scanme.nmap.org
```

```
sudo nmap -sS -sV -O -sC scanme.nmap.org
```

```
sudo nmap -sS -sV -O -sC scanme.nmap.org -oN q1_scan.txt
```



```
viewwiswesh@kali: ~  
[viewwiswesh@kali]~  
$ nmap -sn scanme.nmap.org  
nmap -sS scanme.nmap.org  
nmap -sV scanme.nmap.org  
$ sudo nmap -O scanme.nmap.org  
nmap -sC scanme.nmap.org  
$ sudo nmap -sS -sV -O -sC scanme.nmap.org  
$ sudo nmap -sS -sV -O -sC scanme.nmap.org -oN q1_scan.txt  
  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:26 +0530  
Nmap scan report for scanme.nmap.org (45.33.32.156)  
Host is up (0.29s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Nmap done: 1 IP address (1 host up) scanned in 6.76 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:26 +0530  
Nmap scan report for scanme.nmap.org (45.33.32.156)  
Host is up (0.26s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Not shown: 976 filtered tcp ports (no-response)  
PORT      STATE SERVICE  
1/tcp     closed tcpmux  
22/tcp    open  ssh  
53/tcp    closed domain  
80/tcp    open  http  
83/tcp    closed mit-ml-dev  
139/tcp   closed netbios-ssn  
143/tcp   closed imap  
161/tcp   closed snmp  
443/tcp   closed https  
515/tcp   closed printer  
993/tcp   closed imaps  
1625/tcp  closed nfs-or-lls  
2084/tcp  closed mailbox  
3128/tcp  closed squid-http  
3389/tcp  closed ms-wbt-server  
4889/tcp  closed remotefileshare  
5002/tcp  closed rfe  
5060/tcp  open  sip  
5061/tcp  open  sip-tls  
6667/tcp  closed irc  
8080/tcp  closed http-proxy  
8081/tcp  closed blackice-icecap  
8085/tcp  closed unknown  
8089/tcp  closed unknown  
  
Nmap done: 1 IP address (1 host up) scanned in 26.97 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:27 +0530
```



```
viewwiswesh@kali: ~  
[viewwiswesh@kali]~  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Not shown: 983 filtered tcp ports (no-response)  
PORT      STATE SERVICE  
80/tcp    open  http  
83/tcp    closed mit-ml-dev  
139/tcp   closed netbios-ssn  
143/tcp   closed imap  
161/tcp   closed snmp  
443/tcp   closed https  
5060/tcp  closed isakmp  
515/tcp   closed printer  
3128/tcp  closed squid-http  
3389/tcp  closed ms-wbt-server  
5002/tcp  closed rfe  
5060/tcp  open  sip  
5061/tcp  open  sip-tls  
8080/tcp  closed http-proxy  
8081/tcp  closed blackice-icecap  
8085/tcp  closed unknown  
8089/tcp  closed unknown  
  
Nmap done: 1 IP address (1 host up) scanned in 77.04 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:32 +0530  
Nmap scan report for scanme.nmap.org (45.33.32.156)  
Host is up (0.24s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Not shown: 985 filtered tcp ports (no-response)  
PORT      STATE SERVICE      VERSION  
80/tcp    open  http         Apache httpd 2.4.7 ((Ubuntu))  
83/tcp    closed mit-ml-dev  
139/tcp   closed netbios-ssn  
143/tcp   closed imap  
161/tcp   closed snmp  
443/tcp   closed https  
3128/tcp  closed squid-http  
3389/tcp  closed ms-wbt-server  
5002/tcp  closed rfe  
5060/tcp  open  sip  
5061/tcp  open  sip-tls  
8080/tcp  closed http-proxy  
8081/tcp  closed blackice-icecap  
8085/tcp  closed unknown  
8089/tcp  closed unknown  
  
Device type: general purpose firewall  
Running (JUST GUESSING): Linux 4.X|6.X|2.6.X|3.X|5.X (97%), IPFire 2.X (91%)  
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:6.1 cpe:/o:linux:linux_kernel:2.6.32 cpe:/o:linux:linux_kernel:3.10 cpe:/o:linux:linux_kernel:5.4 cpe:/o:ipfire:ipfire:2.27
```

```

Session Actions Edit View Help
Stats: 0:00:57 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 96.17% done; ETC: 10:35 (0:00:02 remaining)
Stats: 0:00:58 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 99.99% done; ETC: 10:35 (0:00:00 remaining)
Stats: 0:01:04 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 25.00% done; ETC: 10:36 (0:00:15 remaining)
Stats: 0:02:56 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.62% done; ETC: 10:37 (0:00:00 remaining)
Stats: 0:02:57 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.62% done; ETC: 10:37 (0:00:00 remaining)
Nmap scan report for scamme.nmap.org (45.33.32.150)
Host is up (0.25s latency).
Other addresses for scamme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 988 filtered tcp ports (no-response)
PORT      STATE SERVICE      VERSION
17/tcp    closed tcpmux
22/tcp    open  tcpwrapped
|_ssh-hostkey: ERROR: Script execution failed (use -d to debug)
53/tcp    closed domain
80/tcp    open  http         Apache httpd 2.4.7 ((Ubuntu))
|_http-server-header: Apache/2.4.7 (Ubuntu)
83/tcp    closed mt-ml-dev
139/tcp   closed netbios-ssn
143/tcp   closed imap
161/tcp   closed snmp
443/tcp   closed https
515/tcp   closed printer
1120/tcp  closed squid-http
1380/tcp  closed ms-wbt-server
5002/tcp  closed rfe
5000/tcp  open  sip
5061/tcp  open  sip-tls?
6667/tcp  closed irc
8080/tcp  closed http-proxy
8081/tcp  closed blackice-icecap
8885/tcp  closed unknown
8809/tcp  closed unknown
Device type: general purpose firewall
Running (2057 GUESSES): Linux 4.X|6.X|2.6.X|5.X|3.X (92%), IPFire 2.X (86%)
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:6-1 cpe:/o:linux:linux_kernel:2.6-32 cpe:/o:ipfire:ipfire:2.37 cpe:/o:linux:linux_kernel:5-15 cpe:/o:linux:linux_kernel:3-10
Aggressive OS guesses: Linux 4.19 - 5.15 (92%), Linux 6.1 (90%), Linux 2.6-32 (86%), Linux 4.0 - 4.4 (86%), Linux 4.15 (86%), IPFire 2.27 (Linux 5.15 - 6.1) (86%), Linux 5.4 (85%), Linux 2.6-32 or 3.10 (85%)
No exact OS matches for host (test conditions non-ideal).
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 183.69 seconds
view@viewsh@kali:~$
```

2 - Metasploitable 2

```
nmap -sn 192.168.56.101
nmap -sS 192.168.56.101
nmap -sS -p- 192.168.56.101
nmap -sV 192.168.56.101
sudo nmap -O 192.168.56.101
nmap -sC 192.168.56.101
sudo nmap -sS -sV -O -sC -p- 192.168.56.101
sudo nmap -sS -sV -O -sC -p- 192.168.56.101 -oN q2_scan.txt
```

```
Session Actions Edit View Help
viswaviswesh@kali: ~
$ nmap -sn 192.168.56.101
nmap --ss 192.168.56.101
nmap --ss -p- 192.168.56.101
nmap -sV 192.168.56.101
sudo nmap -O 192.168.56.101
nmap --sC 192.168.56.101
sudo nmap --sS --sV -O --sC -p- 192.168.56.101
sudo nmap --sS --sV -O --sC -p- 192.168.56.101 -oN q2_scan.txt

Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:32 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.89 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:32 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.40 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:32 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.68 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:32 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.17 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:32 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.12 seconds
[sudo] password for viswaviswesh:
Sorry, try again.
[sudo] password for viswaviswesh:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:33 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.28 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:33 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.45 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:33 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 5.75 seconds

viswaviswesh@kali: ~
```

3 - Windows Workstation

```
nmap -sn 192.168.56.102
nmap --ss 192.168.56.102
nmap --ss -p- 192.168.56.102
nmap -sV 192.168.56.102
sudo nmap -O 192.168.56.102
nmap --sC 192.168.56.102
nmap -p 135,139,445,3389 -sV 192.168.56.102
sudo nmap --sS --sV -O --sC -p- 192.168.56.102
sudo nmap --sS --sV -O --sC -p- 192.168.56.102 -oN q3_scan.txt
```


```
Session Actions Edit View Help
viswaviswesh@kali: ~
$ nmap -sn 192.168.56.102
nmap --ss 192.168.56.102
nmap --ss -p- 192.168.56.102
nmap -sV 192.168.56.102
sudo nmap -O 192.168.56.102
nmap --sC 192.168.56.102
sudo nmap -p 135,139,445,3389 -sV 192.168.56.102
sudo nmap --sS --sV -O --sC -p- 192.168.56.102
sudo nmap --sS --sV -O --sC -p- 192.168.56.102 -oN q3_scan.txt

Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:34 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.13 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:34 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.35 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:34 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.62 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:34 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.13 seconds
[sudo] password for viswaviswesh:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:35 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.22 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:35 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.78 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:35 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.29 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:35 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 5.73 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:35 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 5.87 seconds

viswaviswesh@kali: ~
```

4 - OWASP Juice Shop Server

```
nmap -sn 192.168.56.103
nmap -sS 192.168.56.103
nmap -sS -p- 192.168.56.103
nmap -sV 192.168.56.103
sudo nmap -O 192.168.56.103
nmap -sC 192.168.56.103
nmap -p 80,443,3000,8080 -sV 192.168.56.103
sudo nmap -sS -sV -O -sC -p- 192.168.56.103
sudo nmap -sS -sV -O -sC -p- 192.168.56.103 -oN q4_scan.txt
```



```
viswaviswesh@kali: ~  
$ nmap -sn 192.168.56.103  
nmap -sS 192.168.56.103  
nmap -sS -p- 192.168.56.103  
nmap -sV 192.168.56.103  
sudo nmap -O 192.168.56.103  
nmap -sC 192.168.56.103  
nmap -p 80,443,3000,8080 -sV 192.168.56.103  
sudo nmap -sS -sV -O -sC -p- 192.168.56.103  
sudo nmap -sS -sV -O -sC -p- 192.168.56.103 -oN q4_scan.txt  
  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:36 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.12 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:36 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.34 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.36 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.26 seconds  
[sudo] password for viswaviswesh:  
Sorry, try again.  
[sudo] password for viswaviswesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.12 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.84 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.23 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 5.79 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:37 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.43 seconds
```

5 - Network Gateway

```
nmap -sS 192.168.56.1  
nmap -sS -p- 192.168.56.1  
nmap -sV 192.168.56.1  
sudo nmap -O 192.168.56.1  
nmap -sC 192.168.56.1  
nmap -p 22,23,80,443,161 -sV 192.168.56.1  
nmap -sU -p 161 192.168.56.1  
sudo nmap -sS -sV -O -sC -p- 192.168.56.1  
sudo nmap -sS -sV -O -sC -p- 192.168.56.1 -oN q5_scan.txt
```

```
viswaviswesh@kali: ~  
Session Actions Edit View Help  
viswaviswesh@kali)~  
$ nmap -sS 192.168.56.1  
nmap -sS -p- 192.168.56.1  
nmap -sV 192.168.56.1  
sudo nmap -O 192.168.56.1  
nmap -sC 192.168.56.1  
nmap -p 22,23,80,443,161 -sV 192.168.56.1  
nmap -sU -p 161 192.168.56.1  
sudo nmap -sS -sV -O -sC -p- 192.168.56.1  
sudo nmap -sS -sV -O -sC -p- 192.168.56.1 -oN q5_scan.txt  
  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:39 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.35 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:39 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.36 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:39 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.20 seconds  
[sudo] password for viswaviswesh:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:40 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.17 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:40 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.53 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:40 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 4.17 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:40 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.33 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:40 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 5.57 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:40 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 5.82 seconds  
viswaviswesh@kali)~  
$
```