

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 3 – MCQ Test

Course Code:	CSA0309	Course Title:	Data Structures
CO Assessed:	CO3 – Precision (BL3, BL5)	Assessment:	Assessment Tool 3 – MCQ Test
Weightage:	30% of CIA	Total Marks:	100
CO3 Statement:	<i>Solve problems for optimized data storage and retrieval using Binary Search Trees, AVL Trees, B-Trees, Red-Black Trees, and Splay Trees.</i>		
Student Name:	PRENA M	Reg. No.:	192524056
Section / Batch:	B. Tech AI&DS/2 nd year	Date:	10/08/2026

Code of Conduct

I Am PRENA M (192524056) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: M.PRENA

Instructions

- This test contains 25 MCQ Test questions (4 marks each), Total: 100 Marks.
- When a student answer using MCQ, in evaluation the answer should be with following requirements:
Identify the most appropriate answer, conceptual understanding, problem-solving ability, application of knowledge.
- No negative marking. Unanswered questions carry zero marks.

Preliminaries – Tree Terminology	Root, height, level, siblings and sub tree	1–2	8
Binary Tree, Binary Search Tree	Properties, binary tree and binary search tree, insertion and deletion	3–9	28
Tree Traversals	Traversal types, In order, Post order and Pre order	10–14	20
AVL Tree	Balancing factor, Rotation, Types of rotation, examples	15–16	8
Applications of Search Trees	Usage of binary tree	17	4
B Tree - 2-3 tree, 2-3-4 tree	Properties, Example and Operations	18–19	8
TRIE	Properties, structures and Operations	20	4
Red Black Tree	Properties, Balancing and Operations	21–22	8
Splay Tree	Splaying, Types and examples for insertion and deletion	23–25	12

100 Marks

32°C Light rain Search 18:22 10-08-2026

32°C Light rain Search 18:23 10-08-2026

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

Ask Gemini

SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAGAVI K 192524364RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1 Tree Terminology 4 marks

Q2 Quad Tree 4 marks

Q3 Splay Tree 4 marks

Q4 Splay Trees 4 marks

Q5 Splay Tree 4 marks

Q6 Red-Black Tree 4 marks

Q7

Q3 Splay Tree 4 marks

After accessing a node in a Splay Tree, that node is moved to:

A. Leaf

B. Middle

C. Root

D. NULL

Save Answer Next →

34°C Mostly cloudy

Search

ENG IN 18:47 10-08-2026

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

Ask Gemini

SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAGAVI K 192524364RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1 Tree Terminology 4 marks

Q2 Quad Tree 4 marks

Q3 Splay Tree 4 marks

Q4 Splay Trees 4 marks

Q5 Splay Tree 4 marks

Q6 Red-Black Tree 4 marks

Q7

Q4 Splay Trees 4 marks

Identify the rotation:

50
\
70
\
90

A. Zag-Zag

B. Zig-Zig

C. Zig

D. AVL Rotation

Save Answer Next →

32°C Light rain

Search

ENG IN 18:23 10-08-2026

SIMATS Online Lab

+

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

Ask Gemini

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAGAVI K

192524364RB

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q5

Splay Tree

4 marks

Splay Tree is a type of:

A. Complete Binary Tree

B. Self-adjusting Binary Search Tree

C. Heap Tree

D. Graph

Save Answer

Next →

32°C

Light rain

Search

ENG IN

18:23

10-08-2026

SIMATS Online Lab

+

Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

Ask Gemini

SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

RAGAVI K

192524364RB

QUESTIONS

Q1

Tree Terminology

4 marks

Q2

Quad Tree

4 marks

Q3

Splay Tree

4 marks

Q4

Splay Trees

4 marks

Q5

Splay Tree

4 marks

Q6

Red-Black Tree

4 marks

Q7

Red-Black Tree

4 marks

Q6

Red-Black Tree

4 marks

If a red node has a red child after insertion, what is this called?

A. Black-height problem

B. BST violation

C. Root violation

D. Red-Red violation

Save Answer

Next →

32°C

Light rain

Search

ENG IN

18:23

10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

🔍

☆

👤 R

⋮



SIMATS Online Programming Lab

DS PROGRAMMING



RAGAVI K
192524364RB

⌵

CO3_AT3_MCQ

← Back

QUESTIONS

Q1
Tree Terminology
4 marks

Q2
Quad Tree
4 marks

Q3
Splay Tree
4 marks

Q4
Splay Trees
4 marks

Q5
Splay Tree
4 marks

Q6
Red-Black Tree
4 marks

Q7

Q11 2-3-4 Tree

4 marks

Insert 10, 20, 30, 40 in a 2-3-4 Tree. What happens after inserting 40?

A. Tree becomes unbalanced

B. Node split may occur

C. Node is deleted

D. No change

Save Answer

Next →

32°C
Light rain

🪟 🔍 Search 🌳 📁 📅 📧 📧 📧 📧 📧 📧

ENG
IN

📶 🔊 🔋

18:24
10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

🔍

☆

👤 R

⋮



SIMATS Online Programming Lab

DS PROGRAMMING



RAGAVI K
192524364RB

⌵

CO3_AT3_MCQ

← Back

QUESTIONS

Q1
Tree Terminology
4 marks

Q2
Quad Tree
4 marks

Q3
Splay Tree
4 marks

Q4
Splay Trees
4 marks

Q5
Splay Tree
4 marks

Q6
Red-Black Tree
4 marks

Q7

Q12 2-3 Tree

4 marks

The maximum number of children in a 2-3 Tree node is:

A. 3

B. 2

C. 5

D. 4

Save Answer

Next →

32°C
Light rain

🪟 🔍 Search 🌳 📁 📅 📧 📧 📧 📧 📧 📧

ENG
IN

📶 🔊 🔋

18:25
10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358



SIMATS Online Programming Lab

DS PROGRAMMING



CO3_AT3_MCQ

← Back

QUESTIONS

Q1
Tree Terminology
4 marks

Q2
Quad Tree
4 marks

Q3
Splay Tree
4 marks

Q4
Splay Trees
4 marks

Q5
Splay Tree
4 marks

Q6
Red-Black Tree
4 marks

Q7

Q13 TRIE 4 marks

In Trie, 'm' represents:

A. Number of nodes

B. Length of the key

C. Number of edges

D. Height of tree

Save Answer

Next →

34°C
Mostly cloudy

Search

ENG IN

18:50
10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358



SIMATS Online Programming Lab

DS PROGRAMMING



CO3_AT3_MCQ

← Back

QUESTIONS

Q1
Tree Terminology
4 marks

Q2
Quad Tree
4 marks

Q3
Splay Tree
4 marks

Q4
Splay Trees
4 marks

Q5
Splay Tree
4 marks

Q6
Red-Black Tree
4 marks

Q7

Q14 B-Tree 4 marks

In a B-Tree of order 5, the maximum number of keys in a node is:

A. 4

B. 5

C. 6

D. 3

Save Answer

Next →

32°C
Light rain

Search

ENG IN

18:25
10-08-2026

32°C Light rain Search 18:25 10-08-2026

32°C Light rain Search 18:25 10-08-2026

34°C Mostly cloudy Search [Taskbar icons: File Explorer, Edge, Chrome, Outlook, HP, Question mark, Teams, WhatsApp, Word, PowerPoint] ENG IN 18:50 10-08-2026

32°C Light rain Search < > ENG IN 18:29 10-08-2026

32°C Light rain Search > ENG IN 18:29 10-08-2026

32°C Light rain Search > ENG IN 18:29 10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

☆

R



SIMATS Online Programming Lab

DS PROGRAMMING

RAGAVI K

192524364RB

▼

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

✓

Q2

Quad Tree

4 marks

✓

Q3

Splay Tree

4 marks

✓

Q4

Splay Trees

4 marks

✓

Q5

Splay Tree

4 marks

✓

Q6

Red-Black Tree

4 marks

✓

Q7

Red-Black Tree

4 marks

✓

Q21 Binary Search Tree

4 marks

A data compression system uses a tree-based model to assign shorter codes to frequently used patterns. You need a self-adjusting BST where frequency is not stored explicitly. Which is most appropriate?

A. AVL Tree

B. Threaded Binary Tree

C. B-Tree

D. Splay Tree

Save Answer

Next →

32°C

Light rain

Search

ENG IN

18:30

10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

☆

R



SIMATS Online Programming Lab

DS PROGRAMMING

RAGAVI K

192524364RB

▼

QUESTIONS

Q1

Tree Terminology

4 marks

✓

Q2

Quad Tree

4 marks

✓

Q3

Splay Tree

4 marks

✓

Q4

Splay Trees

4 marks

✓

Q5

Splay Tree

4 marks

✓

Q6

Red-Black Tree

4 marks

✓

Q7

Red-Black Tree

4 marks

✓

Q22 Tree Traversal

4 marks

Consider the binary tree:

A
/ \
B C
/ \
D E F

What is the Preorder traversal?

A. D B E A C F

B. A B D E C F

C. D E B F C A

D. B D E A C F

Save Answer

Next →

32°C

Light rain

Search

ENG IN

18:30

10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358



SIMATS Online Programming Lab

DS PROGRAMMING



CO3_AT3_MCQ

← Back

QUESTIONS

Q1 Tree Terminology 4 marks ✓

Q2 Quad Tree 4 marks ✓

Q3 Splay Tree 4 marks ✓

Q4 Splay Trees 4 marks ✓

Q5 Splay Tree 4 marks ✓

Q6 Red-Black Tree 4 marks ✓

Q7

Q23 Tree Traversal 4 marks

You are debugging a program that reconstructs the original root of a binary decision tree using traversal logs: Inorder: D B E A F C Postorder: D E B F C A What is the root?

A. A

B. B

C. C

D. D

Save Answer

Next →

32°C Light rain

Search



ENG IN

18:30 10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358



SIMATS Online Programming Lab

DS PROGRAMMING



CO3_AT3_MCQ

← Back

QUESTIONS

Q1 Tree Terminology 4 marks ✓

Q2 Quad Tree 4 marks ✓

Q3 Splay Tree 4 marks ✓

Q4 Splay Trees 4 marks ✓

Q5 Splay Tree 4 marks ✓

Q6 Red-Black Tree 4 marks ✓

Q7

Q24 Binary Tree 4 marks

The maximum number of nodes in a binary tree of height h is:

A. h

B. $2^h - 1$

C. $2^{h+1} - 1$

D. h^2

Save Answer

Next →

32°C Light rain

Search



ENG IN

18:30 10-08-2026

SIMATS Online Lab

Ask Gemini

←

→

↻

⚠ Not secure

simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=358

🔒

☆

👤

⋮



SIMATS Online Programming Lab

DS PROGRAMMING

 RAGAVI K
192524364RB

⌵

CO3_AT3_MCQ

← Back

QUESTIONS

Q1

Tree Terminology

4 marks

✓

Q2

Quad Tree

4 marks

✓

Q3

Splay Tree

4 marks

✓

Q4

Splay Trees

4 marks

✓

Q5

Splay Tree

4 marks

✓

Q6

Red-Black Tree

4 marks

✓

Q7

✓

Q25 Tree Terminology

4 marks

A path from a node to the root is formed by its:

A. Descendants

B. Ancestors

C. Children

D. Leaves

📌 Save Answer

1 32°C
Light rain



ENG
IN

📶

🔊

🔋

18:30
10-08-2026

MCQ

Rubrics for Calculation

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Conceptual Understanding	20	Demonstrates thorough understanding of all core Data Structures concepts; answers accurately reflect deep knowledge	Shows good understanding with minor conceptual gaps	Basic understanding; several misconceptions present	Limited understanding; major concepts misunderstood
Application Skills	20	Correctly applies concepts to solve complex and scenario-based MCQs	Applies concepts correctly in most moderate-level questions	Struggles with application in complex scenarios	Unable to apply concepts effectively
Analytical Thinking	30	Consistently selects correct answers for high-order questions	Performs well in moderate analytical questions	Limited success in analytical questions	Unable to interpret analytical/problem-based questions
Time Management	20	Completes test efficiently with time for review	Completes test within time	Struggles to complete test on time	Unable to complete test
Accuracy of Responses	10	90–100% correct answers	75–89% correct answers	50–74% correct answers	Below 50% correct answers

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____