


15. Information Gathering Using theHarvester



```
                      proxies.yaml.
-s, --shodan          Use Shodan to query discovered hosts.
--screenshot SCREENSHOT
                      Take screenshots of resolved domains specify output
                      directory: --screenshot output_directory
-e, --dns-server DNS_SERVER
                      DNS server to use for lookup.
-t, --take-over       Check for takeovers.
-r, --dns-resolve [DNS_RESOLVE]
                      Perform DNS resolution on subdomains with a resolver
                      list or passed in resolvers, default False.
-n, --dns-lookup      Enable DNS server lookup, default False.
-c, --dns-brute       Perform a DNS brute force on the domain.
-f, --filename FILENAME
                      Save the results to an XML and JSON file.
-w, --wordlist WORDLIST
                      Specify a wordlist for API endpoint scanning.
-a, --api-scan        Scan for API endpoints.
-q, --quiet           Suppress missing API key warnings and reading the api-
                      keys file.
-b, --source SOURCE   baidu, bevigil, bitbucket, brave, bufferoverun,
                      builtwith, censys, certspotter, chaos, commoncrawl,
                      criminalip, crtsh, dehashed, dnsdumpster, duckduckgo,
                      dymo, fofa, fullhunt, github-code, gitlab,
                      hackertarget, haveibeenpwned, hudsonrock, hunter,
                      hunterhow, intelx, leakix, leaklookup, mojeek, netlas,
                      onyphe, otx, pentesttools, projectdiscovery, rapiddns,
                      robtex, rocketreach, securityscorecard, securityTrails,
                      sherlockeye, shodan, shodanInternetDB, subdomaincenter,
                      subdomainfinderc99, thc, threatcrowd, tomba, urlscan,
                      venacus, virustotal, waybackarchive, whoisxml,
                      windvane, yahoo, zoomeye
```


kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ theHarvester -d example.com -l 10 -b duckduckgo
Read proxies.yaml from /etc/theHarvester/proxies.yaml
theHarvester 4.11.1
Coded by Christian Martorella
Edge-Security Research
cmartorella@edge-security.com
[*] Target: example.com
[*] Searching Duckduckgo.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] Hosts found: 0
(kali㉿kali)-[~]
$ theHarvester -d example.com -l 10 -b duckduckgo -f result
Read proxies.yaml from /etc/theHarvester/proxies.yaml


kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
kali@kali: ~
Session Actions Edit View Help
(kali㉿kali)-[~]
$ theHarvester -d example.com -l 10 -b duckduckgo -f result
Read proxies.yaml from /etc/theHarvester/proxies.yaml
* theHarvester 4.11.1
* Coded by Christian Martorella
* Edge-Security Research
* cmartorella@edge-security.com
[*] Target: example.com
[*] Searching Duckduckgo.
[*] No IPs found.
[*] No emails found.
[*] No people found.
[*] Hosts found: 0
[*] Reporting started.
[*] XML File saved.
[*] JSON File saved.
(kali㉿kali)-[~]
$ ls -l result*
-rw-rw-r-- 1 kali kali 77 Oct 26 05:11 result.json
-rw-rw-r-- 1 kali kali 150 Oct 26 05:11 result.xml
(kali㉿kali)-[~]
$ cat result.json
{"cmd":"-d example.com -l 10 -b duckduckgo -f result","hosts":[],"shodan":[]}