

Student 13 **Kondapalli Pujitha** 192524188RC

4 / 4 submitted

Level 1 — 10 marks/question

L1-Q1. (E) Taximeter

P

CODE

```
n = int(input())
a = int(input("enter a distance:"))
b = int(input("enter a taximeter:"))
print(a+b)
```

OUTPUT

```
Traceback (most recent call last):
  File "C:\Windows\TEMP\sandbox_192524188RC_6a643b813bd2d3.15265296\main.py", line 1, in <module>
    n = int(input())
          ^^^^^^^
EOFError: EOF when reading a line
```

L1-Q2. (E) 3M's

P

CODE

```
import statistics
a = (input())
print("mean=",statistics.mean(a))
print("median=",statistics.median(a))
print('mode=',statistics.mode(a))
```

INPUT

{16,18,27,16,23,21,19}

OUTPUT

```
Traceback (most recent call last):
  File "C:\PyComp\PyC8\Lib\statistics.py", line 327, in _exact_ratio
    return (x.numerator, x.denominator)
           ^^^^^^^^^^^^^
AttributeError: 'str' object has no attribute 'numerator'

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "C:\Windows\TEMP\sandbox_192524188RC_6a643aad6cb8d9.14712176\main.py", line 3, in <module>
    print("mean=",statistics.mean(a))
           ^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\PyComp\PyC8\Lib\statistics.py", line 430, in mean
    T, total, n = _sum(data)
                  ^^^^^^^^^
  File "C:\PyComp\PyC8\Lib\statistics.py", line 193, in _sum
    for n, d in map(_exact_ratio, values):
  File "C:\PyComp\PyC8\Lib\statistics.py", line 330, in _exact_ratio
    raise TypeError(msg)
TypeError: can't convert type 'str' to numerator/denominator
```

L1-Q3. (E) Vowels

P

CODE

```
def seperate_consonants_vowels:
vowels_list=[]
consonants_list=[]
vowels_list=[a,e,i,o,u]
if consonants_list=[s,t,r,n,g]:
    print("vowels")
    print("consonants")
```

INPUT

string

OUTPUT

```
File "C:\Windows\TEMP\sandbox_192524188RC_6a64483a5d06d4.30670383\main.py", line 1
def seperate_consonants_vowels:
    ^
SyntaxError: expected '('
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO2_AT1_Level1 • Student Submissions Report
L1-Q4. (E) RT-Pattern

P

CODE

```
n= int(input())
for i in range(0,n+1):
    for j in range (0,n-1):
        if i==j:
            print("+",1)
```

INPUT

+

OUTPUT

```
Traceback (most recent call last):
  File "C:\Windows\TEMP\sandbox_192524188RC_6a6446258facb9.73798454\main.py", line 1, in <module>
    n= int(input())
    ~~~~~^
ValueError: invalid literal for int() with base 10: '+'
```

