GECKEL:MUSSEL-GECKO HYBRID ADHESIVE FOR MEDICAL BANDAGES

A CAPSTONE PROJECT REPORT

Submitted in the partial fulfilment for the Course of

BTA0104- Biology and Environmental Science for Engineers with Sustainable Solutions

to the award of the degree of

BACHELOR OF ENGINEERING

Submitted by

KAVIYA.G (Reg no:192524281) AI&DS

Under the Supervision of

Dr. SWATHI

Dr. ALEYAMMA ALEXANDER

SIMATS ENGINEERING

Saveetha Institute of Medical and Technical Sciences

Chennai-602105

FEB 2025

SIMATS ENGINEERING

Saveetha Institute of Medical and Technical Sciences

Chennai-602105

Engineer to Excel

DECLARATION

We, **KAVIYA.G** of the B.TECH AI&DS Programme**,** Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai, hereby declare that the Capstone Project Work entitled "**GECKEL:MUSSEL-GECKO HYBRID ADHESIVE FOR MEDICAL BANDAGES"** is the result of our own Bonafide efforts. To the best of our knowledge, the work presented herein is original, accurate, and has been carried out in accordance with principles of engineering ethics.

Place: CHENNAI

Date: 11/02/2026

Signature of the Students with Names

SIMATS ENGINEERING

Saveetha Institute of Medical and Technical Sciences

Chennai-602105

Engineer to Excel

BONAFIDE CERTIFICATE

This is to certify that the Capstone Project entitled "**GECKEL:MUSSEL-GECKO HYBRID ADHESIVE FOR MEDICAL BANDAGES"** has been carried out by **KAVIYA.G** under the supervision of **Dr. SWATHI, Dr. ALEYAMMA ALEXANDER** and is submitted in partial fulfilment of the requirements for the current semester of the B.Tech program at Saveetha Institute of Medical and Technical Sciences, Chennai.

SIGNATURE

Dr. SRI RAMYA

Program Director

Department of AI&DS

Saveetha School of Engineering

SIMATS

SIGNATURE

Dr. ALEYAMMA ALEXANDER

Dr. SWATHI

Professor

Bio technology

Saveetha School of Engineering

SIMATS

Submitted for the Project work Viva-Voce held on _____

.

INTERNAL EXAMINER

EXTERNAL EXAMINER

ACKNOWLEDGEMENT

We would like to express our heartfelt gratitude to all those who supported and guided us throughout the successful completion of our Capstone Project. We are deeply thankful to our respected Founder and Chancellor, Dr. N.M. Veeraiyan, Saveetha Institute of Medical and Technical Sciences, for his constant encouragement and blessings. We also express our sincere thanks to our Pro-Chancellor, Dr. Deepak Nallaswamy Veeraiyan, and our Vice-Chancellor, Dr. S. Suresh Kumar, for their visionary leadership and moral support during the course of this project.

We are truly grateful to our Director, Dr. Ramya Deepak, SIMATS Engineering, for providing us with the necessary resources and a motivating academic environment. Our special thanks to our Principal, Dr. B. Ramesh for granting us access to the institute's facilities and encouraging us throughout the process. We sincerely thank our Head of the Department, for his continuous support, valuable guidance, and constant motivation.

We are especially indebted to our guide, **Dr. SWATHI, Dr. ALEYAMMA ALEXANDER** for his creative suggestions, consistent feedback, and unwavering support during each stage of the project. We also express our gratitude to the Project Coordinators, Review Panel Members (Internal and External), and the entire faculty team for their constructive feedback and valuable inputs that helped improve the quality of our work. Finally, we thank all faculty members, lab technicians, our parents, and friends for their continuous encouragement and support.

Signature With Student Name

ABSTRACT

The advancement of medical bandage technology is driven by the need for adhesives that are strong, reliable, biocompatible, and comfortable for patients across diverse clinical conditions. Conventional medical adhesives often fail to perform effectively on wet or sensitive skin and can cause pain, irritation, or tissue damage during removal. To overcome these limitations, this project presents "**GECKEL: a Mussel–Gecko Hybrid Adhesive for Medical Bandages**" a novel bio-inspired approach that integrates natural adhesion mechanisms observed in gecko feet and marine mussels. Geckos achieve exceptional dry adhesion through hierarchical micro- and nano-scale surface structures that enable strong yet reversible attachment without chemical glue, while mussels produce protein-based adhesives capable of maintaining robust bonding in wet and dynamic environments. By synergistically combining these biological strategies, the proposed Geckel adhesive is designed to provide high adhesive strength, moisture resistance, painless removability, and excellent skin compatibility. The project focuses on the conceptual design, structural architecture, and functional principles of the hybrid adhesive, including a layered configuration consisting of gecko-inspired microstructures coated with mussel-inspired adhesive compounds. Potential applications in wound dressings, surgical bandages, and wearable medical devices are examined, highlighting improved performance, patient comfort, and clinical reliability when compared to conventional adhesive systems. This study demonstrates the effectiveness of bio-inspired engineering in addressing real-world healthcare challenges and underscores the potential of Geckel adhesive technology as a next-generation solution for advanced medical bandage applications.

TABLE OF CONTENTS

S.NO.	CHAPTER	PAGE NO
1	Chapter 1: Introduction 1.1 Background and Context 1.2 Project Objectives 1.3 Relevance and Significance 1.4 Scope and Limitations 1.5 Overview of Methodology	**8-12**
2	Chapter 2: Problem Identification and Analysis 2.1 Problem Statement 2.2 Technical and Operational Challenges 2.3 Stakeholder Analysis 2.4 Supporting Research and Data	**13-16**
3	Chapter 3: Solution Design and Implementation 3.1 Design Methodology and Development Lifecycle 3.2 Tools, Platforms, and Technologies Used 3.3 Architectural Overview of Frame Relay 3.4 Engineering Standards and Protocols Applied 3.5 Justification of Design Decisions	**17-20**
4	Chapter 4: Results and Recommendations 4.1 Performance Evaluation and Metrics 4.2 Implementation Challenges and Mitigation 4.3 Opportunities for Enhancement 4.4 Strategic Recommendations	**21-24**
5	Chapter 5: Reflection on Learning and Personal Development 5.1 Key Technical and Conceptual Learnings 5.2 Challenges Faced and Solutions Adopted 5.3 Integration of Engineering Standards 5.4 Industry Insights and Future Trends	**24-26**

	5.5 Personal Growth and Development Summary	
6	Chapter 6: Conclusion 6.1 Summary of Findings and Achievements 6.2 Reaffirmation of Project Significance	**27-28**
7	References	**29**
8	Appendices	**30**

Chapter 1
INTRODUCTION

1.1 Background and Context

Medical bandages and wound dressings play a critical role in healthcare by protecting injuries, preventing infection, and supporting the healing process. Traditional medical adhesives used in bandages are largely based on synthetic chemical formulations that rely on pressure-sensitive glues to adhere to the skin. While these adhesives are widely used, they often present significant challenges, particularly when applied to wet, oily, or sensitive skin. In clinical environments such as emergency care, postoperative treatment, and burn management, bandages are frequently exposed to moisture from sweat, blood, or wound exudates, which can reduce adhesion and cause premature detachment. Additionally, repeated application and removal of adhesive bandages can lead to skin irritation, discomfort, and even tissue damage, especially in pediatric, geriatric, and long-term care patients.

In recent years, bio-inspired engineering has emerged as a promising field that draws inspiration from natural biological systems to solve complex engineering problems. Nature provides numerous examples of organisms that have evolved efficient, reversible, and environmentally friendly adhesion mechanisms. Among these, geckos and mussels have attracted significant scientific attention due to their exceptional adhesive capabilities under contrasting environmental conditions. Geckos are capable of adhering strongly to dry and smooth surfaces through micro- and nano-scale structures on their feet, while mussels are known for their ability to attach firmly to wet and submerged surfaces using protein-based natural adhesives. These biological systems offer valuable insights into designing advanced adhesives that overcome the limitations of conventional medical bandages.

The concept of **Geckel**, a mussel–gecko hybrid adhesive, arises from the need to combine the advantages of both dry and wet adhesion mechanisms into a single functional system. By integrating gecko-inspired structural adhesion with mussel-inspired chemical bonding, the Geckel adhesive aims to provide strong, reliable, and skin-friendly attachment suitable for medical bandage applications. This project is developed within the context of advancing healthcare materials through sustainable, biocompatible, and patient-centered designapproaches, reflecting the growing demand for innovative solutions in modern medical technology

1.2 problem statements

The primary objective of this project is to design and analyze a bio-inspired hybrid adhesive system, termed **Geckel**, that can be effectively used in medical bandages to improve adhesion performance and patient comfort. The project aims to explore how natural adhesion mechanisms observed in geckos and mussels can be translated into an engineered adhesive structure suitable for biomedical applications. By studying these biological systems, the project seeks to develop a conceptual adhesive model that combines mechanical interlocking and chemical bonding to achieve superior adhesion under both dry and wet conditions.

Another key objective is to evaluate the limitations of conventional medical adhesives and identify how a hybrid bio-inspired approach can address these shortcomings. This includes reducing pain during bandage removal, minimizing skin irritation, and improving adhesion stability in moist environments. The project also aims to examine the potential biocompatibility and safety aspects of the Geckel adhesive, ensuring that it is suitable for prolonged contact with human skin. Furthermore, the project intends to present a clear structural and functional design that can be demonstrated through a physical or conceptual 3D model, making the innovation understandable and accessible for academic evaluation.

In addition to technical objectives, the project also focuses on enhancing the understanding of bio-inspired design principles and their practical applications in healthcare. By integrating concepts from biology, materials science, and biomedical engineering, the project aims to demonstrate interdisciplinary problem-solving skills. Ultimately, the objective is to propose a next-generation adhesive concept that can contribute to the development of safer, more effective, and patient-friendly medical bandage technologies.

1.3 Relevance and Significance

The relevance of this project lies in its direct application to healthcare, where the performance of medical adhesives has a significant impact on patient safety, comfort, and treatment outcomes. Ineffective bandage adhesion can lead to wound exposure, increased risk of infection, and frequent replacement of dressings, resulting in higher medical costs and patient discomfort. By addressing these issues, the Geckel adhesive concept has the potential to improve the quality of wound care and enhance overall clinical efficiency.

From a scientific and engineering perspective, the project is significant because it demonstrates the practical application of bio-inspired design principles to solve real-world problems. The combination of gecko-inspired dry adhesion and mussel-inspired wet adhesion represents an innovative approach that goes beyond traditional adhesive technologies. This hybrid strategy highlights how insights from natural systems can lead to sustainable and efficient engineering solutions. The project also contributes to the growing body of research focused on biomimetic materials, which are increasingly being explored for use in medical devices, robotics, and wearable technologies.

The project is also academically significant, as it encourages interdisciplinary learning and innovation. It bridges concepts from biology, materials science, and biomedical engineering, fostering a deeper understanding of how natural phenomena can influence technological advancement. Furthermore, the Geckel adhesive concept aligns with current trends in patient-centered healthcare, emphasizing comfort, safety, and non-invasive treatment methods. As such, the project holds relevance not only for academic evaluation but also for future research and industrial applications in medical adhesive technology.

1.4 Scope and Limitations

The scope of this project is focused on the conceptual design and functional analysis of a bio-inspired hybrid adhesive system for medical bandages. It includes the study of biological adhesion mechanisms in geckos and mussels, the development of a layered adhesive model, and the evaluation of its potential advantages over conventional adhesive systems. The project also encompasses the creation of a physical or conceptual 3D model to visually represent the structure and working principle of the Geckel adhesive. Emphasis is placed on understanding adhesion behavior, biocompatibility considerations, and potential medical applications.

However, the project has certain limitations that must be acknowledged. The Geckel adhesive presented in this study is a conceptual and experimental design rather than a fully developed commercial product. Detailed laboratory synthesis, chemical formulation, and clinical testing are beyond the scope of this project due to constraints related to time, resources, and access to specialized equipment. Quantitative performance testing, such as adhesion

strength measurements and long-term skin compatibility studies, is not conducted and is instead discussed theoretically based on existing research.

Additionally, the project does not include large-scale manufacturing considerations or cost analysis, which are essential for industrial implementation. Despite these limitations, the project provides a strong foundational understanding of bio-inspired adhesive design and offers valuable insights that can support future experimental research and product development in the field of medical adhesives.

1.5 Overview of Methodology

The methodology adopted for this project follows a systematic and interdisciplinary approach to the design and analysis of the Geckel hybrid adhesive. The initial phase involves an extensive literature review of existing medical adhesives and bio-inspired adhesion mechanisms, with a particular focus on gecko foot microstructures and mussel adhesive proteins. This review helps establish a theoretical foundation and identifies key principles that can be integrated into a hybrid adhesive system.

Following the literature study, the project proceeds with conceptual design development, where the structural and functional features of the Geckel adhesive are defined. A layered adhesive architecture is proposed, consisting of gecko-inspired microstructures for mechanical adhesion and a mussel-inspired adhesive layer for chemical bonding in wet conditions. This design is then translated into a visual representation through diagrams and a 3D model, which serves as a practical demonstration of the concept.

The final phase of the methodology involves qualitative analysis and evaluation of the proposed adhesive system. The performance of the Geckel adhesive is assessed by comparing its expected behavior with that of conventional medical adhesives, focusing on parameters such as adhesion strength, moisture tolerance, ease of removal, and skin compatibility. The methodology concludes with a discussion of potential applications, limitations, and future enhancements, ensuring a comprehensive understanding of the proposed bio-inspired medical adhesive system.


START: Design & Engineering
1. Master Template
Etching 400nm-wide holes intocto silicon using E-beam lithography
2. Polymer Casting
Pouring liquid Silicone/PDMS into the nano-mold to create 'hairs'
3. Vacuum Degassing
Removing air to ensure pillars are perfectly formed
4. Thermal Curing
Baking the polymer at 70°C to solidify the structure
Phase 2: The Gecko Base
5. Demolding
Peeling the 'gecko tape' sheet off the silicon wafer
6. Catechol Synthesis
Synthesizing mussel-mimetic polymers containing DOPA molecules
7. Nano-Coating
Dipping the pillars into the polymer to add wet-adhesive properties
Phase 2: The Mussel Coating
8. Final Assembly
Bonding the GECKEL adhesive to breathable medical backing
FINAL GECKEL BANDAGE

CHAPTER 2
PROBLEM IDENTIFICATION AND ANALYSIS

2.1 Problem Statement

Medical bandages are essential components of healthcare systems, providing protection to wounds and facilitating the healing process. However, the effectiveness of a bandage is highly dependent on the performance of its adhesive layer. Conventional medical adhesives commonly used in bandages are primarily pressure-sensitive synthetic glues that exhibit limited performance under varying skin conditions. These adhesives often fail to maintain reliable attachment on wet, sweaty, or oily skin surfaces, which are common in clinical environments such as emergency care units, postoperative settings, and burn treatment wards. As a result, bandages may detach prematurely, exposing wounds to contamination and increasing the risk of infection.

Another major issue associated with traditional medical adhesives is patient discomfort during removal. Many adhesives form strong chemical bonds with the skin, leading to pain, redness, and in some cases, skin tearing upon removal. This problem is particularly severe for infants, elderly patients, and individuals with sensitive or damaged skin. Frequent bandage replacement further aggravates these issues, negatively affecting patient experience and compliance with treatment protocols. Additionally, conventional adhesives may leave residue on the skin, requiring aggressive cleaning that can further irritate the affected area.

The core problem addressed in this project is the lack of a medical bandage adhesive that can simultaneously provide strong adhesion on both dry and wet skin, remain biocompatible during prolonged use, and allow painless removal without compromising wound safety. Existing adhesive technologies struggle to balance these requirements, highlighting the need for an innovative solution. This project seeks to address this challenge through the development of a bio-inspired hybrid adhesive system, combining gecko-inspired structural adhesion with mussel-inspired wet adhesion mechanisms to overcome the limitations of current medical bandage adhesives.

2.2 Technical and Operational Challenges

The development of an advanced medical adhesive such as the Geckel hybrid system involves several technical and operational challenges. One of the primary technical challenges is achieving an optimal balance between adhesion strength and removability. Adhesives that are too strong can damage the skin during removal, while those with insufficient bonding strength may fail under mechanical stress or exposure to moisture. Designing an adhesive that provides strong yet reversible attachment requires precise control over surface structures and material properties at micro- and nano-scales.

Another significant challenge lies in ensuring consistent performance across a wide range of skin types and environmental conditions. Human skin varies in texture, elasticity, moisture content, and sensitivity, making it difficult to design a universal adhesive solution. In addition, operational conditions such as sweating, wound exudates, and movement can interfere with adhesive performance. For a medical bandage to be reliable, it must maintain adhesion despite these dynamic factors, which poses a complex engineering problem.

From an operational perspective, integrating bio-inspired adhesive designs into practical medical bandages presents challenges related to manufacturability and scalability. Creating gecko-inspired microstructures and incorporating mussel-inspired adhesive compounds often requires advanced fabrication techniques, which may not be readily available in standard medical manufacturing processes. Ensuring material safety, regulatory compliance, and cost-effectiveness further complicates implementation. These technical and operational challenges highlight the importance of a well-structured design approach and justify the exploration of bio-inspired hybrid solutions in this project.

2.3 Stakeholder Analysis

The development and implementation of the Geckel hybrid adhesive system involve multiple stakeholders, each with distinct interests and expectations. The primary stakeholders are patients, who directly interact with medical bandages and are most affected by adhesive performance. Patients require bandages that are comfortable, non-irritating, and reliable, particularly for long-term use or repeated application. Improved adhesive technology can significantly enhance patient satisfaction, reduce pain, and promote better healing outcomes.

Healthcare professionals, including doctors, nurses, and wound care specialists, represent another critical stakeholder group. Their primary concern is the reliability and ease of use of medical bandages in clinical settings. Bandages that adhere effectively and remain in place reduce the need for frequent replacements, saving time and improving workflow efficiency. Additionally,adhesives that minimize skin damage simplify wound management and improve clinical outcomes, making them highly desirable in healthcare environments.

Other stakeholders include medical device manufacturers, researchers, and regulatory authorities. Manufacturers are interested in innovative adhesive technologies that offer competitive advantages while remaining cost-effective and scalable. Researchers benefit from the exploration of bio-inspired materials, which contribute to scientific knowledge and technological advancement. Regulatory bodies focus on ensuring patient safety, biocompatibility, and compliance with medical standards. The Geckel adhesive concept addresses the needs of these stakeholders by prioritizing safety, performance, and innovation, thereby supporting its potential adoption in real-world medical applications.

2.4 Supporting Research and Data

Extensive scientific research supports the feasibility of bio-inspired adhesive systems, particularly those based on gecko and mussel adhesion mechanisms. Studies on gecko adhesion have demonstrated that the hierarchical micro- and nano-scale structures present on gecko feet enable strong van der Waals interactions, allowing reversible and residue-free attachment to surfaces. These findings have led to the development of synthetic gecko-inspired adhesives that exhibit high shear strength and repeatability under dry conditions. However, such adhesives typically lose effectiveness in wet environments, limiting their standalone application in medical bandages.

Similarly, research on mussel adhesion has revealed the role of specialized proteins containing catechol functional groups, which enable strong bonding to wet and submerged surfaces. Mussel-inspired adhesives have shown excellent performance in moist conditions and high biocompatibility, making them attractive for biomedical use. However, these adhesives often rely on chemical bonding that can result in difficult removal or residue formation when used alone. Recent studies suggest that combining structural adhesion with chemical bonding can significantly enhance adhesive performance while improving reversibility.

Supporting data from biomimetic research indicates that hybrid adhesive systems can outperform traditional adhesives by offering multifunctional benefits. Experimental models have shown improved adhesion stability, moisture tolerance, and reduced skin damage when bio-inspired designs are applied. While this project does not conduct laboratory testing, it draws upon validated research findings to justify the proposed Geckel hybrid adhesive concept. The integration of existing scientific data strengthens the credibility of the project and provides a solid foundation for future experimental validation and clinical research.

Mussel and gecko adhesion

CLICK/TAP IMAGES FOR ATTRIBUTION AND LICENSE INFORMATION.

Scientists from Northwestern University in Illinois and the Kensey Nash corporation have developed a new synthetic adhesive that combines the dry adhesion of gecko feet with the wet adhesion of mussel byssus threads. The material, called Geckel, has proven to be a strong and reversible adhesive on both dry and wet surfaces, a feat not demonstrated by either geckos or mussels. Gecko feet generate adhesion by taking advantage of a phenomenon called 'contact splitting.' The enormous surface area of the split-ended hairs on the lizards' feet creates a disproportionately large region of attraction (based on van der Waals

CHAPTER 3

SOLUTION DESIGN AND IMPLEMENTATION

3.1 Design Methodology and Development Lifecycle

The design methodology adopted for the Geckel hybrid adhesive follows a structured bio-inspired engineering approach that integrates biological observation, conceptual modeling, and functional analysis. The development lifecycle begins with the identification of limitations in conventional medical bandage adhesives, such as poor wet adhesion and skin irritation during removal. This problem-driven approach guides the selection of suitable biological models that demonstrate efficient and reversible adhesion under challenging conditions. Geckos and mussels are chosen as the primary biological inspirations due to their proven adhesion capabilities on dry and wet surfaces, respectively.

The next phase involves biological analysis, where the adhesion mechanisms of gecko feet and mussel byssal threads are studied in detail. Gecko adhesion is based on hierarchical micro- and nano-scale structures that generate van der Waals forces, while mussel adhesion relies on protein-based chemical bonding that functions effectively in moist environments. These mechanisms are abstracted into engineering principles that can be replicated using synthetic materials. The conceptual design phase then integrates these principles into a hybrid adhesive structure, combining mechanical interlocking with chemical adhesion.

The final stages of the development lifecycle include structural modeling and qualitative performance evaluation. A layered adhesive architecture is proposed and represented using diagrams and 3D models. The expected performance of the Geckel adhesive is evaluated by comparing it with traditional medical adhesives in terms of adhesion strength, moisture tolerance, skin compatibility, and removability. This systematic methodology ensures that the proposed solution is scientifically grounded, logically developed, and suitable for medical applications.

3.2 Tools, Platforms, and Technologies Used

The development of the Geckel hybrid adhesive concept utilizes a combination of analytical tools, modeling platforms, and visualization technologies. Literature review tools such as scientific journals, research databases, and biomedical publications are used to gather validated

information on bio-inspired adhesion systems. These resources provide theoretical support and ensure that the design is based on established scientific knowledge rather than assumptions.

For conceptual design and visualization, diagramming and modeling tools are employed to illustrate the layered structure of the adhesive system. Simple 3D modeling platforms such as Tinkercad or CAD-based drawing tools can be used to represent the gecko-inspired microstructures and mussel-inspired adhesive layers in a simplified yet clear manner. Physical modeling materials such as cardboard, thermocol, matchsticks, glue, and transparent sheets are also used to create a tangible 3D demonstration model for academic presentation.

In terms of technology, the project relies on bio-inspired material engineering concepts rather than real-time fabrication technologies. The focus is on conceptual integration of micro-structured surfaces and biocompatible adhesive layers. Visualization and documentation tools such as Microsoft Word and PowerPoint are used to present the design, analysis, and findings in a structured academic format. These tools collectively support effective communication of the solution design and implementation strategy.

3.3 Architectural Overview of Frame Relay (Hybrid Adhesive Architecture)

In the context of this project, the architectural overview focuses on the **structural architecture of the Geckel hybrid adhesive system**, rather than communication networks. The Geckel adhesive architecture is designed as a multilayer system, where each layer performs a specific functional role to ensure reliable medical bandage adhesion. This layered architecture allows the adhesive to operate effectively on both dry and wet skin surfaces while maintaining user comfort.

The bottom layer represents the skin interface, which is designed to be biocompatible and non-irritating. Above this layer is the gecko-inspired microstructured surface, consisting of densely packed microscopic pillars that create mechanical adhesion through surface contact and van der Waals forces. This layer provides strong yet reversible attachment without the use of aggressive chemical glues. The top layer consists of a mussel-inspired adhesive coating, which enhances bonding performance in moist environments by forming chemical interactions with the skin surface.

This architectural arrangement ensures that the strengths of both biological systems are utilized effectively. The gecko-inspired layer contributes dry adhesion and easy removability,

while the mussel-inspired layer ensures stability under wet conditions. Together, these layers form a robust hybrid adhesive architecture suitable for medical bandage applications, offering improved performance compared to traditional single-layer adhesive systems.

3.4 Engineering Standards and Protocols Applied

Engineering standards and biomedical guidelines play a crucial role in the design of medical adhesive systems. Although the Geckel adhesive presented in this project is conceptual, its design is aligned with general biomedical engineering principles and medical device safety standards. Biocompatibility is a primary consideration, ensuring that materials used in prolonged skin contact do not cause allergic reactions, toxicity, or tissue damage. International standards such as ISO guidelines for medical devices provide a reference framework for safe material selection and design practices.

Another important standard relates to skin safety and mechanical performance. Medical adhesives must maintain sufficient adhesion strength without exceeding limits that could damage the skin during removal. The Geckel adhesive design addresses this requirement by incorporating reversible adhesion mechanisms inspired by gecko feet. Additionally, moisture resistance and durability are considered in line with clinical hygiene and wound care protocols, ensuring that the adhesive performs reliably in realistic healthcare environments.

While formal regulatory testing is beyond the scope of this project, the design philosophy adheres to established engineering ethics, safety considerations, and best practices in biomedical product development. This alignment ensures that the proposed solution is realistic, responsible, and suitable for future research and clinical validation.

3.5 Justification of Design Decisions

The design decisions made in the development of the Geckel hybrid adhesive are justified by both practical healthcare needs and scientific evidence from bio-inspired research. The choice to combine gecko and mussel adhesion mechanisms is driven by the complementary nature of their adhesive properties. Gecko-inspired structures offer strong, residue-free adhesion with painless removability, while mussel-inspired adhesives provide reliable bonding in wet and dynamic

conditions. Integrating these mechanisms addresses the major limitations of conventional medical bandage adhesives.

The layered architectural design is chosen to ensure functional separation and efficiency. By assigning specific roles to each layer, the adhesive system achieves balanced performance without compromising skin safety or comfort. The use of conceptual modeling rather than chemical synthesis allows the project to focus on design logic, feasibility, and application relevance within academic constraints. This approach ensures clarity of explanation and strong alignment with project objectives.

Overall, the design decisions reflect a patient-centered and innovation-driven approach to medical adhesive development. The Geckel hybrid adhesive concept demonstrates how bio-inspired engineering can lead to effective and sustainable solutions for healthcare challenges, making it a justified and promising design for next-generation medical bandage applications.

Chapter 4

Results and Recommendations

4.1 Performance Evaluation and Metrics

The performance of the proposed Geckel hybrid adhesive system is evaluated through qualitative analysis based on bio-inspired adhesion principles and comparison with conventional medical adhesives. Key performance metrics considered include adhesion strength, moisture resistance, skin compatibility, durability, and ease of removal. These parameters are critical for determining the effectiveness of medical bandages in real clinical environments. The hybrid adhesive design integrates gecko-inspired microstructures that provide strong dry adhesion with mussel-inspired adhesive chemistry that enhances bonding on wet skin surfaces.

The combined adhesion mechanism results in improved stability and reliability when compared to traditional pressure-sensitive adhesives. The gecko-inspired microstructures increase surface contact and distribute stress evenly, reducing the risk of sudden detachment. At the same time, the mussel-inspired adhesive layer maintains bonding strength in the presence of moisture such as sweat or wound fluids. This dual functionality improves overall adhesion performance and reduces the need for frequent bandage replacement.

From a patient comfort perspective, the reversible nature of gecko-inspired adhesion enables painless removal without skin damage or residue. This feature is particularly beneficial for patients with sensitive skin, including infants and elderly individuals. Overall, the Geckel adhesive demonstrates superior performance across multiple metrics, indicating its potential as an advanced medical bandage solution.

4.2 Implementation Challenges and Mitigation

While the Geckel hybrid adhesive shows promising performance, its implementation presents several challenges. One major challenge is the fabrication of gecko-inspired microstructures at micro- and nano-scales. Producing uniform and durable structures requires advanced manufacturing techniques, which may increase production complexity. Additionally,

integrating mussel-inspired adhesive compounds into medical-grade materials requires careful formulation to ensure stability and safety.

Variability in skin conditions such as moisture level, texture, and movement further complicates adhesive performance. To mitigate these challenges, flexible microstructures and moisture-responsive adhesive layers can be employed. These adaptations allow the adhesive to adjust dynamically to changing skin conditions while maintaining reliable attachment. Material optimization and surface treatment techniques can also enhance durability and consistency.

Regulatory compliance is another important challenge. Medical adhesives must meet strict safety and biocompatibility standards. Although regulatory testing is beyond the scope of this project, early alignment with biomedical standards and the use of proven biocompatible materials can significantly reduce future implementation risks. These mitigation strategies ensure that the Geckel adhesive concept remains feasible for real-world application.

4.3 Opportunities for Enhancement

The Geckel hybrid adhesive system offers several opportunities for future enhancement and innovation. One key opportunity lies in optimizing the geometry and density of gecko-inspired microstructures to maximize adhesion efficiency while minimizing material usage. Advanced modeling and experimental studies can help refine these structures for specific medical applications such as wound dressings or wearable sensors.

Material innovation presents another significant opportunity. Incorporating biodegradable and eco-friendly materials can improve environmental sustainability. The addition of antimicrobial agents within the adhesive layer could help prevent infections and promote faster wound healing. Such enhancements would extend the functionality of the adhesive beyond basic bandaging to advanced therapeutic applications.

Emerging technologies such as smart adhesives and responsive materials also offer exciting enhancement possibilities. Adhesives that respond to temperature or moisture changes could allow controlled adhesion and easier removal. These advancements would increase the adaptability and clinical value of the Geckel hybrid adhesive system.

4.4 Strategic Recommendations

Based on the evaluation and analysis of the Geckel hybrid adhesive system, several strategic recommendations are proposed. First, interdisciplinary collaboration between biologists, materials scientists, and biomedical engineers is essential to translate the conceptual design into a functional prototype. Such collaboration will enable comprehensive testing and refinement of adhesive properties under realistic conditions.

Second, experimental validation through laboratory testing and pilot clinical studies is recommended to quantify adhesion strength, durability, and skin compatibility. These studies will provide empirical data to support the theoretical advantages discussed in this project and help ensure regulatory compliance. Early engagement with healthcare professionals can further guide design improvements based on practical clinical needs.

Finally, strategic partnerships with medical device manufacturers can facilitate scalability and commercialization. By aligning innovation with industry standards and healthcare demands, the Geckel hybrid adhesive system can evolve from an academic concept into a viable next-generation medical bandage technology.

CHAPTER 5

REFLECTION ON LEARNING AND PERSONAL DEVELOPMENT

5.1 Key Technical and Conceptual Learnings

This project provided significant technical and conceptual learning by integrating principles from biology, materials science, and biomedical engineering. One of the key technical learnings was understanding how natural adhesion mechanisms can be translated into engineered solutions for real-world applications. The study of gecko-inspired microstructures revealed how surface geometry at micro- and nano-scales can generate strong yet reversible adhesion without relying on chemical glues. Similarly, learning about mussel-inspired adhesive proteins highlighted the importance of chemical interactions that enable strong bonding in wet environments. These concepts broadened the understanding of advanced adhesive technologies beyond conventional synthetic materials.

Conceptually, the project emphasized the importance of bio-inspired design as a problem-solving approach. By analyzing how nature efficiently addresses complex challenges, the project demonstrated how engineering solutions can be both innovative and sustainable. The development of the Geckel hybrid adhesive concept reinforced the value of interdisciplinary thinking and systems-level design. Understanding how multiple mechanisms can be combined into a single functional system was a crucial learning outcome, strengthening both analytical and creative engineering skills.

5.2 Challenges Faced and Solutions Adopted

Throughout the project, several challenges were encountered during the research, design, and documentation phases. One of the primary challenges was understanding complex biological adhesion mechanisms and translating them into simplified engineering models. The detailed scientific literature on gecko and mussel adhesion required careful interpretation to ensure accurate representation without excessive technical complexity. This challenge was addressed through focused literature review and the use of simplified diagrams and conceptual models to clarify key ideas.

Another challenge involved designing a feasible hybrid adhesive concept within the constraints of an academic project. Limitations related to laboratory access, fabrication tools, and experimental testing required the project to rely on theoretical analysis and conceptual modeling rather than physical validation. To overcome this limitation, comparative analysis with existing research and validated studies was used to support the proposed design. Time management and coordination of multiple project components were additional challenges, which were mitigated through structured planning and systematic documentation. These problem-solving experiences contributed to improved project management and critical thinking skills.

5.3 Integration of Engineering Standards

The integration of engineering standards played an important role in shaping the design and evaluation of the Geckel hybrid adhesive system. Although the project was conceptual in nature, it emphasized alignment with general biomedical engineering principles and medical device safety guidelines. Key considerations included biocompatibility, skin safety, and mechanical reliability, which are essential for any medical adhesive intended for prolonged skin contact. Understanding the importance of international standards such as ISO guidelines reinforced the role of safety and ethics in engineering design.

The project also highlighted the significance of designing within regulatory frameworks to ensure future applicability. Considerations such as non-toxicity, hypoallergenic materials, and controlled adhesion strength were incorporated into the design philosophy. This experience enhanced awareness of how engineering standards influence design decisions and product feasibility. Integrating these standards at the conceptual stage ensured that the proposed solution remained realistic, responsible, and aligned with professional engineering practices.

5.4 Industry Insights and Future Trends

The project provided valuable insights into current industry practices and emerging trends in medical adhesive technology. The healthcare industry is increasingly focusing on patient-centered solutions that prioritize comfort, safety, and efficiency. Bio-inspired materials are gaining attention due to their potential to offer sustainable and high-performance alternatives to traditional synthetic adhesives. The Geckel hybrid adhesive concept aligns with this trend by combining natural adhesion mechanisms to improve functionality and user experience.

Future trends indicate a growing interest in smart adhesives, wearable medical devices, and multifunctional bandages that incorporate sensing, drug delivery, and antimicrobial properties. The integration of bio-inspired adhesion with smart materials could lead to advanced medical products capable of adapting to changing physiological conditions. This project highlighted the importance of staying informed about technological advancements and industry demands, emphasizing the need for continuous learning and innovation in biomedical engineering fields.

5.5 Personal Growth and Development Summary

The successful completion of this project contributed significantly to personal growth and professional development. It enhanced technical knowledge in bio-inspired engineering and strengthened skills in research analysis, conceptual design, and technical documentation. The project also improved communication abilities by requiring clear explanation of complex ideas in an academic format suitable for evaluation and presentation.

Beyond technical skills, the project fostered important personal qualities such as problem-solving, adaptability, and perseverance. Overcoming challenges related to research complexity and project constraints built confidence and resilience. The experience reinforced the importance of interdisciplinary collaboration, ethical responsibility, and innovation in engineering practice. Overall, this project served as a valuable learning journey that prepared for future academic and professional endeavors in engineering and healthcare technology.



CHAPTER 6

CONCLUSION

6.1 Summary of Findings and Achievements

This project titled **"GECKEL: Mussel–Gecko Hybrid Adhesive for Medical Bandages"** presents a comprehensive investigation into the limitations of conventional medical adhesive systems and proposes a bio-inspired solution derived from natural adhesion strategies observed in geckos and marine mussels. Through systematic study and analysis, the project successfully identified the key drawbacks of existing bandage adhesives, including poor adhesion on moist or mobile skin surfaces, skin irritation, residue formation, and discomfort or pain during removal. These issues not only affect patient comfort but also compromise clinical efficiency and wound-healing outcomes.

The project achieved a detailed understanding of gecko-inspired dry adhesion, which relies on hierarchical micro- and nano-scale structures that generate strong van der Waals forces, enabling reversible and residue-free attachment. Simultaneously, the study examined mussel-inspired wet adhesion, which utilizes catechol-containing proteins capable of forming strong chemical bonds even in aqueous and dynamic environments. By integrating these two biologically proven mechanisms, the project successfully formulated a conceptual **hybrid adhesive framework** that leverages both physical and chemical adhesion principles.

One of the major achievements of this project is the development of a structured conceptual design for a hybrid medical bandage adhesive that balances adhesion strength, flexibility, moisture resistance, and biocompatibility. The layered adhesive architecture proposed in this study demonstrates how gecko-inspired microstructures can provide mechanical grip, while mussel-inspired adhesive chemistry enhances performance under wet or sweaty skin conditions. In addition, the project addressed critical engineering considerations such as skin safety, repeatability of adhesion, ease of removal, and environmental sustainability.

Furthermore, the project successfully analyzed the broader applicability of the GECKEL adhesive system in healthcare, including wound dressings, post-surgical bandages, wearable medical sensors, and long-term patient monitoring devices. By combining biological inspiration with engineering design principles, this study demonstrates a viable pathway toward next-generation medical adhesive solutions.

6.2 Reaffirmation of Project Significance

The significance of the **GECKEL hybrid adhesive project** extends beyond the development of a single medical product and contributes meaningfully to the broader fields of biomedical engineering, materials science, and bio-inspired design. As healthcare systems increasingly prioritize patient comfort, safety, and long-term usability, the need for advanced adhesive technologies becomes critical. This project directly addresses these emerging requirements by proposing a solution that minimizes skin trauma while maintaining reliable adhesion under real-world clinical conditions.

The project reinforces the importance of **bio-inspired engineering** as a powerful problem-solving approach, demonstrating how natural systems refined through evolution can inform efficient, sustainable, and high-performance engineering designs. The hybridization of gecko and mussel adhesion mechanisms represents a novel and innovative strategy that overcomes the individual limitations of each system when used alone. This interdisciplinary integration highlights the value of combining biological knowledge with engineering methodologies to develop superior medical technologies.

From an industrial and clinical perspective, the proposed GECKEL adhesive concept has the potential to reduce medical adhesive-related skin injuries (MARSI), improve patient compliance, and enhance overall treatment outcomes. Its relevance is particularly significant for vulnerable patient groups such as infants, elderly individuals, and patients with sensitive or damaged skin. Additionally, the project aligns with future healthcare trends emphasizing minimally invasive solutions, wearable medical devices, and sustainable material usage.

In conclusion, this project not only fulfills its academic objectives but also contributes valuable insights into the design of innovative medical adhesives. The findings of this study provide a strong foundation for future experimental research, prototype development, and clinical evaluation. With further material optimization and testing, the GECKEL hybrid adhesive concept holds the potential to transition from a conceptual framework into a practical, real-world medical solution, thereby advancing the standards of modern wound care and medical bandage technology.

References

1. Autumn, K., Liang, Y. A., Hsieh, S. T., Zesch, W., Chan, W. P., Kenny, T. W., Fearing, R., & Full, R. J. (2000). Evidence for van der Waals adhesion in gecko setae.
2. Lee, H., Dellatore, S. M., Miller, W. M., & Messersmith, P. B. (2007). Mussel-inspired surface chemistry for multifunctional coatings. *Science*, 318(5849), 426–430.
3. Bhushan, B. (2012). *Biomimetics: Bioinspired Hierarchical-Structured Surfaces*. Springer-Verlag, Berlin.
4. Zhao, X., Kim, J., Cezar, C. A., Huebsch, N., Lee, K., Bouhadir, K., & Mooney, D. J. (2011). Active scaffolds for on-demand drug and cell delivery. *Advanced Functional Materials*,.
5. Ratner, B. D., Hoffman, A. S., Schoen, F. J., & Lemons, J. E. (2013). *Biomaterials Science: An Introduction to Materials in Medicine*. Academic Press, Elsevier.
6. Gao, H., Wang, X., Yao, H., Gorb, S., & Arzt, E. (2005). Mechanics of hierarchical adhesion structures of geckos. *Mechanics of Materials*, 37(2–3), 275–285.
7. Waite, J. H. (2017). Mussel adhesion – Essential footwork. *Journal of Experimental Biology*,
8. Yuk, H., Zhang, T., Parada, G. A., Liu, X., & Zhao, X. (2016). Skin-inspired hydrogel–elastomer hybrids with robust interfaces and functional microstructures. *Nature Communications*, 7, 12028.
9. Bartlett, M. D., Croll, A. B., King, D. R., Paret, B. M., Irschick, D. J., & Crosby, A. J. (2012). Looking beyond fibrillar features to scale gecko-like adhesion. *Advanced Materials*, 24(8), 1078–1083.
10. Li, J., Celiz, A. D., Yang, J., Yang, Q., Wamala, I., Whyte, W., Seo, B. R., Vasilyev, N. V., Vlassak, J. J., Suo, Z., & Mooney, D. J. (2017). Tough adhesives for diverse wet surfaces. *Science*, 357(6349), 378–381.
11. Hwang, D. S., Waite, J. H., & Tirrell, M. (2010). Promotion of osteoblast proliferation on complex coacervates of mussel adhesive proteins. *Biomacromolecules*, 11(12), 3399–3408.
12. Kim, S., Sitti, M., Xie, T., & Xiao, X. (2009). Reversible adhesion of gecko-inspired elastomer microfiber arrays on rough surfaces. *Applied Physics Letters*, 95(26), 261901.
13. Meddahi-Pellé, A., Legrand, A., Marcellan, A., Louedec, L., Letourneur, D., & Leibler, L. (2014). Organ repair, hemostasis, and in vivo bonding of medical devices by a chitosan-based adhesive. *Science*, 345(6197), 543–546.

APPENDICES

Appendix A: Gecko-Inspired Micro/Nano Structures

- Millions of hair-like *setae* branch into nanoscale *spatulae*.
- Adhesion via **van der Waals forces**, strong but reversible.
- Used in GECKEL for painless bandage attachment.

Appendix B: Mussel-Inspired Adhesives

- Proteins with catechol (DOPA) bond strongly in wet conditions.
- Enhances GECKEL adhesion on sweaty or wet skin.

Appendix C: Layered Architecture of GECKEL

- Flexible backing layer
- Gecko-inspired microstructure (dry adhesion)
- Mussel-inspired chemical layer (wet adhesion)

Appendix D: Comparison – Conventional vs GECKEL Adhesive

Feature	**Conventional**	**GECKEL**
Wet adhesion	Poor	Excellent
Skin irritation	High	Minimal
Removal	Painful	Painless