

```
1 #include <stdio.h>
2 #include <stdlib.h>
3 #include <fcntl.h>
4 #include <unistd.h>
5 #define BUFFER_SIZE 4096
6
7 void copy(){
8     const char *sourcefile=
9     "C:/Users/itssk/OneDrive/Desktop/sasi.txt";
10    const char *destination_file="C:/Users/itssk/OneDrive/Desktop/sk.txt";int
11    source_fd = open(sourcefile, O_RDONLY);
12    int dest_fd = open(destination_file, O_WRONLY | O_CREAT |O_TRUNC,
13    0666);
14    char buffer[BUFFER_SIZE]; ssize_t
15    bytesRead, bytesWritten;
16    while ((bytesRead = read(source_fd, buffer, BUFFER_SIZE)) > 0) {bytesWritten =
17    write(dest_fd, buffer, bytesRead);
18    }
19    close(source_fd);
20    close(dest_fd);
21    printf("File copied successfully.\n");
22    }
23    void create()
24    {
25    char path[100];
26    FILE *fp; fp=fopen("C:/Users/itssk/OneDrive/Desktop/sasi.txt","w");
27    printf("file created successfully");
28    }
29
```

```
1. Create      2. Copy      3. Delete
Enter your choice: 1
file created successfully
```

```
=== Code Execution Successful ===
```

```
30 int main(){
31 int n;
32 printf("1. Create \t2. Copy \t3. Delete\nEnter your choice: " );
33 scanf("%d",&n);
34 switch(n){
35 case 1:
36 create(); break;
37 case 2:
38 copy();
39 break;
40 case 3:
41 remove("C:/Users/itssk/OneDrive/Desktop/sasi.txt");printf("Deleted
42 successfully");
43
44 }}
```