

C02 _AT1 ANALYTICAL PROBLEM SOLVING

NAME: M. Vaishali

REG NO:192524440

COURSE CODE:CSA1508

DATE:28/07/26

1. A cloud data Center experiences frequent live migrations of VMs during peak hours, leading to increased latency and service degradation. Analyze the impact of live migration on CPU, memory, and network resources. Propose strategies to optimize migration without affecting application performance.

Problem:

A cloud data Center experiences frequent live migration of Virtual Machines (VMs) during peak hours. This increases latency, consumes system resources, and reduces application performance.

Impact of Live Migration:

1. CPU Impact

- CPU usage increases because migration copies VM state while applications continue running.
- Extra processing is required to track memory changes.
- High CPU load slows down application execution.

2. Memory Impact

- VM memory pages are repeatedly copied to the destination server.

- Frequently changing pages (dirty pages) increase migration time.
- Memory usage becomes high, affecting other VMs.

3. Network Impact

- Large amounts of memory data are transferred over the network.
- Bandwidth usage increases significantly.
- Network congestion causes higher latency and packet delays.

Optimization Strategies:

- **1. Schedule Migrations**

- Perform migrations during **off-peak hours** whenever possible.
- Avoid unnecessary migrations during busy periods.

- **2. Memory Optimization**

- Compress memory pages before transfer.
- Send only modified (dirty) memory pages.

- **3. Network Optimization**

- Reserve dedicated bandwidth for VM migration.
- Use high-speed network links (10 Gbps or higher).
- Apply traffic prioritization (QoS).

CODE:

```
print("VM Live Migration Analysis")

cpu = int(input("Enter CPU Usage (%): "))
memory = int(input("Enter Memory Usage (GB): "))
network = int(input("Enter Network Usage (Mbps): "))

if cpu > 80:
    print("CPU: High Load")
else:
    print("CPU: Normal")

if memory > 8:
    print("Memory: High Usage")
else:
    print("Memory: Normal")

if network > 500:
    print("Network: High Traffic")
else:
    print("Network: Normal")

print("\nOptimization:")
print("- Off-peak migration")
print("- Compress memory")
print("- Reserve bandwidth")
print("- Limit VM migrations")
```

OUTPUT:

```
===== RESTART: C:\Users\Vaisha
VM Live Migration Analysis
Enter CPU Usage (%): 85
Enter Memory Usage (GB): 10
Enter Network Usage (Mbps): 600
CPU: High Load
Memory: High Usage
Network: High Traffic

Optimization:
- Off-peak migration
- Compress memory
- Reserve bandwidth
- Limit VM migrations
```

2. Multiple tenants are running high-performance workloads on shared infrastructure, causing resource contention and SLA violations. Analyze the role of virtualization in resource allocation and contention. Recommend techniques such as scheduling policies or resource isolation methods to resolve the issue.

Problem

Multiple tenants are running high-performance workloads on shared infrastructure, causing resource contention and SLA (Service Level Agreement) violations.

Role of Virtualization

- Virtualization allows multiple Virtual Machines (VMs) to share the same physical server.
- It allocates CPU, memory, storage, and network resources to each VM.
- Efficient resource allocation improves hardware utilization and reduces costs.

Resource Contention:

When many tenants use resources at the same time:

- **CPU:** VMs compete for processor time, causing slower execution.
- **Memory:** Insufficient RAM leads to delays and swapping.
- **Storage:** Heavy disk access increases I/O wait time.
- **Network:** High traffic causes congestion and higher latency.

As a result, applications perform poorly, and SLA violations occur because response time and availability requirements are not met

CODE:

```
print("=== Resource Allocation Analysis ===")

cpu = int(input("Enter CPU Usage (%): "))
memory = int(input("Enter Memory Usage (%): "))

print("\nAnalysis:")

if cpu > 80:
    print("CPU: Resource Contention")
else:
    print("CPU: Normal")

if memory > 80:
    print("Memory: Resource Contention")
else:
    print("Memory: Normal")

print("\nRecommended Techniques:")
print("1. CPU Scheduling")
print("2. Resource Isolation")
print("3. Load Balancing")
print("4. Monitor Resource Usage")
```

OUTPUT:

```
Enter CPU Usage (%): 85
Enter Memory Usage (%): 95

Analysis:
CPU: Resource Contention
Memory: Resource Contention

Recommended Techniques:
1. CPU Scheduling
2. Resource Isolation
3. Load Balancing
4. Monitor Resource Usage
```

3. A cloud environment using storage virtualization reports slow data access and high latency during peak operations. Analyze the possible causes related to storage virtualization layers. Suggest improvements in architecture or configuration to enhance storage performance.

Problem

A cloud environment using storage virtualization reports slow data access and high latency during peak operations. Analyze the possible causes related to storage virtualization layers. Suggest improvements in architecture or configuration to enhance storage performance

Possible Causes:

- Multiple virtualization layers increase data access time.
- Heavy disk I/O from many users.
- Network congestion between storage and servers.
- Slow HDD storage instead of SSD.
- Insufficient cache memory.

Improvements:

1. Replace HDDs with SSDs for faster data access.
2. Enable caching to reduce repeated disk access.
3. Increase network bandwidth to reduce latency.
4. Reduce unnecessary virtualization layers.
5. Use load balancing to distribute storage requests.

CODE:

```
print("Storage Virtualization")

latency = int(input("Enter Latency: "))
usage = int(input("Enter Storage Usage (%): "))

if latency > 100:
    print("High Latency")
else:
    print("Normal Latency")

if usage > 80:
    print("Storage is Slow")
else:
    print("Storage is Good")

print("\nImprovements:")
print("Use SSD")
print("Enable Cache")
print("Increase Bandwidth")
print("Reduce Virtualization Layers")
|
```

OUTPUT:

```
Storage Virtualization
Enter Latency: 120
Enter Storage Usage (%): 80
High Latency
Storage is Good

Improvements:
Use SSD
Enable Cache
Increase Bandwidth
Reduce Virtualization Layers
|
```

4. A software-defined network (SDN)-based cloud experiences a Distributed Denial of Service (DDoS) attack targeting virtual switches. Analyze how network virtualization components are affected by such attacks. Propose mitigation strategies using SDN security controls and traffic management techniques.

Problem:

A Software-Defined Network (SDN)-based cloud experiences a Distributed Denial of Service (DDoS) attack targeting virtual switches. Analyze how network virtualization components are affected by such attacks. Propose mitigation strategies using SDN security controls and traffic management techniques.

Effects on Network Virtualization Components:

- Virtual switches become overloaded.
- Network bandwidth is consumed by malicious traffic.
- The SDN controller receives too many requests.
- High latency and packet loss occur.
- Legitimate users experience slow or unavailable services.

Mitigation Strategies:

1. Detect and block malicious traffic using SDN security policies.
2. Apply rate limiting to control excessive traffic.
3. Use firewalls and Access Control Lists (ACLs).
4. Balance traffic across multiple virtual switches.
5. Continuously monitor network traffic and identify attacks early.

CODE:

```
print("SDN DDoS Attack Analysis")
traffic = int(input("Enter Network Traffic (%): "))
switch = int(input("Enter Virtual Switch Load (%): "))

if traffic > 80:
    print("High Traffic - DDoS Attack")
else:
    print("Traffic is Normal")

if switch > 80:
    print("Virtual Switch Overloaded")
else:
    print("Virtual Switch Normal")

print("\nSolutions:")
print("1. Block Malicious Traffic")
print("2. Use SDN Firewall")
print("3. Apply Rate Limiting")
print("4. Load Balancing")
```

OUTPUT:

```
SDN DDoS Attack Analysis
Enter Network Traffic (%): 90
Enter Virtual Switch Load (%): 85
High Traffic - DDoS Attack
Virtual Switch Overloaded

Solutions:
1. Block Malicious Traffic
2. Use SDN Firewall
3. Apply Rate Limiting
4. Load Balancing
```

5.A company is choosing between containers and virtual machines for deploying micro services in a cloud environment. Analyze performance, scalability, and security trade-offs between containers and VMs. Justify which approach is more suitable for dynamic workloads with strict security requirements.

Problem

A company is choosing between containers and virtual machines (VMs) for deploying microservices in a cloud environment. Analyze the performance, scalability, and security trade-offs. Justify which approach is more suitable for dynamic workloads with strict security requirements.

Comparison:

- **Containers**
 - Lightweight and fast.
 - Best for dynamic workloads and rapid scaling.
 - Lower resource consumption.
 - Slightly less secure because they share the host operating system.
- **Virtual Machines**
 - Each VM has its own operating system.
 - Better isolation and stronger security.
 - Higher CPU and memory usage.
 - Slower to start and scale.

Justification

- For dynamic workloads with strict security requirements, Virtual Machines (VMs) are the better choice because they provide stronger isolation and better protection between applications. Although containers offer better performance and scalability, VMs are more suitable when security is the highest priority.

CODE:

```
print("Containers vs Virtual Machines")

performance = int(input("Enter Performance (%): "))
security = int(input("Enter Security (%): "))

if performance > 80:
    print("Containers: Better Performance")
else:
    print("Performance is Normal")

if security > 80:
    print("VMs: Better Security")
else:
    print("Security is Normal")

print("\nRecommendation:")
print("Use Virtual Machines for")
print("dynamic workloads with")
print("strict security requirements.")
```

OUTPUT:

```
Containers vs Virtual Machines
Enter Performance (%): 90
Enter Security (%): 80
Containers: Better Performance
Security is Normal

Recommendation:
Use Virtual Machines for
dynamic workloads with
strict security requirements.
```