


1 - scanme.nmap.org

```
nmap -sn scanme.nmap.org
nmap -sS scanme.nmap.org
nmap -sV scanme.nmap.org
sudo nmap -O scanme.nmap.org
nmap -sC scanme.nmap.org
sudo nmap -sS -sV -O -sC scanme.nmap.org
sudo nmap -sS -sV -O -sC scanme.nmap.org -oN q1_scan.txt
```




```
Nmap done: 1 IP address (1 host up) scanned in 92.12 seconds
(aakashrajendiran@kali)~$
(aakashrajendiran@kali)~$ nmap -sC -sV scanme.nmap.org
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:43 +0530
Stats: 0:00:07 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 3.10% done; ETC: 10:44 (0:01:34 remaining)
Stats: 0:01:17 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 50.00% done; ETC: 10:45 (0:00:25 remaining)
Stats: 0:02:13 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 99.30% done; ETC: 10:45 (0:00:00 remaining)
Stats: 0:02:31 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 96.08% done; ETC: 10:45 (0:00:00 remaining)
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.32s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 978 filtered tcp ports (no-response)
PORT      STATE SERVICE
1/tcp     closed tcpmux
22/tcp    open  tcpwrapped
| ssh-hostkey:
|_ 1024 ac:00:a0:1a:82:ff:cc:55:99:dc:67:2b:34:97:6b:75 (DSA)
|_ 2048 20:3d:2d:44:62:2a:b0:5a:9d:b5:b3:05:14:c2:a6:b2 (RSA)
|_ 256 96:02:bb:5e:57:54:1c:4e:45:2f:56:4c:4a:24:b2:57 (ECDSA)
|_ 256 33:fa:91:0f:e0:e1:7b:1f:6d:05:a2:b0:f1:54:41:56 (ED25519)
53/tcp    closed domain
80/tcp    open  http    Apache httpd 2.4.7 ((Ubuntu))
83/tcp    closed mit-ml-dev
139/tcp   closed netbios-ssn
143/tcp   closed imap
161/tcp   closed snmp
443/tcp   closed https
500/tcp   closed isakmp
515/tcp   closed printer
1025/tcp  closed NFS-or-IIS
3128/tcp  closed squid-http
3389/tcp  closed ms-wbt-server
4000/tcp  closed remoteyanything
5002/tcp  closed rfe
5060/tcp  open  sip?
5061/tcp  open  sip-tls?
8080/tcp  closed http-proxy
```

2 - Metasploitable 2

```
nmap -sn 192.168.56.101
nmap -sS 192.168.56.101
nmap -sS -p- 192.168.56.101
nmap -sV 192.168.56.101
sudo nmap -O 192.168.56.101
nmap -sC 192.168.56.101
sudo nmap -sS -sV -O -sC -p- 192.168.56.101
```

```
sudo nmap -sS -sV -O -sC -p- 192.168.56.101 -oN q2_scan.txt
```



```
/home/aakashrajendran
aakashrajendran@kali: ~
aakashrajendran@kali:~$ nmap -n
aakashrajendran@kali:~$ nmap -sS 192.168.56.101
aakashrajendran@kali:~$ nmap -sV 192.168.56.101
aakashrajendran@kali:~$ nmap -O 192.168.56.101
aakashrajendran@kali:~$ nmap -sC 192.168.56.101
aakashrajendran@kali:~$ sudo nmap -sS -sV -O -sC -p- 192.168.56.101 -oN q2_scan.txt
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:59 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 2.87 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:59 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 2.14 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:59 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.88 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 10:59 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.43 seconds
[sudo] password for aakashrajendran:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:00 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.34 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:00 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.56 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:00 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.41 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:00 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 4.01 seconds
aakashrajendran@kali:~$
```

3 - Windows Workstation

```
nmap -sn 192.168.56.102
nmap -sS 192.168.56.102
nmap -sS -p- 192.168.56.102
nmap -sV 192.168.56.102
sudo nmap -O 192.168.56.102
nmap -sC 192.168.56.102
nmap -p 135,139,445,3389 -sV 192.168.56.102
sudo nmap -sS -sV -O -sC -p- 192.168.56.102
sudo nmap -sS -sV -O -sC -p- 192.168.56.102 -oN q3_scan.txt
```

```
Session Actions Edit View Help
akashrajendiran@kali: ~
4 nmap -sn 192.168.56.102
nmap -ss 192.168.56.102
nmap -ss -p- 192.168.56.102
nmap -ss 192.168.56.102
sudo nmap -O 192.168.56.102
nmap -sC 192.168.56.102
nmap -p 135,139,443,3389 -sV 192.168.56.102
sudo nmap -ss -sV -O -sC -p- 192.168.56.102
sudo nmap -ss -sV -O -sC -p- 192.168.56.102 -oN q3_scan.txt

Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:02 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.04 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:02 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.15 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:02 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.08 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:02 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.44 seconds
[sudo] password for akashrajendiran:
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:02 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.22 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:03 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.24 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:03 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.28 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:03 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.73 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2024-08-11 11:03 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.66 seconds
akashrajendiran@kali: ~
```

4 - OWASP Juice Shop Server

```
nmap -sn 192.168.56.103
nmap -ss 192.168.56.103
nmap -ss -p- 192.168.56.103
nmap -sV 192.168.56.103
sudo nmap -O 192.168.56.103
nmap -sC 192.168.56.103
nmap -p 80,443,3000,8080 -sV 192.168.56.103
sudo nmap -ss -sV -O -sC -p- 192.168.56.103
sudo nmap -ss -sV -O -sC -p- 192.168.56.103 -oN q4_scan.txt
```

```
aakashrajendiran@kali: ~  
Session Actions Edit View Help  
(aakashrajendiran@kali)-[~]  
$  
nmap -sn 192.168.56.103  
nmap -sS 192.168.56.103  
nmap -sS -p- 192.168.56.103  
nmap -sV 192.168.56.103  
sudo nmap -O 192.168.56.103  
nmap -sC 192.168.56.103  
nmap -p 80,443,3000,8080 -sV 192.168.56.103  
sudo nmap -sS -sV -O -sC -p- 192.168.56.103  
sudo nmap -sS -sV -O -sC -p- 192.168.56.103 -oN q4_scan.txt  
  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:04 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.04 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:04 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.05 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:04 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.11 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:04 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.41 seconds  
[sudo] password for aakashrajendiran:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:05 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.19 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:05 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.22 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:05 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.15 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:05 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.45 seconds  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:05 +0530  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.62 seconds  
(aakashrajendiran@kali)-[~]  
$
```

5 - Network Gateway

```
nmap -sS 192.168.56.1  
nmap -sS -p- 192.168.56.1  
nmap -sV 192.168.56.1  
sudo nmap -O 192.168.56.1  
nmap -sC 192.168.56.1  
nmap -p 22,23,80,443,161 -sV 192.168.56.1  
nmap -sU -p 161 192.168.56.1  
sudo nmap -sS -sV -O -sC -p- 192.168.56.1  
sudo nmap -sS -sV -O -sC -p- 192.168.56.1 -oN q5_scan.txt
```

```
Session Actions Edit View Help
(aakashrajendiran@kali)-[~]
└─$ nmap -ss 192.168.56.1
nmap -ss -p- 192.168.56.1
nmap -sV 192.168.56.1
sudo nmap -O 192.168.56.1
nmap -sC 192.168.56.1
nmap -p 22,23,80,443,161 -sV 192.168.56.1
nmap -sU -p 161 192.168.56.1
sudo nmap -ss -sV -O -sC -p- 192.168.56.1 -oN q5_scan.txt
sudo nmap -ss -sV -O -sC -p- 192.168.56.1 -oN q5_scan.txt

Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.14 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.15 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.23 seconds
[sudo] password for aakashrajendiran:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.16 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.18 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.24 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.06 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.40 seconds
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-11 11:07 +0530
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.53 seconds

(aakashrajendiran@kali)-[~]
└─$
```