

Control Statements

IF ELSE:

```
mysql> DELIMITER //
mysql> CREATE PROCEDURE check_salary(IN emp_salary INT)
-> BEGIN
->     IF emp_salary > 30000 THEN
->         SELECT 'Eligible' AS Result;
->     ELSE
->         SELECT 'Not Eligible' AS Result;
->     END IF;
-> END //
Query OK, 0 rows affected (0.01 sec)

mysql> DELIMITER ;
mysql> call check_salary(25000);
+-----+
| Result |
+-----+
| Not Eligible |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

IF

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE check_salary(IN emp_salary INT)
-> BEGIN
->     IF emp_salary > 30000 THEN
->         SELECT 'High Salary' AS Result;
->     END IF;
-> END //
Query OK, 0 rows affected (0.01 sec)

mysql>
mysql> DELIMITER ;
mysql> call check_salary(40000);
+-----+
| Result |
+-----+
| High Salary |
+-----+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

IF ELSEIF ELSE

```
mysql> CREATE PROCEDURE salary_grade(IN emp_salary INT)
-> BEGIN
->     IF emp_salary >= 50000 THEN
->         SELECT 'Grade A' AS Grade;
->     ELSEIF emp_salary >= 30000 THEN
->         SELECT 'Grade B' AS Grade;
->     ELSE
->         SELECT 'Grade C' AS Grade;
->     END IF;
-> END //
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> DELIMITER ;
mysql> CALL salary_grade(40000);
```

```
+-----+
| Grade |
+-----+
| Grade B |
+-----+
```

1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

WHILE

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE print_numbers()
-> BEGIN
->     DECLARE i INT DEFAULT 1;
->
->     WHILE i <= 5 DO
->         SELECT i AS Number;
->         SET i = i + 1;
->     END WHILE;
-> END //
```

Query OK, 0 rows affected (0.01 sec)

```
mysql>
mysql> DELIMITER ;
mysql> CALL prime_numbers();
ERROR 1305 (42000): PROCEDURE employee.prime_numbers does not exist
mysql> CALL print_numbers();
```

```
+-----+
| Number |
+-----+
|      1 |
+-----+
```

1 row in set (0.00 sec)

1 row in set (0.00 sec)

Number
2

1 row in set (0.00 sec)

Number
3

1 row in set (0.00 sec)

Number
4

1 row in set (0.01 sec)

Number
5

DO WHILE

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE do_while_example()
-> BEGIN
->     DECLARE i INT DEFAULT 1;
->
->     REPEAT
->         SELECT i AS Number;
->         SET i = i + 1;
->     UNTIL i > 5
->     END REPEAT;
->
-> END //
```

Query OK, 0 rows affected (0.01 sec)

```
mysql>
mysql> DELIMITER ;
mysql> CALL do_while_example();
+-----+
| Number |
+-----+
|      1 |
+-----+
```

```
+-----+
| Number |
+-----+
|      2 |
+-----+
1 row in set (0.00 sec)
```

```
+-----+
| Number |
+-----+
|      3 |
+-----+
1 row in set (0.00 sec)
```

```
+-----+
| Number |
+-----+
|      4 |
+-----+
1 row in set (0.01 sec)
```

```
+-----+
| Number |
+-----+
|      5 |
+-----+
1 row in set (0.01 sec)
```

