

ASSIGNMENT TOOLS 3

The image displays two screenshots of the SIMATS Online Programming Lab interface, showing different assignment tasks.

Top Screenshot: MIN Assignment

- Header:** SIMATS Online Programming Lab, JAVA PROGRAMMING, User: M S Jeevanth.
- QUESTIONS:** 27 / 31 completed. Filter: Min.
- Task:** Write a Java program to find the smallest element in an array of integers using loops and conditional statements.
- PROGRAM EDITOR:** Java, Saved, Run, Save buttons. Code:

```
1 class main{
2     public static void main(String[] args){
3         int a[]={1,52,46,2,19};
4         int smallest=a[0];
5         for(int i=1;i<a.length;i++){
6             if(a[i]<smallest){
7                 smallest=a[i];
8             }
9         }
10        System.out.println(smallest);
11    }
12 }
```
- OUTPUT:** 52
- INPUT:** Your INPUT goes here!

Bottom Screenshot: Sum and Average Assignment

- Header:** SIMATS Online Programming Lab, JAVA PROGRAMMING, User: M S Jeevanth.
- QUESTIONS:** Q1 Sum and Average (10 marks), Q2 Days Conversion (10 marks), Q3 Voting Eligibility (10 marks), Q4 Income Tax (10 marks), Q5 Armstrong Number (10 marks). 1/5 answered.
- Task:** Sum and Average. Write a Java program to find the sum and average of five numbers. Get the input from the user.
- Your Code:**

```
1 class main{
2     public static void main(String[] args){
3         int a[]=new int[5];
4         int sum=0;
5         double average=0;
6         for(int i=0;i<a.length;i++){
7             System.out.println("Enter number:");
8             a[i]=Integer.parseInt(scanner.nextLine());
9             sum+=a[i];
10        }
11        average=sum/5;
12        System.out.println("Sum: "+sum);
13        System.out.println("Average: "+average);
14    }
15 }
```
- Input:** stdin Input
- Output:** 15, 3.0
- Visible Test Cases:** Test Case 1, Test Case 2, Test Case 3.
- Buttons:** Run, Save.

ASSIGNMENT TOOLS 3

The image displays two screenshots of the SIMATS Online Programming Lab interface, showing a Java programming assignment. The interface is divided into several sections:

- Header:** SIMATS Online Programming Lab, JAVA PROGRAMMING, and a user profile (M. S. Jeevanth).
- QUESTIONS:** A list of questions on the left side of the page. The first question is "Q1 Sum and Average" (10 marks), followed by "Q2 Days Conversion" (10 marks), "Q3 Voting Eligibility" (10 marks), "Q4 Income Tax" (10 marks), and "Q5 Armstrong Number" (10 marks). The second screenshot shows "Q3 Voting Eligibility" as the active question.
- Q2 Days Conversion:** The question asks to "Write a Java program to convert the given number of days into years, months, weeks and days." The code area shows a Java program that takes an input number of days and calculates years, months, weeks, and days. The output area shows the results for a given input.
- Q3 Voting Eligibility:** The question asks to "Write a Java program to check whether a person is eligible for voting. If not, display how many years are left." The code area shows a Java program that checks if a person is eligible for voting based on their age. The output area shows the results for a given input.

The interface also includes a "Run" button, a "Save" button, and a "Draft saved" indicator. The bottom of the page shows a footer with "© 2026 SIMATS Online Lab. All rights reserved." and a system tray with weather, search, and taskbar information.

ASSIGNMENT TOOLS 3

The screenshot displays the SIMATS Online Programming Lab interface, which is a web-based environment for practicing Java programming. The interface is divided into several sections:

- Header:** The top bar includes the SIMATS Engineering logo, the title "SIMATS Online Programming Lab", the subject "JAVA PROGRAMMING", and a user profile for "M S Jeevanth" with ID "192325093RA".
- Questions List:** On the left, a sidebar lists five questions (Q1 to Q5) with their respective marks and completion status. Q1 (Sum and Average, 10 marks) and Q2 (Days Conversion, 10 marks) are marked as completed. Q3 (Voting Eligibility, 10 marks) is also marked as completed. Q4 (Income Tax, 10 marks) and Q5 (Armstrong Number, 10 marks) are currently selected and shown in detail.
- Question Details:** The main area displays the selected question (Q5: Armstrong Number) with a description: "Write a pseudocode to check whether the given number is an Armstrong number or not." The question is worth 10 marks.
- Code Editor:** A central area for writing Java code. The code for the Armstrong Number question is as follows:

```
1 class Armstrong{
2     public static void main(String[] args){
3         int n=153;
4         int temp=n;
5         int sum=0;
6         while(temp>0){
7             int rem=temp%10;
8             sum=sum+(rem*rem*rem);
9             temp=temp/10;
10        }
11        if(sum==n){
12            System.out.println(n+"armstrong");
13        }else{
14            System.out.println(n+"not armstrong");
15        }
16    }
17 }
```
- Input/Output:** On the right, there is an "Input" field with "stdin input" and an "Output" field showing the result: "153armstrong". Below these are "Visible Test Cases" for Test Case 1, Test Case 2, and Test Case 3.
- Footer:** The bottom of the page features a copyright notice: "© 2026 SIMATS Online Lab. All rights reserved."