

```
mysql> SELECT CONCAT('Hello', SPACE(5), 'World');
```

```
+-----+
| CONCAT('Hello', SPACE(5), 'World') |
+-----+
| Hello      World                    |
+-----+
```

```
1 row in set (0.271 sec)
```

```
mysql> SELECT SUBSTRING('COMPUTER', 1, 4);
```

```
+-----+
| SUBSTRING('COMPUTER', 1, 4) |
+-----+
| COMP                        |
+-----+
```

```
1 row in set (0.008 sec)
```

```
mysql> SELECT UPPER('computer science');
```

```
+-----+
| UPPER('computer science') |
+-----+
| COMPUTER SCIENCE          |
+-----+
```

```
1 row in set (0.331 sec)
```

```
mysql> SELECT LOWER('COMPUTER SCIENCE');
```

```
+-----+
| LOWER('COMPUTER SCIENCE') |
+-----+
| computer science          |
+-----+
```

```
1 row in set (0.324 sec)
```

```
mysql> SELECT LCASE('HELLO');
```

```
+-----+
| LCASE('HELLO') |
+-----+
| hello           |
+-----+
```

```
1 row in set (0.008 sec)
```

```
mysql> SELECT TRIM('  Hello World ');
```

```
+-----+
| TRIM('  Hello World  ') |
+-----+
| Hello World              |
+-----+
```

```
1 row in set (0.033 sec)
```

```
mysql> SELECT RTRIM('Hello World ');
```

```

+-----+
| RTRIM('Hello World  ') |
+-----+
| Hello World            |
+-----+
1 row in set (0.313 sec)

```

```

mysql> SELECT LTRIM('  Hello World');
+-----+
| LTRIM('  Hello World') |
+-----+
| Hello World            |
+-----+
1 row in set (0.006 sec)

```

```

mysql> SELECT LENGTH('COMPUTER');
+-----+
| LENGTH('COMPUTER') |
+-----+
|                8 |
+-----+
1 row in set (0.347 sec)

```

```

mysql> SELECT BIT_LENGTH('ABC');
+-----+
| BIT_LENGTH('ABC') |
+-----+
|                24 |
+-----+
1 row in set (0.308 sec)

```

```

mysql> SELECT CHAR_LENGTH('COMPUTER');
+-----+
| CHAR_LENGTH('COMPUTER') |
+-----+
|                8 |
+-----+
1 row in set (0.311 sec)

```

```

mysql> SELECT CONCAT('Hello', ' ', 'World');
+-----+
| CONCAT('Hello', ' ', 'World') |
+-----+
| Hello World                    |
+-----+
1 row in set (0.008 sec)

```

```

mysql> SELECT INSTR('COMPUTER', 'PUT');
+-----+
| INSTR('COMPUTER', 'PUT') |

```

```
+-----+
|                4 |
+-----+
1 row in set (0.310 sec)
```

```
mysql> SELECT LOCATE('PUT', 'COMPUTER');
+-----+
| LOCATE('PUT', 'COMPUTER') |
+-----+
|                4 |
+-----+
1 row in set (0.006 sec)
```

```
mysql> SELECT MID('COMPUTER', 1, 4);
+-----+
| MID('COMPUTER', 1, 4) |
+-----+
| COMP |
+-----+
1 row in set (0.006 sec)
```

```
mysql> SELECT POSITION('PUT' IN 'COMPUTER');
+-----+
| POSITION('PUT' IN 'COMPUTER') |
+-----+
|                4 |
+-----+
1 row in set (0.007 sec)
```