

simatslab saveetha - Search

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=231



SIMATS Online Programming Lab

DS PROGRAMMING

 **Kunasi Yoganandh**
192525173RB

Q2
Array
1 mark

Q3
Merging
1 mark

1/3 answered

Your Code

```
1 #include <stdio.h>
2 int main () {
3     int a[10], n, i, x, count =0;
4     scanf("%d", &n);
5     for(i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     scanf("%d", &x);
8     for(i = 0; i < n; i++)
9         if(a[i] == x)
10             count++;
11     printf("%d", count);
12     return 0;
13 }
14
15
```

Run

Save

Submit

Input

5
2 4 2 6 2
2

Output

3

© 2026 SIMATS Online Lab. All rights reserved.

36°C
Mostly cloudy

Search



ENG IN 14:41
24-07-2026

simatslab saveetha - Search

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=231



SIMATS

ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

Kunasi Yoganandh
192525173RB

Q2
Array
1 mark

Q3
Merging
1 mark

3/3 answered

Your Code

```
1 #include <stdio.h>
2 int main(){
3     int a[10], n, i, key, low = 0, high, mid;
4     scanf("%d", &n);
5     for(i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     scanf("%d", &key);
8     high = n - 1;
9     while(low <= high){
10         mid = (low + high) / 2;
11         if(a[mid] == key){
12             printf("Found at position %d", mid + 1);
13             return 0;
14         }
15         else if(a[mid] < key){
16             low = mid + 1;
17         }
18         else {
19             high = mid - 1;
20         }
21     }
22     printf("Not Found");
23     return 0;
24 }
```

Input

5
10 20 30 40 50
30

Output

Found at position 3

Run

Save

Submit

32°C
Partly sunny

Search



ENG
IN

10:25
27-07-2026

simatslab saveetha - Search

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=231



SIMATS Online Programming Lab

DS PROGRAMMING

Kunasi Yoganandh

192525173RB

Q2

Array

1 mark

Q3

Merging

1 mark

3/3 answered

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[50], b[50], c[100];
4     int n1, n2, i;
5     scanf("%d", &n1);
6     for(i = 0; i < n1; i++)
7         scanf("%d", &a[i]);
8     scanf("%d", &n2);
9     for(i = 0; i < n2; i++)
10        scanf("%d", &b[i]);
11    for(i = 0; i < n1; i++)
12        c[i] = a[i];
13    for(i = 0; i < n2; i++)
14        c[n1 + i] = b[i];
15    for(i = 0; i < n1 + n2; i++)
16        printf("%d", c[i]);
17    return 0;
18 }
19
```

Run

Save

Submit

Input

3
1 2 3
2
4 5

Output

12345

32°C
Partly sunny

Search



ENG IN

10:29
27-07-2026