

simatslab saveetha - Search

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=602

🔍 📄 ⭐ ⚙️ 🌱



SIMATS
ENGINEERING

SIMATS Online Programming Lab
DS PROGRAMMING

 **Kunasi Yoganandh**
192525173RB

Q1
5. Buggy Code in Stack POP Operation
10 marks

Q2
6. Buggy Code in underflow operation
10 marks

Q3
10. Create a LL with 5 nodes and display odd nodes
10 marks

3/3 answered

```
void display(struct Node *head)
{
    while(head != NULL);
    {
        printf("%d ", head->data);
        head = head->next;
    }
}
```

Your Code

```
1 void display(struct Node *head)
2 {
3     while(head != NULL)
4     {
5         if(head->data % 2 != 0)
6             printf("%d ", head->data);
7         head = head->next;
8     }
9 }
```



37°C
Mostly sunny

Search



ENG
IN

14:56
03-08-2026

simatslab saveetha - Search

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=602



SIMATS Online Programming Lab

DS PROGRAMMING



Kunasi Yoganandh
192525173RB

Q1

5. Buggy Code in Stack POP Operation
10 marks

Q2

6. Buggy Code in underflow operation
10 marks

Q3

10. Create a LL with 5 nodes and display odd nodes
10 marks

3/3 answered

```
int pop() {  
    if(top == 0) {  
        printf("Underflow");  
        return -1;  
    }  
    return stack[top--];  
}
```

Your Code

```
1 int pop() {  
2     if(top == -1){  
3         printf("Underflow ");  
4         return -1;  
5     }  
6     return stack[top--];  
7 }
```

Q1

5. Buggy Code in Stack POP Operation
10 marks

Q2

6. Buggy Code in underflow operation
10 marks

Q3

10. Create a LL with 5 nodes and display odd nodes
10 marks

3/3 answered

Your Code

```
1 int pop() {  
2     if(top == -1){  
3         printf("Underflow ");  
4         return -1;  
5     }  
6     return stack[top--];  
7 }
```

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

37°C
Mostly sunny



ENG
IN

14:56
03-08-2026

simatslab saveetha - Search

SIMATS Online Lab

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=602



SIMATS Online Programming Lab

DS PROGRAMMING

Kunasi Yoganandh
192525173RB

Q1

5. Buggy Code in Stack POP Operation

10 marks

Q2

6. Buggy Code in underflow operation

10 marks

Q3

10. Create a LL with 5 nodes and display odd nodes

10 marks

3/3 answered

```
#include <stdio.h>
#define MAX 5
int stack[MAX];
int top = 2;
int pop() {
    if (top == -1)
        return -1;
    return stack[++top];
}
```

Your Code

```
1 #include <stdio.h>
2 #define MAX 5
3 int stack[MAX];
4 int top = 2;
5 int pop()
6 {
7     if (top == -1)
8         return -1;
9     return stack[top--];
10 }
```

Input

stdin input

Output

37°C
Mostly sunny

Search



ENG
IN

14:56
03-08-2026