
RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Untitled1*
Source on Save
Run
Source
x = as.integer(readline(prompt = "ENTER THE FIRST NUMBER: "))
y = as.integer(readline(prompt = "ENTER THE SECOND NUMBER: "))
z = as.integer(readline(prompt = "ENTER THE THIRD NUMBER: "))
if (x > y && x > z) {
print(paste("GREATEST IS:", x))
} else if (y > z) {
print(paste("GREATEST IS:", y))
} else {
print(paste("GREATEST IS:", z))
}
12:1
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> x = as.integer(readline(prompt = "ENTER THE FIRST NUMBER: "))
ENTER THE FIRST NUMBER: 56
> y = as.integer(readline(prompt = "ENTER THE SECOND NUMBER: "))
ENTER THE SECOND NUMBER: 28
> z = as.integer(readline(prompt = "ENTER THE THIRD NUMBER: "))
ENTER THE THIRD NUMBER: 63
> if (x > y && x > z) {
+ print(paste("GREATEST IS:", x))
+ } else if (y > z) {
+ print(paste("GREATEST IS:", y))
+ } else {
+ print(paste("GREATEST IS:", z))
+ }
[1] "GREATEST IS: 63"
>


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Untitled1*
Untitled2*
Source on Save
Run
Source
1 names<-c("siri","mahi","chiru")
2 age<-c(23,24,25)
3 marks<-c(88,78,25)
4 df<-data.frame(names,age,marks)
5 IQR(df $age)
6 write.csv(df,"datafr.csv")
6:27
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> source("~/.active-rstudio-document", echo = TRUE)
> names<-c("siri","mahi","chiru")
> age<-c(23,24,25)
> marks<-c(88,78,25)
> df<-data.frame(names,age,marks)
> IQR(df $age)
[1] 1
> write.csv(df,"datafr.csv")
>


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Untitled1*
Untitled2*
Source on Save
Run
Source
names<-c("siri","mahi","chiru")
age<-c(23,24,25)
marks<-c(88,78,25)
df<-data.frame(names,age,marks)
range(df $age)
write.csv(df,"datafr.csv")
5:1
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> source("~/.active-rstudio-document", echo = TRUE)
> names<-c("siri","mahi","chiru")
> age<-c(23,24,25)
> marks<-c(88,78,25)
> df<-data.frame(names,age,marks)
> range(df $age)
[1] 23 25
> write.csv(df,"datafr.csv")
>


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Untitled1*
Untitled2*
Source on Save
Run
Source
names<-c("siri","mahi","chiru")
age<-c(23,24,25)
marks<-c(88,78,25)
df<-data.frame(names,age,marks)
quantile(df $age)
write.csv(df,"datafr.csv")
5:9
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> names<-c("siri","mahi","chiru")
> age<-c(23,24,25)
> marks<-c(88,78,25)
> df<-data.frame(names,age,marks)
> quantile(df $age)
0% 25% 50% 75% 100%
23.0 23.5 24.0 24.5 25.0
> write.csv(df,"datafr.csv")
>


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Posit Assistant
Project: (None)
Untitled1*
Untitled2*
Source on Save
Run
Source
library(readxl)
diabetest1 <- read_excel("C:/Users/VEERA/Downloads/NARA.xlsx")
A <- c(diabetest1$Age)
Mean <- mean(A)
Mean
Std <- sd(A)
Zscore <- (A - Mean) / Std
Zscore
10:7
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> Mean <- mean(A)
> Mean
[1] 37.7
> Std <- sd(A)
> Zscore <- (A - Mean) / Std
> Zscore
[1] -1.37899923 -1.22318011 -1.06736098 -0.98945142 -0.83363230 -0.75572274 -0.59990362
[8] -0.52199406 -0.36617494 -0.21035581 -0.13244625 0.02337287 0.17919199 0.33501111
[15] 0.56873979 0.80246848 0.95828760 1.34783540 1.73738321 2.12693101
Environment
History
Connections
Tutorial
Import Dataset
209 MiB
List
Global Environment
diabetest1 20 obs. of 1 variable
preferences 3 obs. of 3 variables
Values
a num [1:5] 55 67 89 80 90
A num [1:20] 20 22 24 25 27 28 30 31 33 35 ...
age num [1:5] 20 25 30 35 40
B num [1:3] 22 28 10
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
maximum 25
Files
Plots
Packages
Help
Viewer
Presentation
Install
Update
Package
Description
Source
Version
User Library
cellranger Translate Spreadsheet Cell Rar https://cran.rstudio.com 1.1.0
cli Helpers for Developing Comm https://cran.rstudio.com 3.6.6
cpp11 A C++11 Interface for R's C In https://cran.rstudio.com 0.5.5
crayon Colored Terminal Output https://cran.rstudio.com 1.5.3
glue Interpreted String Literals https://cran.rstudio.com 1.8.1
hms Pretty Time of Day https://cran.rstudio.com 1.1.4
lifecycle Manage the Life Cycle of your https://cran.rstudio.com 1.0.5
magrittr A Forward-Pipe Operator for F https://cran.rstudio.com 2.0.5
pillar Coloured Formatting for Colur https://cran.rstudio.com 1.11.1
pkgconfig Private Configuration for 'R' Pa https://cran.rstudio.com 2.0.3
prettyunits Pretty, Human Readable Form https://cran.rstudio.com 1.2.0
progress Terminal Progress Bars https://cran.rstudio.com 1.2.3
R6 Encapsulated Classes with Ref https://cran.rstudio.com 2.6.1
readxl Read Excel Files https://cran.rstudio.com 1.5.0
rematch Match Regular Expressions wit https://cran.rstudio.com 2.0.0
rlang Functions for Base Types and ( https://cran.rstudio.com 1.3.0
tibble Simple Data Frames https://cran.rstudio.com 3.3.1


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Posit Assistant
Project: (None)
Untitled1*
Untitled2*
Source on Save
Run
Source
1 library(readxl)
2
3 diabetest1 <- read_excel("C:/Users/VEERA/Downloads/NARA.xlsx")
4
5 A <- c(diabetest1$Age)
6 Mean <- mean(A)
7 Mean
8 Minimum <- min(A)
9 Minimum
10 Maximum <- max(A)
11 Maximum
12 MinMax <- (A - Minimum) / (Maximum - Minimum)
13
14 MinMax
14:7
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> Minimum
[1] 20
> Maximum <- max(A)
> Maximum
[1] 65
> MinMax <- (A - Minimum) / (Maximum - Minimum)
> MinMax
[1] 0.00000000 0.04444444 0.08888889 0.11111111 0.15555556 0.17777778 0.22222222 0.24444444
[9] 0.28888889 0.33333333 0.35555556 0.40000000 0.44444444 0.48888889 0.55555556 0.62222222
[17] 0.66666667 0.77777778 0.88888889 1.00000000
>
Environment
History
Connections
Tutorial
Import Dataset
209 MiB
List
R
Global Environment
diabetest1 20 obs. of 1 variable
preferences 3 obs. of 3 variables
Values
a num [1:5] 55 67 89 80 90
A num [1:20] 20 22 24 25 27 28 30 31 33 35 ...
age num [1:5] 20 25 30 35 40
B num [1:3] 22 28 10
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
maximum 25
Files
Plots
Packages
Help
Viewer
Presentation
Install
Update
Package
Description
Source
Version
User Library
cellranger Translate Spreadsheet Cell Rar https://cran.rstudio.com 1.1.0
cli Helpers for Developing Comm https://cran.rstudio.com 3.6.6
cpp11 A C++11 Interface for R's C Int https://cran.rstudio.com 0.5.5
crayon Colored Terminal Output https://cran.rstudio.com 1.5.3
glue Interpreted String Literals https://cran.rstudio.com 1.8.1
hms Pretty Time of Day https://cran.rstudio.com 1.1.4
lifecycle Manage the Life Cycle of your https://cran.rstudio.com 1.0.5
magrittr A Forward-Pipe Operator for F https://cran.rstudio.com 2.0.5
pillar Coloured Formatting for Colur https://cran.rstudio.com 1.11.1
pkgconfig Private Configuration for 'R' Pa https://cran.rstudio.com 2.0.3
prettyunits Pretty, Human Readable Form https://cran.rstudio.com 1.2.0
progress Terminal Progress Bars https://cran.rstudio.com 1.2.3
R6 Encapsulated Classes with Refe https://cran.rstudio.com 2.6.1
readxl Read Excel Files https://cran.rstudio.com 1.5.0
rematch Match Regular Expressions wit https://cran.rstudio.com 2.0.0
rlang Functions for Base Types and ( https://cran.rstudio.com 1.3.0
tibble Simple Data Frames https://cran.rstudio.com 3.3.1


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Untitled1* Untitled2*
library(readxl)
diabetest1 <- read_excel("C:/Users/VEERA/Downloads/NARA.xlsx")
A <- c(diabetest1$Age)
Mean <- mean(A)
Mean
Minimum <- min(A)
Minimum
Maximum <- max(A)
Maximum
Console Terminal Background Jobs
R 4.6.1 · ~/
> Mean <- mean(A)
> Mean
[1] 37.7
> Minimum <- min(A)
> Minimum
[1] 20
> Maximum <- max(A)
> Maximum
[1] 65
Environment History Connections Tutorial
Import Dataset
209 MiB
Global Environment
diabetest1 20 obs. of 1 variable
preferences 3 obs. of 3 variables
Values
a num [1:5] 55 67 89 80 90
A num [1:20] 20 22 24 25 27 28 30 31 33 35 ...
age num [1:5] 20 25 30 35 40
B num [1:3] 22 28 10
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
maximum 25
Files Plots Packages Help Viewer Presentation
Install Update
Package Description Source Version
User Library
cellranger Translate Spreadsheet Cell Rar https://cran.rstudio.com 1.1.0
cli Helpers for Developing Comm https://cran.rstudio.com 3.6.6
cpp11 A C++11 Interface for R's C In https://cran.rstudio.com 0.5.5
crayon Colored Terminal Output https://cran.rstudio.com 1.5.3
glue Interpreted String Literals https://cran.rstudio.com 1.8.1
hms Pretty Time of Day https://cran.rstudio.com 1.1.4
lifecycle Manage the Life Cycle of your https://cran.rstudio.com 1.0.5
magrittr A Forward-Pipe Operator for F https://cran.rstudio.com 2.0.5
pillar Coloured Formatting for Colur https://cran.rstudio.com 1.11.1
pkgconfig Private Configuration for 'R' Pa https://cran.rstudio.com 2.0.3
prettyunits Pretty, Human Readable Form. https://cran.rstudio.com 1.2.0
progress Terminal Progress Bars https://cran.rstudio.com 1.2.3
R6 Encapsulated Classes with Refe https://cran.rstudio.com 2.6.1
readxl Read Excel Files https://cran.rstudio.com 1.5.0
rematch Match Regular Expressions wit https://cran.rstudio.com 2.0.0
rlang Functions for Base Types and ( https://cran.rstudio.com 1.3.0
tibble Simple Data Frames https://cran.rstudio.com 3.3.1


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Untitled1* Untitled2*
Source on Save
Run Source
a <- c(55,67,89,80,90)
barplot(a)
Environment History Connections Tutorial
Import Dataset 151 MiB
Global Environment
df 3 obs. of 3 variables
preferences 3 obs. of 3 variables
Values
a num [1:5] 55 67 89 80 90
A num [1:3] 18 2 20
age num [1:3] 23 24 25
B num [1:3] 22 28 10
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
names chr [1:3] "siri" "mahi" "chiru"
Console Terminal Background Jobs
R 4.6.1 · ~/
> source("~/.active-rstudio-document", echo = TRUE)
> a <- c(55,67,89,80,90)
> barplot(a)
> a <- c(55,67,89,80,90)
> barplot(a, horiz=TRUE)
> source("~/.active-rstudio-document", echo = TRUE)
> a <- c(55,67,89,80,90)
> barplot(a)
Files Plots Packages Help Viewer Presentation
Zoom Export Publish
0
20
40
60
80


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Posit Assistant
Project: (None)
Untitled1*
Untitled2*
Source on Save
Run
Source
1 a <- c(55,67,89,80,90)
2
3 barplot(a, horiz=TRUE)
3:23
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> a <- c(55,67,89,80,90)
> barplot(a, horiz=TRUE)
> source("~/.active-rstudio-document", echo = TRUE)
> a <- c(55,67,89,80,90)
> barplot(a)
> source("~/.active-rstudio-document", echo = TRUE)
> a <- c(55,67,89,80,90)
> barplot(a, horiz=TRUE)
>
Environment
History
Connections
Tutorial
Import Dataset
151 MiB
List
R
Global Environment
df 3 obs. of 3 variables
preferences 3 obs. of 3 variables
Values
a num [1:5] 55 67 89 80 90
A num [1:3] 18 2 20
age num [1:3] 23 24 25
B num [1:3] 22 28 10
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
names chr [1:3] "siri" "mahi" "chiru"
Files
Plots
Packages
Help
Viewer
Presentation
Zoom
Export
Publish
0
20
40
60
80


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Untitled1*
Untitled2*
names<-c("siri","chru","loki")
age<-c(23,24,25)
marks<-c(88,78,25)
df<-data.frame(names,age,marks)
hist(df$age)
boxplot(df$age)
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
maximum 25
Maximum 65
Mean 37.7
midrange 24
minimum 23
Minimum 20
MinMax num [1:20] 0 0.0444 0.0889 0.1111 0.1556 ...
names chr [1:3] "siri" "chru" "loki"
[17] 0.66666667 0.77777778 0.88888889 1.00000000
> source("~/.active-rstudio-document", echo = TRUE)
> names<-c("siri","chru","loki")
> age<-c(23,24,25)
> marks<-c(88,78,25)
> df<-data.frame(names,age,marks)
> hist(df$age)
> boxplot(df$age)
23.0
23.5
24.0
24.5
25.0


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Untitled1*
Untitled2*
Untitled3*
Source on Save
Run
Source
library(readxl)
diabetes <- read_excel("C:/Users/VEERA/Downloads/NARA_Experiment20.xlsx")
Input <- diabetes[, c("Age", "BloodPressure", "Glucose")]
Model <- lm(Age ~ BloodPressure + Glucose, data=Input)
print(Model)
9:13
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
> diabetes <- read_excel("C:/Users/VEERA/Downloads/NARA_Experiment20.xlsx")
> Input <- diabetes[, c("Age", "BloodPressure", "Glucose")]
> Model <- lm(Age ~ BloodPressure + Glucose, data=Input)
> print(Model)
Call:
lm(formula = Age ~ BloodPressure + Glucose, data = Input)
Coefficients:
(Intercept) BloodPressure Glucose
-93.4665 3.0083 -0.8037
>


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Posit Assistant
Project: (None)
Untitled1*
Untitled2*
Source on Save
Run
Source
library(readxl)
diabetes <- read_excel("C:/Users/VEERA/Downloads/NARA_Experiment19.xlsx")
Relation <- lm(diabetes$BloodPressure ~ diabetes$Age)
plot(diabetes$Age,
diabetes$BloodPressure,
col="green",
main="Linear Regression Analysis",
xlab="BloodPressure",
ylab="Age")
abline(Relation)
print(Relation)
10:17
(Top Level)
R Script
Environment History Connections Tutorial
Import Dataset
222 MiB
List
Global Environment
diabetes
20 obs. of 2 variables
preferences
3 obs. of 3 variables
Relation
List of 12
Values
a
num [1:5] 55 67 89 80 90
A
num [1:20] 20 22 24 25 27 28 30 31 33 35 ...
age
num [1:3] 23 24 25
B
num [1:3] 22 28 10
C
num [1:3] 20 40 40
diabetest1
'table' int [1:20, 1:20] 1 0 0 0 0 0 0 0 0 0 ...
Console Terminal Background Jobs
R 4.6.1 · ~/
+ main="Linear Regression Analysis",
+ xlab="BloodPressure",
+ .... [TRUNCATED]
> abline(Relation)
> print(Relation)
Call:
lm(formula = diabetes$BloodPressure ~ diabetes$Age)
Coefficients:
(Intercept) diabetes$Age
44.1689 0.9239
Files Plots Packages Help Viewer Presentation
Zoom
Export
Publish
Linear Regression Analysis
Age
60
70
80
90
100
20
30
40
50
60
BloodPressure


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Go to file/function
Addins
Posit Assistant
Project: (None)
Untitled1*
Untitled2*
Source on Save
Run
Source
1 set.seed(9)
2 x <- rnorm(1000)
3 y <- rnorm(1000)
4 smoothScatter(y ~ x)
5 smoothScatter(x,y)
5:19
(Top Level)
R Script
Console
Terminal
Background Jobs
R 4.6.1 · ~/
Warning message:
In chisq.test(diabetest1) : Chi-squared approximation may be incorrect
> source("~/.active-rstudio-document", echo = TRUE)
> set.seed(9)
> x <- rnorm(1000)
> y <- rnorm(1000)
> smoothScatter(y ~ x)
> smoothScatter(x,y)
>
Environment
History
Connections
Tutorial
Import Dataset
221 MiB
List
R
Global Environment
Minimum 20
MinMax num [1:20] 0 0.0444 0.0889 0.1111 0.1556 ...
names chr [1:3] "siri" "chru" "loki"
num 8L
num1 6L
num2 4L
num3 1.5
Std 12.8353951408226
x num [1:1000] -0.767 -0.816 -0.142 -0.278 0.436 ...
y num [1:1000] 0.299 -1.127 0.582 0.855 -0.384 ...
Files
Plots
Packages
Help
Viewer
Presentation
Zoom
Export
Publish
y
3
2
1
0
-1
-2
-3
-3
-2
-1
0
1
2
x

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Untitled1* Untitled2*

```r
library(readxl)

diabetest1 <- read_excel("C:/Users/VEERA/Downloads/NARA_Experiment17.xlsx")

diabetest1 <- table(diabetest1$Age, diabetest1$Insulin)

diabetest1

chisq.test(diabetest1)
```

9:23 (Top Level) R Script

Console Terminal Background Jobs

R 4.6.1 · ~/

```
     80  90 100 110 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270
  20  1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
  22  0   1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
  24  0   0   1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
  25  0   0   0   1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
  27  0   0   0   0   1   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0
  28  0   0   0   0   0   1   0   0   0   0   0   0   0   0   0   0   0   0   0   0
  30  0   0   0   0   0   0   1   0   0   0   0   0   0   0   0   0   0   0   0   0
  31  0   0   0   0   0   0   0   1   0   0   0   0   0   0   0   0   0   0   0   0
  33  0   0   0   0   0   0   0   0   1   0   0   0   0   0   0   0   0   0   0   0
  35  0   0   0   0   0   0   0   0   0   1   0   0   0   0   0   0   0   0   0   0
  36  0   0   0   0   0   0   0   0   0   0   1   0   0   0   0   0   0   0   0   0
  38  0   0   0   0   0   0   0   0   0   0   0   1   0   0   0   0   0   0   0   0
  40  0   0   0   0   0   0   0   0   0   0   0   0   1   0   0   0   0   0   0   0
  42  0   0   0   0   0   0   0   0   0   0   0   0   0   1   0   0   0   0   0   0
  45  0   0   0   0   0   0   0   0   0   0   0   0   0   0   1   0   0   0   0   0
  48  0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   1   0   0   0   0
  50  0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   1   0   0   0
  55  0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   1   0   0
  60  0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   1   0
  65  0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   0   1

> chisq.test(diabetest1)

	Pearson's Chi-squared test

data:  diabetest1
X-squared = 380, df = 361, p-value = 0.2358
```


RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Untitled1* Untitled2*
Source on Save
Run
Source
1 a<-c(55,67,89,80,90)
2 hist(a)
3
Environment History Connections Tutorial
Import Dataset
Global Environment
Values
a num [1:5] 55 67 89 80 90
A num [1:20] 20 22 24 25 27 28 30 31 33 35 ...
age num [1:3] 23 24 25
B num [1:3] 22 28 10
C num [1:3] 20 40 40
marks num [1:3] 88 78 25
maximum 25
Maximum 65
Mean 37.7
Files Plots Packages Help Viewer Presentation
Zoom Export Publish
Histogram of a
Frequency
a
Console Terminal Background Jobs
R 4.6.1 · ~/
> age<-c(23,24,25)
> marks<-c(88,78,25)
> df<-data.frame(names,age,marks)
> hist(df$age)
> boxplot(df$age)
> source("~/.active-rstudio-document", echo = TRUE)
> a<-c(55,67,89,80,90)
> hist(a)
>