

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 2 – DEBUGGING & OPTIMIZATION TASK

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO2 – Manipulation (BL3, BL4)	Assessment:	Assessment Tool 2 – Debugging & Optimisation Task
Weightage:	35% of CIA	Total Marks:	100
CO2 Statement:	Implement linear data structures such as stacks, queues, and linked lists, and analyze the efficiency of linear and binary search techniques.		
Student Name:	S.Roshni	Reg. No.:	192525185
Section / Batch:	AI&ML	Date:	24/07/2026

Code of Conduct

I S.Roshni(192525185)_____ (Name / Reg No)
certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: S.Roshni_____

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Search Data Structure, Stack	Binary Search, Stack Operations	1 - 5	25
Linked List Data Structure	List Operations	6 - 10	25
Queue Data Structures	Queue Operations	11 - 15	25
Queue Data Structures, Stack Notations	Queue Operations, Expression Evaluation	16 - 20	25
GRAND TOTAL:			100 Marks

Rubrics for Calculation

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Debugging Accuracy	20	All errors corrected; code runs flawlessly	Most errors corrected; minor issues remain	Partial correction; code runs with issues	Code fails or major errors persist
Error Identification	30	Accurately identifies all logical, syntax, and edge-case errors	Identifies most major errors	Identifies some errors but misses key issues	Struggles to identify errors
Code Quality & Readability	20	Clean, modular, well-documented, follows best practices	Mostly clean and readable	Some structure but inconsistent	Poorly written, hard to understand
Explanation & Justification	20	Clear, logical, and well-justified reasoning with complexity analysis	Good explanation with some justification	Limited explanation; lacks depth	No or incorrect explanation
Testing & Validation	10	Comprehensive test cases including edge cases	Adequate test cases	Minimal testing	No testing provided

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

[← Back](#)

QUESTIONS

Q1
Binary Search
5 marksQ2
Stack
5 marksQ3
Stack
5 marksQ4
Stack
5 marksQ5
Stack - Balancing Symbols
5 marksQ6
Singly Linked List
5 marksQ7
Stack
5 marksQ8
Linked List
5 marksQ9
Linked List
5 marksQ10
Queue
5 marks

1/10 answered

Q1 Binary Search

5 marks

Identify the error in the following snippet.

```
int binarySearch(int arr[], int n, int key) {
    int low = 0, high = n - 1;
    while(low < high) {
        int mid = (low + high) / 2;
        if(arr[mid] == key)
            return mid;
        else if(arr[mid] < key)
            low = mid;
        else
            high = mid;
    }
    return -1;
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 int binarysearch(int arr[],int n,int key) {
2     int low =0,high ==n-1;
3     while(low<=high) {
4         int mid=(low+high)/2;
5         if (arr[mid]==key)
6             return mid;
7         else if (arr[mid]<key)
8             low=mid+1;
9         else
10            high=mid-1;
11     }
12     return -1;
13 }
```

Test Input

```
2 4 6 8 10 12 14
7
10
```

Output

Pending manual review

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

[← Back](#)

QUESTIONS

Q1
Binary Search
5 marksQ2
Stack
5 marksQ3
Stack
5 marksQ4
Stack
5 marksQ5
Stack - Balancing Symbols
5 marksQ6
Singly Linked List
5 marksQ7
Stack
5 marksQ8
Linked List
5 marksQ9
Linked List
5 marks

Q2 Stack

5 marks

Find the error in the stack deletion operation. Justify it.

```
int pop() {
    if(top == 0) {
        printf("Underflow");
        return -1;
    }
    return stack[top--];
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 int pop()
2 {
3     if(top == -1){
4         printf("stack Underflow\n");
5         return -1;
6     }
7     return stack[top--];
8 }
```

Test Input

```
10 20 30
2
pop()
```

Output

System error.

Run

Save

Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1

Binary Search
5 marks

Q2

Stack
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Stack - Balancing Symbols
5 marks

Q6

Singly Linked List
5 marks

Q7

Stack
5 marks

Q8

Linked List
5 marks

Q9

Linked List
5 marks

Q3 Stack

5 marks

Check the snippet and identify the logical error.

```
int stack[5];
int top;
void init() {
    top = 0;
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 int stack[5];
2 int top;
3
4 void init()
5 {
6     top = -1;
7 }
```

Test Input

stdin input (optional)

Output

```
Compilation Error:
C:/CCPPComp/CCPP2/bin/.../
lib/gcc/x86_64-w64-
mingw32/10.3.0/.../.../
./x86_64-w64-
mingw32/bin/ld.exe:
```

Run

Save

Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1

Binary Search
5 marks

Q2

Stack
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Stack - Balancing Symbols
5 marks

Q6

Singly Linked List
5 marks

Q7

Stack
5 marks

Q8

Linked List
5 marks

Q9

Linked List
5 marks

Q10

Queue
5 marks

Q4 Stack

5 marks

Identify the errors in the following snippet.

```
if(ch == ')') {
    while(stack[top] != '(') {
        postfix[j++] = pop();
    }
    pop();
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 if(ch == '(')
2 {
3     while(top != -1 && stack[top] != '(')
4     {
5         postfix[j++] = pop();
6     }
7     if(top != -1)
8     {
9         pop();
10    }
11 }
```

Test Input

stdin input (optional)

Output

```
0x72f62b7cfd46.87222761\main
c:\1: error: expected
identifier or '(' before 'if'
1 | if(ch == '(')
  | ^~
```

Run

Save

Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1
Binary Search
5 marksQ2
Stack
5 marksQ3
Stack
5 marksQ4
Stack
5 marksQ5
Stack - Balancing Symbols
5 marksQ6
Singly Linked List
5 marksQ7
Stack
5 marksQ8
Linked List
5 marksQ9
Linked List
5 marksQ10
Queue
5 marks

5/10 answered

Q5 Stack - Balancing Symbols

5 marks

In balancing Bracket, you identify the error.

```
if((ch == '[' && stack[top] == '[') ||  
(ch == ']' && stack[top] == '[')) {  
    pop();  
} else {  
    return 0;  
}
```

🔍 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 if(top != -1 &&  
2 ((ch == '[' && stack[top] == '[') ||  
3 (ch == ']' && stack[top] == '[')) {  
4 (ch == '[' && stack[top] == '[')) {  
5     pop();  
6 }else{  
7     return 0;  
8 }
```

▶ Run

☁ Save

🚀 Submit Fix

✔ Draft saved

Test Input

stdin input (optional)

Output

Compilation Error:
C:\Windows\TEMP\sandbox_1
92525185RA_6a72f713ece2d5
.54405877\main.c:1:1:
error: expected
identifier or '/' before

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1
Binary Search
5 marksQ2
Stack
5 marksQ3
Stack
5 marksQ4
Stack
5 marksQ5
Stack - Balancing Symbols
5 marksQ6
Singly Linked List
5 marksQ7
Stack
5 marksQ8
Linked List
5 marksQ9
Linked List
5 marksQ10
Queue
5 marks

Q6 Singly Linked List

5 marks

What is the issue?

```
temp = head  
while temp.next != NULL:  
    print(temp.data)  
    temp = temp.next
```

🔍 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 #include <stdio.h>  
2 struct Node {  
3     int data;  
4     struct node *next;  
5 };  
6  
7 void display(struct Node *head){  
8     struct node *temp = head;  
9     while(temp !=NULL) {  
10         printf("%d",temp->data);  
11         temp = temp->next;  
12     }  
13 }
```

Test Input

stdin input (optional)

Output

Compilation Error:
C:\Windows\TEMP\sandbox_1
92525185RA_6a72f88914f7b7
.69589065\main.c: In
function 'display':
C:\Windows\TEMP\sandbox_1

⏸ Pending manual review

✔ Submitted

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1

Binary Search
5 marks

Q2

Stack
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Stack - Balancing Symbols
5 marks

Q6

Singly Linked List
5 marks

Q7

Stack
5 marks

Q8

Linked List
5 marks

Q9

Linked List
5 marks

Q10

Queue
5 marks

7/10 answered

Q7 Stack

5 marks

Point out the error.
POP(stack):
if top == 0:
print("Underflow")
else:
return stack[top--]

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 int pop()
2 {
3     if(top == -1){
4         printf("Underflow\n");
5         return -1;
6     }
7     return stack[top--];
8 }
```

Test Input

stdin input (optional)

Output

```
Compilation Error:
C:\Windows\TEMP\sandbox_1
92525185RA_6a72f96562a471
.23010988\main.c: In
function 'pop':
C:\Windows\TEMP\sandbox_1
```

Run

Save

Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1

Binary Search
5 marks

Q2

Stack
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Stack - Balancing Symbols
5 marks

Q6

Singly Linked List
5 marks

Q7

Stack
5 marks

Q8

Linked List
5 marks

Q9

Linked List
5 marks

Q10

Queue
5 marks

Q8 Linked List

5 marks

Identify the errors in the following code
while current != NULL:
current.next = prev
prev = current
current = current.next

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 struct node *next = NULL;
2 while(current != NULL){
3     next = current->next;
4     current->next = prev;
5     prev = current;
6     current = next;
7 }
```

Test Input

stdin input (optional)

Output

```
Compilation Error:
C:\Windows\TEMP\sandbox_1
92525185RA_6a72f9fc0e2c85
.99180385\main.c:1:21:
error: 'NULL' undeclared
here (not in a function)
```

Run

Save

Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1
Binary Search
5 marks**Q2**
Stack
5 marks**Q3**
Stack
5 marks**Q4**
Stack
5 marks**Q5**
Stack - Balancing Symbols
5 marks**Q6**
Singly Linked List
5 marks**Q7**
Stack
5 marks**Q8**
Linked List
5 marks**Q9**
Linked List
5 marks**Q10**
Queue
5 marks**Q9 Linked List**

5 marks

What is the error in the below code?

```
new.next = head  
head = new
```

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 struct Node *new;  
2 new= (struct Node *)malloc(sizeof(struct Node));  
3 new->data = value;  
4 new->next = head;  
5 head = new;
```

Test Input

stdin input (optional)

Output

```
Compilation Error:  
C:\Windows\TEMP\sandbox_1  
92625185RA_6a72fa963558f3  
.89739675\main.c:2:1:  
warning: data definition  
has no type or storage
```

▶ Run

☁ Save

🔧 Submit Fix

✓ Draft saved

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1)

← Back

QUESTIONS

Q1
Binary Search
5 marks**Q2**
Stack
5 marks**Q3**
Stack
5 marks**Q4**
Stack
5 marks**Q5**
Stack - Balancing Symbols
5 marks**Q6**
Singly Linked List
5 marks**Q7**
Stack
5 marks**Q8**
Linked List
5 marks**Q9**
Linked List
5 marks**Q10**
Queue
5 marks**Q10 Queue**

5 marks

What is missing in the below pseudocode?

```
DEQUEUE(Q):  
if front == -1:  
    print("Underflow")  
else:  
    return Q[front++]
```

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 if(front == -1)  
2     print("Underflow")  
3 else  
4 {  
5     item = q[front];  
6     if(front == rear)  
7         front = rear = -1;  
8     else  
9         front++;  
10    return item;  
11 }
```

Test Input

stdin input (optional)

Output

▶ Run

☁ Save

🔧 Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

[← Back](#)

QUESTIONS

Q1

Stack
5 marks

Q2

Circular Queue
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Doubly Linked List
5 marks

Q6

Queue
5 marks

Q7

Queue - Deque
5 marks

Q8
Q1 Stack

5 marks

Point out the error?

```
PEEK(stack);
return stack[top+1]
```

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 peek(stack):
2 return stack[top]
```

Test Input

stdin input (optional)

Output

```
Compilation Error:
C:\Windows\TEMP\sandbox_1
92525185RA_6a785f50282088
.64411900\main.c:1:1:
warning: return type
defaults to 'int' [-
```

 Run

 Save

 Submit Fix

QUESTIONS

Q1

Stack
5 marks

Q2

Circular Queue
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Doubly Linked List
5 marks

Q6

Queue
5 marks

Q7

Queue - Deque
5 marks

Q8

Binary Search
5 marks

Q9

Circular Queue

Q2 Circular Queue

5 marks

Identify the issue in the following snippet for Circular Queue in Traffic Signal.

```
rear = (rear + 1) % MAX;
queue[rear] = vehicle;
if(rear == front){
printf("Queue Full");
}
```

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 if((rear+1)% max == front){
2     printf("queue full");
3 }
4 else{
5     rear=(rear+1)%max;
6     queue[rear]=vehicle;
7 }
```

Test Input

stdin input (optional)

Output

 Run

 Save

 Submit Fix

✓ Draft saved

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

← Back

QUESTIONS

Q1

Stack
5 marks

Q2

Circular Queue
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Doubly Linked List
5 marks

Q6

Queue
5 marks

Q7

Queue - Deque
5 marks

Q8

Binary Search
5 marks

Q3 Stack

5 marks

Point out the error.
if top == MAX:
Overflow

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 if(top==max-1){  
2     printf("overflow");  
3 }
```

Test Input

stdin input (optional)

Output


```
Compilation Error:  
C:\Windows\TEMP\sandbox_1  
92525185RA_6a78608d549109  
.24404854\main.c:1:1:  
error: expected  
identifier or '(' before
```



Run



Save



Submit Fix

✓ Draft saved

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

← Back

QUESTIONS

Q1

Stack
5 marks

Q2

Circular Queue
5 marks

Q3

Stack
5 marks

Q4

Stack
5 marks

Q5

Doubly Linked List
5 marks

Q6

Queue
5 marks

Q7

Queue - Deque
5 marks

Q8

Binary Search
5 marks

Q4 Stack

5 marks

Identify the issue in the below pseudocode.
POP():
if top == 0 → Underflow

🔧 **Debugging Task:** Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 pop():  
2     if top == -1:  
3         underflow  
4     else:  
5         top = top - 1
```

Test Input

stdin input (optional)

Output


```
Compilation Error:  
C:\Windows\TEMP\sandbox_1  
92525185RA_6a7861149885f9  
.04246137\main.c:1:1:  
warning: return type  
defaults to 'int' in
```



Run



Save



Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

← Back

QUESTIONS
Q1
Stack
5 marks

Q2
Circular Queue
5 marks

Q3
Stack
5 marks

Q4
Stack
5 marks

Q5
Doubly Linked List
5 marks

Q6
Queue
5 marks

Q7
Queue - Deque
5 marks

Q8
Binary Search
5 marks

Q9
Circular Queue
5 marks

Q5 Doubly Linked List

5 marks

Identify the error in this Doubly Linked List node deletion.

```
void deleteNode(Node* del) {
    if (del->prev != NULL)
        del->prev->next = del->next;
    if (del->next != NULL)
        del->next->prev = del->prev;
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 void deleteNode(Node* del) {
2     if(del->prev !=NULL)
3         del->prev->next = del->next;
4     if (del->next !=NULL)
5         del->next->prev = del->prev;
6 }
```

Test Input

stdin input (optional)

Output

```
Compilation Error:
C:\Windows\TEMP\sandbox_1
92525185RA_6a7861db6fa0c0
.49499496\main.c:1:17:
error: unknown type name
'Node'
```

Run

Save

Submit Fix

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

← Back

QUESTIONS
Q1
Stack
5 marks

Q2
Circular Queue
5 marks

Q3
Stack
5 marks

Q4
Stack
5 marks

Q5
Doubly Linked List
5 marks

Q6
Queue
5 marks

Q7
Queue - Deque
5 marks

Q8
Binary Search
5 marks

Q9
Q6 Queue

5 marks

Identify the error in the Queue enqueue logic.

```
void enqueue(int data) {
    if (rear == MAX) return;
    queue[rear++] = data;
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 void enqueue(int data){
2     if(rear == MAX -1) return;
3     queue[rear++] = data;
4 }
```

Test Input

stdin input (optional)

Output

Run

Save

Submit Fix

✓ Draft saved



CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

← Back

QUESTIONS

Q1

Stack
5 marks



Q2

Circular Queue
5 marks



Q3

Stack
5 marks



Q4

Stack
5 marks



Q5

Doubly Linked List
5 marks



Q6

Queue
5 marks



Q7

Queue - Deque
5 marks



Q8

Binary Search
5 marks



Q9

Circular Queue
5 marks



Q7 Queue - Deque

5 marks

Find the error in this Deque insertFront operation.

```
void insertFront(int data) {  
    if (front == 0) front = MAX - 1;  
    else front = front - 1;  
    deque[front] = data;  
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.


Your Fixed Code

```
1 void insertFront(int data) {  
2     if ((front == 0 && rear == MAX - 1) ||  
3         (front == rear + 1)) {  
4         printf("Deque Full");  
5         return;  
6     }  
7     if (front == 0)  
8         front = MAX - 1;  
9     else  
10        front = front - 1;  
11    deque[front] = data;  
12 }
```

Test Input

stdin input (optional)

Output



CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2)

← Back

QUESTIONS

Stack



Circular Queue



Stack



Stack



Stack



Doubly Linked List



Queue



Queue



Queue - Deque



Binary Search



Stack



Circular Queue



Q8 Binary Search

5 marks

Identify the bug in this Recursive Binary Search.

```
int binarySearch(int arr[], int l, int r, int x) {  
    int mid = l + (r - l) / 2;  
    if (arr[mid] == x) return mid;  
    if (arr[mid] > x) return binarySearch(arr, l, mid, x);  
    return binarySearch(arr, mid, r, x);  
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.


Your Fixed Code

```
1 int binarySearch(int arr[], int l, int r, int x) {  
2     if (l > r)  
3         return -1;  
4     int mid = l + (r - l) / 2;  
5     if (arr[mid] == x)  
6         return mid;  
7     if (arr[mid] > x)  
8         return binarySearch(arr, l, mid - 1, x);  
9     return binarySearch(arr, mid + 1, r, x);  
10 }
```

Test Input

stdin input (optional)

Output





DEBUGGING & OPTIMIZATION TASK (Set 2)

[← Back](#)

Q9 Circular Queue

5 marks

Identify the bug in this Circular Queue dequeue logic.

```
int dequeue() {  
    if (front == -1) return -1;  
    int data = queue[front];  
    front = (front + 1) % MAX;  
    return data;  
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 int dequeue() {  
2     if(front == -1)  
3         return -1;  
4     int data = queue[front];  
5     if(front == rear)  
6         front = rear = -1;  
7     else  
8         front = (front + 1) % MAX;  
9     return data;  
10 }
```

Test Input

stdin input (optional)

Output



Run



Save



Submit Fix



T2_DEBUGGING & OPTIMIZATION TASK (Set 2)

[← Back](#)

Q10 Stack - Postfix Expression

5 marks

Find the bug in the evaluation of a Postfix expression.

```
while (expression[i] != '\0') {  
    if (isdigit(expression[i])) push(expression[i] - '0');  
    else {  
        int op1 = pop();  
        int op2 = pop();  
        // perform operation: result = op1 + op2;  
        push(result);  
    }  
}
```

Debugging Task: Find and fix the bugs in the code shown above. Write your corrected code in the editor below.

Your Fixed Code

```
1 while(expression[i]!='\0') {  
2     if(isdigit(expression[i]))  
3         push(expression[i]-'0');  
4     else{  
5         int op2=pop();  
6         int op1=pop();  
7         int result;  
8         switch (expression[i]){  
9             case'+': result = op1+op2;break;  
10            case'-':result=op1-op2;break;  
11            case'*':result=op1*op2;break;  
12            case'/':result=op1/op2;break;  
13        }  
14        push(result);  
15    }  
16    i++;  
17 }
```

Test Input

stdin input (optional)

Output



Run



Save



Submit Fix

/ Draft saved