

Ex.No. : 3

Date:

6.06.26

DML Commands – INSERT, SELECT

Aim:

To perform Data Manipulation Language (DML) Commands such as INSERT, SELECT in the table.

Description:

Data Manipulation Language (DML) statements are used for managing data within schema objects. DML

Commands: Insert, Select

- INSERT - insert data into a table
- SELECT - retrieve data from the a database

INSERT:

INSERT INTO table_name

VALUES (value1, value2, value3,...);

(or)

INSERT INTO table_name (column1, column2, column3,...)

VALUES (value1, value2, value3,...);

SELECT:

SELECT column_name(s)

FROM table_name;

Questions:

1. Populate all the five tables with your own data.
2. View all the records from the five tables.

OUTPUTS:

1)

```
mysql> INSERT INTO Department
-> VALUES
-> (1, 'CSE', 'Dr. Kumar'),
-> (2, 'ECE', 'Dr. Meena'),
-> (3, 'EEE', 'Dr. Raj'),
-> (4, 'IT', 'Dr. Ravi'),
-> (5, 'MECH', 'Dr. Arun');
Query OK, 5 rows affected (0.248 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

2)

```
mysql> SELECT * FROM Student;
+-----+-----+-----+-----+
| Student_ID | Student_Name | Department | Age |
+-----+-----+-----+-----+
| 101 | Rahul | CSE | 20 |
| 102 | Priya | ECE | 21 |
| 103 | Kiran | IT | 19 |
| 104 | Anjali | EEE | 20 |
| 105 | Ravi | MECH | 22 |
+-----+-----+-----+-----+
5 rows in set (0.007 sec)

mysql> SELECT * FROM Faculty;
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Subject | Salary |
+-----+-----+-----+-----+
| 1 | Arun | DBMS | 55000.00 |
| 2 | Meena | Java | 60000.00 |
| 3 | Suresh | Python | 58000.00 |
| 4 | Lakshmi | Networks | 62000.00 |
| 5 | Kumar | OS | 57000.00 |
+-----+-----+-----+-----+
```

Sal

RESULT:

Data Manipulation Language (DML) Commands such as INSERT, SELECT are performed in the five tables.