

Ex.No. : 4

Date:

Aim

To perform Data Manipulation Language (DML) Commands such as UPDATE and DELETE in the Car Parking table.

Description

Data Manipulation Language (DML) statements are used for managing data within schema objects.

DML Commands:

- UPDATE - updates existing data within a table.
- DELETE - deletes records from a table based on a condition.

Syntax

UPDATE Parking
SET column=value
WHERE condition;

DELETE FROM Parking
WHERE condition;

Table Used

```
CREATE TABLE Parking(  
SlotNo INT PRIMARY KEY,  
VehicleNo VARCHAR(15) UNIQUE,  
OwnerName VARCHAR(30) NOT NULL,  
VehicleType VARCHAR(15),  
ParkingFee DECIMAL(6,2) CHECK(ParkingFee>=0)  
);
```

```
INSERT INTO Parking VALUES  
(1,'TN10AB1234','Ganesh','Car',100),  
(2,'TN09CD5678','Rahul','Bike',50),  
(3,'TN22EF9012','Priya','Car',120),  
(4,'TN18GH3456','Kumar','SUV',150),  
(5,'TN07JK7890','Divya','Car',100);
```

Questions with Codes

1. Update the owner name whose vehicle number is 'TN10AB1234'.

UPDATE Parking SET OwnerName='Arun' WHERE VehicleNo='TN10AB1234';

```
mysql> SELECT * FROM Parking;
```

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
2	TN09CD5678	Rahul	Bike	50.00
3	TN22EF9012	Priya	Car	120.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

2. Delete the vehicle parked in Slot No. 2.

DELETE FROM Parking WHERE SlotNo=2;

```
mysql> SELECT * FROM Parking;
```

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
2	TN09CD5678	Rahul	Bike	50.00
3	TN22EF9012	Priya	Car	140.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

3. Modify the parking fee for owner 'Kumar' to 180.

UPDATE Parking SET ParkingFee=180 WHERE OwnerName='Kumar';

```
mysql> SELECT * FROM Parking;
```

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
3	TN22EF9012	Priya	Car	140.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

4 rows in set (0.007 sec)

Outputs

- 1) SELECT * FROM Parking;
- 2) SELECT * FROM Parking;
- 3) SELECT * FROM Parking;
- 4) SELECT * FROM Parking;

Result

Thus, the Data Manipulation Language (DML) commands UPDATE and DELETE were successfully performed on the Car Parking table.