

CAR PARKING SYSTEM – DATABASE LAB

EXPERIMENT NO. 11

TITLE

DATABASE WITH AUTO_INCREMENT SEQUENCES

AIM

To create and use an AUTO_INCREMENT sequence for the Car Parking System database.

DESCRIPTION

In MySQL, AUTO_INCREMENT automatically generates unique numbers in ascending order. It is commonly used for parking IDs and other primary keys.

STEP 1 – CREATE DATABASE

Create the database.

```
CREATE DATABASE carpark_sequence;  
USE carpark_sequence;
```

STEP 2 – CREATE TABLE

Create a parking vehicle table.

```
CREATE TABLE parking_vehicle (  
    parking_id INT AUTO_INCREMENT PRIMARY KEY,  
    owner_name VARCHAR(50),  
    vehicle_number VARCHAR(20),  
    vehicle_type VARCHAR(20)  
);
```

STEP 3 – POPULATE PARKING NUMBER USING AUTO_INCREMENT

Insert records without specifying parking_id.

```
INSERT INTO parking_vehicle(owner_name, vehicle_number, vehicle_type)  
VALUES ('Rohan','TN12AB1234','Car'),  
       ('Meera','TN23CD2345','Bike'),  
       ('Sanjay','TN34EF3456','SUV');  
  
SELECT * FROM parking_vehicle;
```

STEP 4 – MANUALLY POPULATE PARKING NUMBER

Insert a record manually.

```
INSERT INTO parking_vehicle  
VALUES (10,'Kavya','TN45GH4567','Car');
```

```
SELECT * FROM parking_vehicle;
```

STEP 5 – DROP AUTO_INCREMENT

Remove AUTO_INCREMENT.

```
ALTER TABLE parking_vehicle  
MODIFY parking_id INT PRIMARY KEY;
```

RESULT

The AUTO_INCREMENT sequence was successfully created and used in the Car Parking System database.