

Ex. No. 5 - SELECT with WHERE and LIKE (Car Parking System)

AIM

To view records from the Parking table using SELECT commands with WHERE clause and LIKE pattern matching.

DESCRIPTION

SELECT retrieves records. WHERE filters records. LIKE searches patterns using % and _.

SQL Table

```
CREATE TABLE Parking (SlotNo INT PRIMARY KEY, VehicleNo VARCHAR(15)
UNIQUE, OwnerName VARCHAR(30) NOT NULL, VehicleType VARCHAR(15),
ParkingFee DECIMAL(6,2) CHECK(ParkingFee>=0));
```

```
INSERT INTO Parking VALUES
(1,'TN10AB1234','Ganesh','Car',100),
(2,'TN09CD5678','Rahul','Bike',50),
(3,'TN22EF9012','Priya','Car',120),
(4,'TN18GH3456','Kumar','SUV',150),
(5,'TN07JK7890','Divya','Car',100);
```

Questions and Codes

1. SELECT * FROM Parking;

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
2	TN09CD5678	Rahul	Bike	50.00
3	TN22EF9012	Priya	Car	120.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

SELECT * FROM Parking WHERE SlotNo=3;

```
mysql> SELECT * FROM Parking;
```

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
2	TN09CD5678	Rahul	Bike	50.00
3	TN22EF9012	Priya	Car	140.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

3. SELECT * FROM Parking WHERE VehicleType='Car';

```
mysql> SELECT * FROM Parking;
```

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
3	TN22EF9012	Priya	Car	140.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

4 rows in set (0.007 sec)

4. SELECT * FROM Parking WHERE ParkingFee>100;

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
3	TN22EF9012	Priya	Car	120.00

1 row in set (0.015 sec)

5. SELECT * FROM Parking WHERE ParkingFee<=100;

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
3	TN22EF9012	Priya	Car	120.00
5	TN07JK7890	Divya	Car	100.00

3 rows in set (0.008 sec)

6. SELECT * FROM Parking WHERE OwnerName LIKE 'G%';

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
3	TN22EF9012	Priya	Car	120.00
4	TN18GH3456	Kumar	SUV	150.00

7. SELECT * FROM Parking WHERE OwnerName LIKE '%a';

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00
2	TN09CD5678	Rahul	Bike	50.00
5	TN07JK7890	Divya	Car	100.00

3 rows in set (0.014 sec)

8. SELECT * FROM Parking WHERE OwnerName LIKE '%ya%';

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
1	TN10AB1234	Ganesh	Car	100.00

1 row in set (0.009 sec)

9. SELECT * FROM Parking WHERE VehicleNo LIKE 'TN10%';

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
2	TN09CD5678	Rahul	Bike	50.00
3	TN22EF9012	Priya	Car	120.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

4 rows in set (0.008 sec)

10. SELECT * FROM Parking WHERE OwnerName LIKE '_____';

SlotNo	VehicleNo	OwnerName	VehicleType	ParkingFee
2	TN09CD5678	Rahul	Bike	50.00
3	TN22EF9012	Priya	Car	120.00
4	TN18GH3456	Kumar	SUV	150.00
5	TN07JK7890	Divya	Car	100.00

4 rows in set (0.007 sec)

RESULT

Thus, SELECT statements with WHERE and LIKE were successfully executed on the Parking table.