SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

A Guna Sekar
192525302RC

CO1 - Assessment Tool-2 - Experiments

← Back

QUESTIONS

Q1
Decision Making
10 marks

Q2
Decision Making
10 marks

Q3
Looping
10 marks

Q4
Looping
10 marks

Q5
Lopping
10 marks

5/5 answered

Q3 **Looping**

10 marks

Write a program to generate the fibonacci series upto N terms

Your Code

```c
#include <stdio.h>

int main() {
    int n, i;
    int a = 0, b = 1, c;

    scanf("%d", &n);

    for (i = 1; i <= n; i++) {
        printf("%d ", a);
        c = a + b;
        a = b;
        b = c;
    }

    return 0;
}
```

Input

```
5
```

Output

```
0 1 1 2 3
```

Visible Test Cases

Test Case 1

Test Case 2

10.00 / 10 marks

Q1
Decision Making
10 marks

Q2
Decision Making
10 marks

Q3
Looping
10 marks

Q4
Looping
10 marks

Q5
Lopping
10 marks

5/5 answered

Write a program to check the given number is Armstron number or not.

Your Code

```
#include <stdio.h>

int main() {
    int n, original, remainder;
    int result = 0;

    scanf("%d", &n);
    original = n;

    while (n != 0) {
        remainder = n % 10;
        result += remainder * remainder * remainder; // cube of digit
        n /= 10;
    }

    if (result == original)
        printf("Armstrong");
    else
        printf("Not Armstrong");

    return 0;
}
```

Input

153

Output

Armstrong

Visible Test Cases

Test Case 1

Test Case 2

0.00 / 10 marks

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

A Guna Sekar
192525302RC

QUESTIONS

Q1
Decision Making
10 marks

Q2
Decision Making
10 marks

Q3
Looping
10 marks

Q4
Looping
10 marks

Q5
Lopping
10 marks

5/5 answered

Q5 **Lopping** 10 marks

Write a program to print the reverse of the number

Your Code

```c
#include <stdio.h>

int main() {
    int n, reverse = 0, remainder;

    scanf("%d", &n);

    while (n != 0) {
        remainder = n % 10;
        reverse = reverse * 10 + remainder;
        n = n / 10;
    }

    printf("%d", reverse);

    return 0;
}
```

Input

1234

Output

4321

Visible Test Cases

Test Case 1

Test Case 2

10.00 / 10 marks

Submitted

CO1 - Assessment Tool-2 - Experiments

Back

QUESTIONS

Q1
Decision Making
10 marks

Q2
Decision Making
10 marks

Q3
Looping
10 marks

Q4
Looping
10 marks

Q5
Lopping
10 marks

5/5 answered

Q2 Decision Making

10 marks

Write a proram to find the factorial of a given number

Your Code

```c
#include <stdio.h>

int main() {
    int n, i;
    long long fact = 1;

    scanf("%d", &n);

    if (n < 0) {
        printf("Factorial not possible");
    } else {
        for (i = 1; i <= n; i++) {
            fact = fact * i;
        }
        printf("%lld", fact);
    }

    return 0;
}
```

Input

5

Output

120

Visible Test Cases

Test Case 1

Test Case 2

10.00 / 10 marks

CO1 - Assessment Tool-2 - Experiments

← Back

QUESTIONS

Q1
Decision Making
10 marks

Q2
Decision Making
10 marks

Q3
Looping
10 marks

Q4
Looping
10 marks

Q5
Lopping
10 marks

5/5 answered

Q1 Decision Making

10 marks

Write a program to find the Maximum among three numbers

Your Code

```c
#include <stdio.h>

int main() {
    int a, b, c;

    printf("Enter three numbers: ");
    scanf("%d %d %d", &a, &b, &c);

    if(a > b && a > c)
        printf("Maximum = %d", a);
    else if(b > c)
        printf("Maximum = %d", b);
    else
        printf("Maximum = %d", c);

    return 0;
}
```

Input

```
10 15 20
```

Output

```
Enter three numbers: Maximum = 20
```

Visible Test Cases

Test Case 1 ✗

Test Case 2 ✗

0.00 / 10 marks