

CO4 - AT1 - LEVEL 2 Exam

Level Exam  02 Sep 2026, 10:00 AM

[← Back](#)



Result Available

Your score: 85 / 100

QUESTIONS

LEVEL 2 — MEDIUM

Q1

1DArray

Q2

structure

Q3

string

Q4

2DArray

3 / 4 saved

Level 2 — Medium Concat (M) — string

Write a program to concatenate two strings without using the built-in strcat function.

Sample Input:

Enter first string: Hello

Enter second string: World

Sample Output:

Concatenated string: HelloWorld

Your Code

```
1 #include<stdio.h>
2 int main() {
3     char str1[200],str2[200];
4     printf("enter the 1st string");
5     scanf("%s",str1);
6     printf("enter the 2 nd string");
7     scanf("%s",str2);
8     while(str1!='\0'){
9         i++;
10    }
11    while(str2!='\0'){
12        str1[i]=str2[j];
13        i++;
14        j++;
15    }
16    str1[i]='\0';
17    printf("concatenated string:%s",str1);
18    return 0;
19 }
```

Program Input (stdin)

Enter input if required...

Output

Security Error: Disallowed code pattern detected.

 Run

 Save

Act

QUESTIONS

LEVEL 2 — MEDIUM

Q1

1DArray

Q2

structure

Q3

string

Q4

2DArray

3 / 4 saved

Level 2 — Medium matrix (M) — 2DArray

Write a program to subtract one matrix from another.
Sample Input:

Enter number of rows: 2
Enter number of columns: 2
Enter elements of first matrix:
5 6
7 8
Enter elements of second matrix:
1 2
3 4

Sample Output:

Resultant matrix:
4 4
4 4

Your Code

```
1 #include<stdio.h>
2 int main() {
3     int r,c;
4     int a[100][100],b[100][100],res[100][100];
5     int i,j;
6     scanf("%d",&r);
7     scanf("%d",&c);
8     for(i=0;i<r;i++){
9         for(j=0;j<c;j++){
10             scanf("%d",&a[i][j]);
11         }
12     }for(i=0;i<r;i++){
13         for(j=0;j<c;j++){
14             scanf("%d",&b[i][j]);
15         }
16     }
17     for(i=0;i<r;i++){
18         for(j=0;j<c;j++){
19             res[i][j]=a[i][j]-b[i][j];
20         }
21     }
22     printf("resultant matrix:\n");
23 }
```

Program Input (stdin)

Enter input if required...

Output

```
resultant matrix:
4 4
4 4
```

Run

Save

Ac
Go

```
17     for(i=0;i<r;i++){
18         for(j=0;j<c;j++){
19             res[i][j]=a[i][j]-b[i][j];
20         }
21     }
22     printf("resultant matrix:\n");
23     for(i=0;i<r;i++){
24         for(j=0;j<c;j++){
25             printf("%d ",res[i][j]);
26         }
27         printf("\n");
28     }
29 }
30
31 return 0;
32 }
```

[← Previous](#)

Activ
Go to

QUESTIONS

LEVEL 2 — MEDIUM

Q1

1DArray

Q2

structure

Q3

string

Q4

2DArray

3 / 4 saved

Level 2 — Medium Training (M) — structure

Build an employee training management system. Define structures for TrainingProgram, Trainer, Employee, and Attendance. Write a program to schedule training programs, allow employees to enroll in programs, and record attendance.
Sample Input/Output:

Welcome to the Employee Training Management System!

Menu:

1. Schedule Training Program
2. Enroll Employee in Program
3. Record Attendance

Enter your choice: 1

Enter training program name: Leadership Workshop

Enter trainer name: Dr. Smith

Enter program date (DD-MM-YYYY): 10-09-2024

Enter location: Conference Room

Training program scheduled successfully!

Menu:

1. Schedule Training Program
2. Enroll Employee in Program

Your Code

```
1
```

Program Input (stdin)

Enter input if required...

Output

```
Security Error: Disallowed code pattern detected.
```

Run

Save

← Previous

Next →

Activate V
Go to Setting

QUESTIONS

LEVEL 2 — MEDIUM

Q1

1DArray

Q2

structure

Q3

string

Q4

2DArray

3 / 4 saved

Level 2 — Medium Kth smallest (M) — 1DArray

Write a program to find the Kth smallest and Kth largest element in an array.

Sample Input:

Enter number of elements: 6
Enter elements: 7 10 4 3 20 15
Enter value of K: 3

Sample Output:

Kth smallest element: 7
Kth largest element: 15

Your Code

```
1 #include<stdio.h>
2 int main() {
3     int n,k,l,j,te;
4     int a[100];
5     printf("enter the no.of elements:\n");
6     scanf("%d",&n);
7     printf("enter elements\n");
8     for(i=0;i<n;i++){
9         scanf("%d",&a[i]);
10    }
11    printf("enter kth :");
12    scanf("%d",&k);
13    for(i=0;i<n-1;i++){
14        for(j=i+1;j<n;j++){
15            if(a[i]>a[j]){
16                te=a[i];
17                a[i]=a[j];
18                a[j]=te;
19            }
20        }
21    }
22    int kthsmall=a[k-1];
23    int kthlarge=a[n-k+1];
24    printf("kth small element:%d\n",kthsmall);
25    printf("kth large element :%d\n",kthlarge);
26    return 0;
27 }
```

Program Input (stdin)

Enter input if required...

Output

```
enter the no.of elements:
enter elements
enter kth :kth small element:7
kth large element :15
```

Run

Save

Activate V
Go to Setting