QUESTIONS 25 / 25 completed

Max

MAX

Write a C program to find the largest element in an array.

PROGRAM EDITOR

```c
#include<stdio.h>
int main()
{
  int i,max;
 int a[5]={2,4,7,9,8};
  max=a[0];
  for(i=0;i<5;i++)
  {
   if(a[i]>max)
     max=a[i];
  }
  printf("max=%d\n",max);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Average

AVERAGE

Write a C program to calculate the average of elements in an array.

PROGRAM EDITOR

```
#include<stdio.h>
int main()
{
  int i,sum=0;
  float avg;
  int a[5]={1,5,7,8,9};
  for(i=0;i<5;i++)
  {
    sum=sum+a[i];
  }
    avg=sum/5.0;
  printf("avg=%.2f",avg);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Reverse

REVERSE

Write a C program to reverse the elements of an array.

PROGRAM EDITOR

```c
#include<stdio.h>
int main()
{
  int i;
  int a[5]={2,5,6,8,9};
  for(i=4;i>=0;i--)
  {
    printf("%d ",a[i]);
  }
  return 0;
}
```

QUESTIONS 25 / 25 completed

2nd Max

2ND MAX

Write a C program to find the second largest element in an array.

PROGRAM EDITOR

C

```c
#include<stdio.h>
int main()
{
  int i,max,second;
  int a[5]={2,4,6,8,9};
  max=second=a[0];
  for(i=0;i<5;i++)
  {
    if(a[i]>max)
    {
    second=max;
      max=a[i];
    }
  else if(a[i]>second)
    {
    second=a[i];
     }
  }
  printf("second largest element=%d",second);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Sort A-Z

SORT A-Z

Write a C program to sort an array in ascending order.

PROGRAM EDITOR

```c
#include<stdio.h>
int main()
{
  char s[100],t;
  int i,j;
  fgets(s,100,stdin);
  for(i=0;s[i]!=0&&s[i]!=n;i++)
  {
    for(j=i+1;s[j]!=0 &&s[j]!=n;j++)
    {
      if(s[i]>s[j])
      {
        t=s[i];
        s[i]=s[j];
        s[j]=t;
      }
    }
  }
  printf("%s",s);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Equal

EQUAL

Write a C program to check if two arrays are equal or not.

PROGRAM EDITOR

```c
#include<stdio.h>
int main()
{
  int i,flag=1;
 int a[5]={1,3,5,8,9};
int  b[5]={1,3,5,8,9};
  for(i=0;i<5;i++)
  {
   if(a[i]!=b[i])
   {
     flag=0;
     break;
   }
  }
  if(flag==1)
    printf("a are equal");
  else
    printf("a are not equal");
  return 0;
}
```

QUESTIONS 25 / 25 completed

Frequency

FREQUENCY

Write a C program to find the frequency of an element in an array.

PROGRAM EDITOR

C

```c
#include<stdio.h>
int main()
{
  int i,j;
  int a[]={2,6,6,2,3,1};
  int size=sizeof(a)/sizeof(a[0]);
  int fre[]={0,0,0,0,0,0};
  for(i=0;i<size;i++)
  {
   if(fre[i]==1)
     continue;
 int count=1;
  for(j=i+1;j<size;j++)
    if(a[i]==a[j])
    {
      fre[j]=1;
      count++;
    }
  printf("element %d occurs %d times\n",a[i],count);
}
  return 0;
```

QUESTIONS 25 / 25 completed

Duplicate

DUPLICATE

Write a C program to remove duplicate elements from an array.

PROGRAM EDITOR

```c
#include<stdio.h>
int main()
{
  int i,j;
  int a[5]={2,3,4,4,5};
  for(i=0;i<5;i++)
  {
    for(j=i+1;j<5;j++)
    {
      if(a[i]==a[j])
        a[j]=-1;
    }
  }
  for(i=0;i<5;i++)
  {
    if(a[i]!=-1)
      printf("%d ",a[i]);
  }
  return 0;
}
```

QUESTIONS 25 / 25 completed

Insert

INSERT

Write a C program to insert an element at a specific position in an array.

PROGRAM EDITOR

```
#include<stdio.h>
int main()
{
  int i,pos=3,ele=10;
  int a[6]={2,3,4,5,6};
  for(i=5;i>=pos;i--)
  {
    a[i]=a[i-1];
  }
  a[pos-1]=ele;
  for(i=0;i<6;i++)
  {
    printf("%d ",a[i]);
  }
  return 0;
}
```

QUESTIONS 25 / 25 completed

Delete

DELETE

Write a C program to delete an element from an array at a specific position.

PROGRAM EDITOR

```c
#include<stdio.h>
int main()
{
  int i,pos=3;
  int a[5]={2,3,4,5,6};
  for(i=pos-1;i<4;i++)
  {
    a[i]=a[i+1];
  }
  for(i=0;i<4;i++)
    printf("%d ",a[i]);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Merge

MERGE

Write a C program to merge two sorted arrays into a single sorted array.

PROGRAM EDITOR

```
#include<stdio.h>
int main()
{
  int i;
  int a[20]={2,10,9,15,6};
  int b[5]={3,6,7,1,9};
  int sizea=5,sizeb=5;
  for(i=0;i<sizeb;i++)
    a[sizea++]=b[i];
  for(i=0;i<sizea;i++)
          printf("%d ",a[i]);
   return 0;
}
```

QUESTIONS 25 / 25 completed

Min

MIN

Write a C program to find the smallest element in an array.

PROGRAM EDITOR

```
#include<stdio.h>
int main()
{
  int i,min;
 int a[5]={2,4,7,9,8};
  min=a[0];
  for(i=0;i<5;i++)
  {
   if(a[i]<min)
     min=a[i];
  }
  printf("min=%d\n",min);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Max-Min

MAX-MIN

Write a C program to find the maximum and minimum element in an array.

PROGRAM EDITOR

```
#include<stdio.h>
int main()
{
  int i,max,min;
 int a[5]={2,4,7,9,8};
  max=a[0];
  min=a[0];
  for(i=0;i<5;i++)
  {
   if(a[i]>max)
     max=a[i];
    if(a[i]<min)
      min=a[i];
  }
  printf("max=%d\n",max);
  printf("min=%d",min);
  return 0;
}
```

QUESTIONS 25 / 25 completed

Count E-O

COUNT E-O

Write a C program to count the number of even and odd elements in an array.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int n,i;
  int a[100];
  int even=0,odd=0;
  scanf("%d",&n);
  for(i=0;i<n;i++)
  {
    scanf("%d",&a[i]);
  }
  for(i=0;i<n;i++)
  {
    if(a[i]%2==0)
      even++;
      else
      odd++;
  }
  printf("even=%d\n",even);
  printf("odd=%d",odd);
  return 0;
```

INPUT

5
2 3 4 5 6

QUESTIONS 25 / 25 completed

Sum E-O

SUM E-O

Write a C program to find the sum of elements at even and odd positions in an array.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int n,i;
  int a[10];
  int evensum=0,oddsum=0;
 scanf("%d",&n);
  for(i=0;i<n;i++)
  {
    scanf("%d",&a[i]);
  }
  for(i=0;i<n;i++)
  {
    if(a[i]%2==0)
      evensum+=a[i];
    else
      oddsum+=a[i];
  }
    printf("evensum=%d\n",evensum);
    printf("oddsum=%d",oddsum);
 return 0;
```

INPUT

```
5
2 3 4 5 6
```

QUESTIONS 25 / 25 completed

Product

PRODUCT

Write a C program to find the product of elements in an array.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main()
{
  int n,i;
  int product=1;
  int a[20];
  scanf("%d",&n);
  for(i=0;i<n;i++)
    scanf("%d",&a[i]);
  for(i=0;i<n;i++)
    product=product*a[i];
  printf("%d",product);
  return 0;
}
```

INPUT

5
2 3 4 5 6

QUESTIONS 25 / 25 completed

Fun-Min-Max

FUN-MIN-MAX

Write a C program to find the largest and smallest elements in an array using functions.

PROGRAM EDITOR

```
#include<stdio.h>
int main()
{
  int i,max,min;
 int a[5]={2,4,7,9,8};
  max=a[0];
    min=a[0];
  for(i=0;i<5;i++)
  {
   if(a[i]>max)
     max=a[i];
    if(a[i]<min)
      min=a[i];
  }
  printf("max=%d\n",max);
  printf("min=%d\n",min);
  return 0;
}
```

QUESTIONS 25 / 25 completed

2nd Min

2ND MIN

Write a C program to find the second smallest element in an array.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int i,min,second;
  int a[5]={2,4,6,8,9};
  min=second=a[0];
  for(i=0;i<5;i++)
  {
    if(a[i]<min)
    {
    second=min;
      min=a[i];
    }
  else if(a[i]<second)
    {
    second=a[i];
     }
  }
  printf("second smallest element=%d",min);
  return 0;
}
```

INPUT

5
1 2 3 4 5

QUESTIONS 25 / 25 completed

Kth Min

KTH MIN

Write a C program to find the kth smallest element in an array.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int a[50],n,k,i,j,t;
  scanf("%d",&n);
  for(i=0;i<n;i++)
    scanf("%d",&a[i]);
  scanf("%d",&k);
  for(i=0;i<n-1;i++)
    for(j=i+1;j<n;j++)
      if(a[i]>a[j])
      {
        t=a[i];
        a[i]=a[j];
        a[j]=t;
      }
  printf("%d",a[k-1]);
  return 0;
}
```

INPUT

```
5
7 2 9 4 1
3
```

QUESTIONS 25 / 25 completed

Missing

MISSING

Write a C program to find the missing number in an array of integers.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int a[100],n,i;
  int sum=0,total;
  scanf("%d",&n);
  for(i=0;i<n-1;i++)
  {
    scanf("%d",&a[i]);
    sum+=a[i];
  }
  total=n*(n+1)/2;
  printf("%d",total);
  return 0;
}
```

INPUT

5
1 2 4 5

QUESTIONS 25 / 25 completed

Unique

UNIQUE

Write a C program to print all the unique elements in an array.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int a[50],n,i,j,c;
  scanf("%d",&n);
  for(i=0;i<n;i++)
    scanf("%d",&a[i]);
  for(i=0;i<n;i++)
  {
    c=0;
    for(j=0;j<n;j++)
    {
      if(a[i]==a[j])
        c++;
    }
    if(c==1)
      printf("%d",a[i]);
  }
  return 0;
}
```

INPUT

6
1 2 3 4 5 5

QUESTIONS 25 / 25 completed

Rotate

ROTATE

Write a C program to rotate an array to the left by n positions.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int a[20],n,k,i,t;
  scanf("%d",&n);
  for(i=0;i<n;i++)
    scanf("%d",&a[i]);
  scanf("%d",&k);
  for(;k>0;k--)
  {
    t=a[0];
    for(i=0;i<n-1;i++)
      a[i]=a[i+1];
    a[n-1]=t;
  }
  for(i=0;i<n;i++)
    printf("%d ",a[i]);
  return 0;
}
```

INPUT

```
5
1 2 3 4 5
2
```

QUESTIONS 25 / 25 completed

Pointer- Rev

POINTER- REV

Write a C program to print the elements of an array in reverse order using pointers.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main()
{
  int a[20],n,*p,i;
  scanf("%d",&n);
  for(i=0;i<n;i++)
    scanf("%d",&a[i]);
  p=&a[n-1];
  for(i=0;i<n;i++)
    printf("%d ",*p--);
  return 0;
}
```

INPUT

5
1 2 3 4 5

QUESTIONS 25 / 25 completed

Median

MEDIAN

Write a C program to find the median of an array.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main()
{
  int a[20],n,i,j,t;
  scanf("%d",&n);
  for(i=0;i<n;i++)
    scanf("%d",&a[i]);
  for(i=0;i<n-1;i++)
    for(j=i+1;j<n;j++)
      if(a[i]>a[j])
      {
        t=a[i];
        a[i]=a[j];
        a[j]=t;
      }
  if(n%2)
    printf("%d",a[n/2]);
  else
    printf("%.1f",(a[n/2]+a[n/2-1])/2.0);
}
```

INPUT

5
4 2 1 5 3