

QUESTIONS 10 / 10 completed

Sort Ptr. ▾

SORT PTR.

Write a program to sort an array in ascending order using pointers.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a[5], i, j, t;
5     int *p = a;
6
7     for(i=0;i<5;i++)
8         scanf("%d", p+i);
9
10    for(i=0;i<5;i++)
11        for(j=i+1;j<5;j++)
12            if(*(p+i) > *(p+j)) {
13                t=*(p+i);
14                *(p+i)=*(p+j);
15                *(p+j)=t;
16            }
17
18    for(i=0;i<5;i++)
19        printf("%d ", *(p+i));
20
21    return 0;
```

INPUT

5 2 8 1 4

QUESTIONS 10 / 10 completed

Swap

SWAP

Write a program to swap two variables using pointers.

PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a,b,t,*p,*q;
5     scanf("%d%d",&a,&b);
6     p=&a; q=&b;
7     t=*p; *p=*q; *q=t;
8     printf("%d %d",a,b);
9     return 0;
10 }
```

INPUT

10 20

QUESTIONS 10 / 10 completed

Max Element

MAX ELEMENT

Write a program to find the largest element in an array using pointers.

PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a[5], i, max;
5     int *p = a;
6
7     for(i = 0; i < 5; i++)
8         scanf("%d", p + i);
9
10    max = *p;
11    for(i = 1; i < 5; i++)
12        if(*(p + i) > max)
13            max = *(p + i);
14
15    printf("%d", max);
16    return 0;
17 }
```

INPUT

10 25 7 40 18

QUESTIONS 10 / 10 completed

Concatenate Ptr. ▾

CONCATENATE PTR.

Write a program to concatenate two strings using pointers.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     char a[100], b[100], *p, *q;
5
6     scanf("%s %s", a, b);
7
8     p = a;
9     while (*p) p++;
10
11    q = b;
12    while (*q) *p++ = *q++;
13
14    *p = '\0';
15
16    printf("%s", a);
17    return 0;
18 }
```

INPUT

Hello World

QUESTIONS 10 / 10 completed

Even/ODD Ptr. ▾

EVEN/ODD PTR.

Write a program to count the number of even and odd elements in an array using pointers.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a[100], n, i, even = 0, odd = 0;
5     int *p;
6
7     scanf("%d", &n);
8     for(i = 0; i < n; i++)
9         scanf("%d", &a[i]);
10
11    p = a;
12    for(i = 0; i < n; i++) {
13        if(*p % 2 == 0)
14            even++;
15        else
16            odd++;
17        p++;
18    }
19
20    printf("Even = %d\nOdd = %d", even, odd);
21    return 0;
```

INPUT

5
10 15 20 25 30

QUESTIONS 10 / 10 completed

Sort Ptr. ▾

SORT PTR.

Write a program to check if a given array is sorted using pointers.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a[100], n, i, sorted = 1;
5     int *p = a;
6
7     scanf("%d", &n);
8     for(i = 0; i < n; i++)
9         scanf("%d", p + i);
10
11     for(i = 0; i < n - 1; i++)
12         if(*(p + i) > *(p + i + 1))
13             sorted = 0;
14
15     if(sorted)
16         printf("Sorted");
17     else
18         printf("Not Sorted");
19
20     return 0;
21 }
```

INPUT

5
10 20 30 40 50

QUESTIONS 10 / 10 completed

Reverse Ptr. ▾

REVERSE PTR.

Write a program to reverse an array using pointers.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a[100], n, i, *p;
5
6     scanf("%d", &n);
7     for(i = 0; i < n; i++)
8         scanf("%d", &a[i]);
9
10    p = a + n - 1;
11    for(i = 0; i < n; i++)
12        printf("%d ", *p--);
13
14    return 0;
15 }
```

INPUT

5
10 20 30 40 50

QUESTIONS 10 / 10 completed

Copy Str

COPY STR

Write a program to copy one string to another using pointers.

PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     char a[100], b[100], *p, *q;
5
6     scanf("%99s", a);
7
8     p = a;
9     q = b;
10
11     while (*p != '\0')
12         *q++ = *p++;
13
14     *q = '\0';
15
16     printf("%s", b);
17
18     return 0;
19 }
```

INPUT

Hello

QUESTIONS 10 / 10 completed

Sum 2D



SUM 2D

Write a program to find the sum of the elements in a 2D array using pointers.

PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     int a[10][10], r, c, i, j, sum = 0;
5     int *p = &a[0][0];
6
7     scanf("%d%d", &r, &c);
8
9     for(i = 0; i < r; i++)
10         for(j = 0; j < c; j++)
11             scanf("%d", p + i*c + j);
12
13     for(i = 0; i < r*c; i++)
14         sum += *(p + i);
15
16     printf("%d", sum);
17
18     return 0;
19 }
```

INPUT

```
2 3
1 2 3
4 5 6
```

QUESTIONS 10 / 10 completed

Length Ptr. ▾

LENGTH PTR.

Write a program to find the length of a string using pointers.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main() {
4     char str[100], *p;
5     int len = 0;
6
7     scanf("%99s", str);
8     p = str;
9
10    while (*p != '\0') {
11        len++;
12        p++;
13    }
14
15    printf("%d", len);
16    return 0;
17 }
```

INPUT

Hello