

QUESTIONS 12 / 19 completed

Length Str.



## LENGTH STR.

Write a program to find the length of a string without using the string library function.

## PROGRAM EDITOR

C

```
1 #include<stdio.h>
2 int main()
3 {
4     char s1[]="Hello, Welcome";
5     int len=0,i;
6     for(i=0;s1[i]!='\0';i++)
7         len++;
8     printf("%d",len);
9     return 0;
10 }
```

QUESTIONS 19 / 19 completed

Concatenate ▾

## CONCATINATE

Write a program to concatenate two strings without using the string library function.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char a[100], b[50];
6     int i, j;
7
8     scanf("%99s", a);
9     scanf("%99s", b);
10
11    for(i = 0; a[i] != '\0'; i++);
12
13    for(j = 0; b[j] != '\0'; j++)
14        a[i++] = b[j];
15
16    a[i] = '\0';
17
18    printf("%s", a);
19
20    return 0;
21 }
```

### INPUT

Hello  
World

QUESTIONS 19 / 19 completed

Uppercase ▾

## UPPERCASE

Write a program to convert a given string to uppercase without using the string library function.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char s[100];
6     int i;
7
8     scanf("%[^\n]", s);
9
10    for(i = 0; s[i] != '\0'; i++)
11    {
12        if(s[i] >= 'a' && s[i] <= 'z')
13            s[i] = s[i] - 32;
14    }
15
16    printf("%s", s);
17
18    return 0;
19 }
```

### INPUT

hello world

QUESTIONS 19 / 19 completed

Reverse Str. ▾

## REVERSE STR.

Write a program to reverse a given string without using the string library function.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char s[100];
6     int i, n = 0;
7
8     scanf("%99s", s);
9
10    while(s[n] != '\0')
11        n++;
12
13    for(i = n - 1; i >= 0; i--)
14        printf("%c", s[i]);
15
16    return 0;
17 }
```

### INPUT

hello

QUESTIONS 19 / 19 completed

Count

## COUNT

Write a program to count the number of words in a given string.

### PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3 char s[100];int i,w=0;
4 scanf("%[^\n]",s);
5 for(i=0;s[i];i++)
6 if(s[i]==' '&& s[i+1]!=' ')w++;
7 if(s[0])w++;
8 printf("%d",w);
9 }
```

### INPUT

Hello world good morning

QUESTIONS 19 / 19 completed

Anagrams

## ANAGRAMS

Write a program to check if two given strings are anagrams.

### PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     char a[100],b[100];int i,c[256]={0};
4     scanf("%s%s",a,b);
5     for(i=0;a[i];i++)c[a[i]]++;
6     for(i=0;b[i];i++)c[b[i]]--;
7     for(i=0;i<256;i++)if(c[i]){printf("Not Anagram");return 0;}
8     printf("Anagram");
9 }
```

### INPUT

listen silent

QUESTIONS 19 / 19 completed

Non-repeated ▾

## NON-REPEATED

Write a program to find the first non-repeated character in a given string.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     char s[100];int c[256]={0},i;
4     scanf("%99s",s);
5     for(i=0;s[i];i++)c[s[i]]++;
6     for(i=0;s[i];i++)if(c[s[i]]==1){printf("%c",s[i]);return 0;}
7     printf("No");
8 }
```

### INPUT

swiss

QUESTIONS 19 / 19 completed

Replace all

REPLACE ALL

Write a program to replace all occurrences of a given character in a string with another character.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3 char s[100],a,b;int i;
4 scanf("%s %c %c",s,&a,&b);
5 for(i=0;s[i];i++)
6 if(s[i]==a)s[i]=b;
7 printf("%s",s);
8 }
```

INPUT

banana a o

QUESTIONS 19 / 19 completed

Substring

## SUBSTRING

Write a program to find the substring of a given string.

### PROGRAM EDITOR

C



Run

Save

```
1 #include<stdio.h>
2 #include<string.h>
3 int main(){
4     char s[100],sub[100];
5     scanf("%99s",s);
6     scanf("%99s",sub);
7     if(strstr(s,sub))printf("Found");
8     else printf("Not Found");
9 }
```

### INPUT

hello  
ell

QUESTIONS 19 / 19 completed

Palindrome Str. ▾

## PALINDROME STR.

Write a program to check if a given string is a palindrome.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include<stdio.h>
2 #include<string.h>
3 int main(){
4 char s[100];int i,n;
5 scanf("%99s",s);
6 n=strlen(s);
7 for(i=0;i<n/2;i++)
8 if(s[i]!=s[n-i-1]){printf("Not Palindrome");return 0;}
9 printf("Palindrome");
10 }
```

### INPUT

madam

QUESTIONS 19 / 19 completed

Remove all



## REMOVE ALL

Write a program to  
remove all white spaces  
from a given string.

## PROGRAM EDITOR

C



Run

Save

```
1 #include<stdio.h>
2 int main(){
3 char s[100];int i,j=0;
4 scanf(" %[^\\n]",s);
5 for(i=0;s[i];i++)
6 if(s[i]!=' ')s[j++]=s[i];
7 s[j]='\\0';
8 printf("%s",s);
9 }
```

## INPUT

hello world good

QUESTIONS 19 / 19 completed

Frequency ▾

## FREQUENCY

Write a program to find the frequency of all characters in a given string.

## PROGRAM EDITOR

C ▾

Run

Save

```
1 #include<stdio.h>
2 int main(){
3 char s[100];int c[256]={0},i;
4 scanf("%99s",s);
5 for(i=0;s[i];i++)c[s[i]]++;
6 for(i=0;s[i];i++)
7 if(c[s[i]]){printf("%c=%d ",s[i],c[s[i]]);c[s[i]]=0;}
8 }
```

## INPUT

banana

Duplicates

DUPLICATES

Write a program to remove all duplicates from a given string.

PROGRAM EDITOR

C

Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char s[100];
6     int i, j, k;
7
8     scanf("%99s", s);
9
10    for(i=0; s[i]!='\0'; i++)
11        for(j=i+1; s[j]!='\0'; j++)
12            if(s[i]==s[j])
13            {
14                for(k=j; s[k]!='\0'; k++)
15                    s[k]=s[k+1];
16                j--;
17            }
18
19    printf("%s", s);
20
21    return 0;
```

INPUT

programming

QUESTIONS 19 / 19 completed

Lexicographical

## LEXICOGRAPHICAL

Write a program to sort the words in a given string in lexicographical order.

### PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2 #include <string.h>
3
4 int main()
5 {
6     char s[100], a[20][20], t[20];
7     int i, j, n = 0;
8
9     scanf("%[^\\n]", s);
10
11     char *p = strtok(s, " ");
12     while(p)
13     {
14         strcpy(a[n++], p);
15         p = strtok(NULL, " ");
16     }
17
18     for(i=0; i<n-1; i++)
19         for(j=i+1; j<n; j++)
20             if(strcmp(a[i], a[j])>0)
```

### INPUT

banana apple mango  
orange

QUESTIONS 19 / 19 completed

Vowels

## VOWELS

Write a program to count the number of vowels and consonants in a given string.

### PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char s[100];
6     int i, v = 0, c = 0;
7
8     scanf("%[^\\n]", s);
9
10    for(i = 0; s[i] != '\\0'; i++)
11    {
12        if(s[i]=='a' || s[i]=='e' || s[i]=='i' || s[i]=='o' || s[i]=='u' ||
13           s[i]=='A' || s[i]=='E' || s[i]=='I' || s[i]=='O' || s[i]=='U')
14            v++;
15        else if((s[i]>='A' && s[i]<='Z') ||
16               (s[i]>='a' && s[i]<='z'))
17            c++;
18    }
19
20    printf("Vowels = %d\\nConsonants = %d", v, c);
21
```

INPUT

Hello World

QUESTIONS 19 / 19 completed

Replace Substring ▾

## REPLACE SUBSTRING

Write a program to replace a given substring with another substring in a given string.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2 #include <string.h>
3
4 int main()
5 {
6     char s[100], a[20], b[20];
7
8     scanf("%99s", s);
9     scanf("%99s", a);
10    scanf("%99s", b);
11
12    char *p = strstr(s, a);
13
14    if(p)
15    {
16        strcpy(p, p + strlen(a));
17        memmove(p + strlen(b), p, strlen(p) + 1);
18        memcpy(p, b, strlen(b));
19    }
20
21    printf("%s", s);
```

### INPUT

Ilikemango  
mango  
apple

QUESTIONS 19 / 19 completed

Punctuation

## PUNCTUATION

Write a program to remove all punctuation marks from a given string.

### PROGRAM EDITOR

C



Run

Save

```
1 #include <stdio.h>
2 #include <string.h>
3
4 int main()
5 {
6     char s[100], a[20], b[20];
7
8     scanf("%99s", s);
9     scanf("%99s", a);
10    scanf("%99s", b);
11
12    char *p = strstr(s, a);
13
14    if(p)
15    {
16        strcpy(p, p + strlen(a));
17        memmove(p + strlen(b), p, strlen(p) + 1);
18        memcpy(p, b, strlen(b));
19    }
20
21    printf("%s", s);
```

### INPUT

Ilikemango  
mango  
apple

Capitalize

CAPITALIZE

Write a program to capitalize the first letter of each word in a given string.

PROGRAM EDITOR

C

Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char str[100];
6     int i;
7
8     scanf("%[^\n]", str);
9
10    for(i = 0; str[i] != '\0'; i++)
11    {
12        if(i == 0 || str[i-1] == ' ')
13        {
14            if(str[i] >= 'a' && str[i] <= 'z')
15                str[i] = str[i] - 32;
16        }
17    }
18
19    printf("%s", str);
20
21    return 0;
```

INPUT

hello world welcome

QUESTIONS 19 / 19 completed

Longest word ▾

## LONGEST WORD

Write a program to find the longest word in a given string.

### PROGRAM EDITOR

C ▾

Run

Save

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char s[100], word[100], longest[100];
6     int i, j = 0, max = 0;
7
8     scanf("%[^\n]", s);
9
10    for(i = 0; ; i++)
11    {
12        if(s[i] != ' ' && s[i] != '\0')
13            word[j++] = s[i];
14        else
15        {
16            word[j] = '\0';
17
18            if(j > max)
19            {
20                max = j;
21                for(int k = 0; k <= i; k++)
```

### INPUT

I love programming