



SIMATS Online Programming Lab
PYTHON PROGRAMMING

 R Jaideep
192525441A

QUESTIONS 1 / 10 completed

str to float

STR TO FLOAT

Write a Python program to convert a string to a float.

PROGRAM EDITOR

Python

Run

Save

```
1 a=int(input())
2 area=a*a
3 print("area of square=",area)
```

OUTPUT

area of square= 49

INPUT

7



SIMATS Online Programming Lab
PYTHON PROGRAMMING

 R Jaideep
192525441A

QUESTIONS 4 / 10 completed

tuple to list

TUPLE TO LIST

Write a Python program to convert a tuple to a list.

PROGRAM EDITOR

Python

Run

Save

```
1 r=float(input())
2 area=3.14*r*r
3 print("area of circle=",area)
```

OUTPUT

area of circle= 153.86

INPUT

7

QUESTIONS 3 / 10 completed

list to tuple

LIST TO TUPLE

Write a Python program to convert a list to a tuple.

PROGRAM EDITOR

Python

Run

Save

INPUT

7
45

```
1 l=int(input())
2 b=int(input())
3 area=l*b
4 print("area of rectangle=",area)
```

OUTPUT

```
area of rectangle= 315
```

QUESTIONS 0 / 10 completed

str to int

STR TO INT

Write a Python program to convert a string to an integer.

PROGRAM EDITOR

Python

Run

Save

INPUT

7
18

```
1 a=int(input())
2 b=int(input())
3 sum=a+b
4 print("sum of two numbers=",sum)
```

OUTPUT

```
sum of two numbers= 25
```

QUESTIONS 5 / 10 completed

len of str

LEN OF STR

Write a Python program to find the length of a string.

PROGRAM EDITOR

Python

Run

Save

```
1 l=int(input())
2 b=int(input())
3 perimeter=2*(l+b)
4 print("perimeter of rectangle",perimeter)
```

INPUT

 7
7

OUTPUT

```
perimeter of rectangle 28
```

QUESTIONS 7 / 10 completed

Intersection

INTERSECTION

Write a Python program to find the intersection of two sets.

PROGRAM EDITOR

Python

Run

Save

```
1 p=int(input())
2 t=int(input())
3 r=int(input())
4 si=p*t*r/100
5 print("simple interest=",si)
```

INPUT

 7
7
7

OUTPUT

```
simple interest= 3.43
```



SIMATS Online Programming Lab
PYTHON PROGRAMMING

 **R Jaideep**
192525441A

QUESTIONS 8 / 10 completed

Union

UNION

Write a Python program to find the union of two sets.

PROGRAM EDITOR

Python

Run

Save

```
1 f=float(input())
2 celsius=(f-32)*1.8
3 print("fahrenheit to celcius=",celsius)
```

OUTPUT

```
fahrenheit to celcius= 14.4
```

INPUT

```
40
```



SIMATS Online Programming Lab
PYTHON PROGRAMMING

 **R Jaideep**
192525441A

QUESTIONS 9 / 10 completed

Descending

DESCENDING

Write a Python program to sort a list in descending order.

PROGRAM EDITOR

Python

Run

Save

```
1 c=int(input())
2 fahrenheit=(c*1.8)+32
3 print("celsius to fahrenheit=",fahrenheit)
```

OUTPUT

```
celsius to fahrenheit= 33.8
```

INPUT

```
1
```



SIMATS Online Programming Lab
PYTHON PROGRAMMING

 **R Jaideep**
192525441A

QUESTIONS 10 / 10 completed

str to int

STR TO INT

Write a Python program to convert a string to an integer.

PROGRAM EDITOR

Python

Run

Save

```
1 a=int(input())
2 b=int(input())
3 sum=a+b
4 print("sum of two numbers=",sum)
```

OUTPUT

sum of two numbers= 25

INPUT

7

18



SIMATS Online Programming Lab
PYTHON PROGRAMMING

 **R Jaideep**
192525441A

QUESTIONS 10 / 10 completed

RM Occurrences

RM OCCURRENCES

Write a Python program to remove all occurrences of a specified element from a list.

PROGRAM EDITOR

Python

Run

Save

```
1 a=int(input())
2 b=int(input())
3 c=int(input())
4 sum=a+b+c
5 average=sum/3
6 print("average of 3 numbers=",average)
```

OUTPUT

average of 3 numbers= 2.0

INPUT

1

2

3