

EXPERIMENT 1

OUTPUT TABLE 1:

```
C:\windows\system32\cmd.exe X + v - □ X
mysql> CREATE DATABASE EmployeeDB;
Query OK, 1 row affected (0.02 sec)

mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| college |
| employeeedb |
| information_schema |
| mysql |
| name |
| performance_schema |
| student1 |
| sys |
+-----+
8 rows in set (0.01 sec)
```

OUTPUT TABLE 2:

```
mysql> USE EmployeeDB;
Database changed
mysql> CREATE TABLE EMPLOYEE (
    ->     Emp_no INT PRIMARY KEY,
    ->     E_name VARCHAR(50),
    ->     E_address VARCHAR(100),
    ->     E_ph_no VARCHAR(15),
    ->     Dept_no INT,
    ->     Dept_name VARCHAR(50),
    ->     Job_id CHAR(10),
    ->     Salary DECIMAL(10,2)
    -> );
Query OK, 0 rows affected (0.04 sec)

mysql> |
```

OUTPUT TABLE 3:

```
mysql> DESCRIBE EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
Emp_no	int	NO	PRI	NULL	
E_name	varchar(50)	YES		NULL	
E_address	varchar(100)	YES		NULL	
E_ph_no	varchar(15)	YES		NULL	
Dept_no	int	YES		NULL	
Dept_name	varchar(50)	YES		NULL	
Job_id	char(10)	YES		NULL	
Salary	decimal(10,2)	YES		NULL	

8 rows in set (0.03 sec)

OUTPUT TABLE 4:

```
mysql> ALTER TABLE EMPLOYEE
-> ADD HIREDATE DATE;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> DESCRIBE EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
Emp_no	int	NO	PRI	NULL	
E_name	varchar(50)	YES		NULL	
E_address	varchar(100)	YES		NULL	
E_ph_no	varchar(15)	YES		NULL	
Dept_no	int	YES		NULL	
Dept_name	varchar(50)	YES		NULL	
Job_id	char(10)	YES		NULL	
Salary	decimal(10,2)	YES		NULL	
HIREDATE	date	YES		NULL	

9 rows in set (0.00 sec)

OUTPUT TABLE 5 :

```
mysql> ALTER TABLE EMPLOYEE
-> ADD HIREDATE DATE;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> DESCRIBE EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
Emp_no	int	NO	PRI	NULL	
E_name	varchar(50)	YES		NULL	
E_address	varchar(100)	YES		NULL	
E_ph_no	varchar(15)	YES		NULL	
Dept_no	int	YES		NULL	
Dept_name	varchar(50)	YES		NULL	
Job_id	char(10)	YES		NULL	
Salary	decimal(10,2)	YES		NULL	
HIREDATE	date	YES		NULL	

```
9 rows in set (0.00 sec)
```

OUTPUT TABLE 6:

```
mysql> ALTER TABLE EMPLOYEE
-> RENAME COLUMN Emp_no TO E_no;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> DESCRIBE EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
E_no	int	NO	PRI	NULL	
E_name	varchar(50)	YES		NULL	
E_address	varchar(100)	YES		NULL	
E_ph_no	varchar(15)	YES		NULL	
Dept_no	int	YES		NULL	
Dept_name	varchar(50)	YES		NULL	
Job_id	char(10)	YES		NULL	
Salary	decimal(10,2)	YES		NULL	
HIREDATE	date	YES		NULL	

```
9 rows in set (0.00 sec)
```

```
mysql> |
```