




mysql> SELECT CourseType
-> FROM COURSE
-> WHERE CourseName IN ('Statistics', 'Programming');
| CourseType |
| Theory |
| Practical |
2 rows in set (0.00 sec)


mysql> SELECT CourseNo
-> FROM REGISTRATION
-> WHERE Mark BETWEEN 50 AND 80;
CourseNo
C001
C001
C002
C002
C003
C004
6 rows in set (0.00 sec)


in set (0.00 sec)
mysql> SELECT AVG(Mark) AS AverageMark
-> FROM REGISTRATION
-> WHERE CourseNo = 'C002';
AverageMark
70.0000
1 row in set (0.00 sec)



mysql> SELECT MAX(Mark) AS MaximumMark,
-> MIN(Mark) AS MinimumMark
-> FROM REGISTRATION
-> WHERE CourseNo = 'C002';
| MaximumMark | MinimumMark |
| 85 | 55 |
1 row in set (0.00 sec)

```
mysql> SELECT CourseNo,
    ->        MAX(Mark) AS MaximumMark,
    ->        MIN(Mark) AS MinimumMark,
    ->        AVG(Mark) AS AverageMark
    -> FROM REGISTRATION
    -> GROUP BY CourseNo;
```


CourseNo	MaximumMark	MinimumMark	AverageMark
C001	75	65	70.0000
C002	85	55	70.0000
C003	90	80	85.0000
C004	60	60	60.0000


4 rows in set (0.00 sec)


```
mysql> SELECT C.CourseName,
    ->        COUNT(R.StudentNo) AS TotalStudents
    -> FROM COURSE C
    -> LEFT JOIN REGISTRATION R
    -> ON C.CourseNo = R.CourseNo
    -> GROUP BY C.CourseNo, C.CourseName;
+------------+---------------+
| CourseName | TotalStudents |
+------------+---------------+
| Statistics |             2 |
| Programming|             3 |
| Mathematics|             2 |
| Database   |             1 |
+------------+---------------+
4 rows in set (0.00 sec)
```



```
    -> SELECT S.StudentName,
    ->        COUNT(R.CourseNo) AS TotalCourses
    -> FROM STUDENT S
    -> LEFT JOIN REGISTRATION R
    -> ON S.StudentNo = R.StudentNo
    -> GROUP BY S.StudentNo, S.StudentName;
+-------------+--------------+
| StudentName | TotalCourses |
+-------------+--------------+
| Arun        |            2 |
| Priya       |            2 |
| Kumar       |            2 |
| Divya       |            2 |
+-------------+--------------+
4 rows in set (0.00 sec)
```


mysql> SELECT * FROM COURSE;
CourseNo | CourseName | CourseType
C001 | Statistics | Theory
C002 | Programming | Practical
C003 | Mathematics | Theory
C004 | Database | Practical
4 rows in set (0.00 sec)


mysql> SELECT * FROM STUDENT;
StudentNo	StudentName
S001	Arun
S002	Priya
S003	Kumar
S004	Divya
4 rows in set (0.00 sec)



```
mysql> SELECT * FROM REGISTRATION;
+-----------+----------+------+
| StudentNo | CourseNo | Mark |
+-----------+----------+------+
| S001      | C001     |   75 |
| S001      | C002     |   85 |
| S002      | C001     |   65 |
| S002      | C002     |   70 |
| S003      | C002     |   55 |
| S003      | C003     |   90 |
| S004      | C003     |   80 |
| S004      | C004     |   60 |
+-----------+----------+------+
8 rows in set (0.00 sec)
```