Input

Run SQL

```sql
CREATE TABLE Employee (
    employee_id INT PRIMARY KEY,
    employee_name VARCHAR(50),
    department VARCHAR(30),
    salary INT,
    email_id VARCHAR(100),
    status VARCHAR(20)
);
INSERT INTO Employee VALUES
(101,'Arun','IT',30000,'arun@gmail.com','Active'),
(102,'Bala','HR',25000,'bala@gmail.com','Active'),
(103,'Karthik','IT',40000,'karthik@gmail.com','Active'),
(104,'Priya','Finance',35000,'priya@gmail.com','Active'),
```

Output

employee_id	employee_name	department	salary	email_id	status
101	Arun	IT	30000	arun@gmail.com	Active
102	Bala	HR	25000	bala@gmail.com	Active
103	Karthik	IT	40000	karthik@gmail.com	Active
104	Priya	Finance	35000	priya@gmail.com	Active
105	Rahul	HR	28000	rahul@gmail.com	Left

```
    email_id VARCHAR(100),
    status VARCHAR(20)
);
INSERT INTO Employee VALUES
(101,'Arun','IT',30000,'arun@gmail.com','Active'),
(102,'Bala','HR',25000,'bala@gmail.com','Active'),
(103,'Karthik','IT',40000,'karthik@gmail.com','Active'),
(104,'Priya','Finance',35000,'priya@gmail.com','Active'),
(105,'Rahul','HR',28000,'rahul@gmail.com','Left');
SELECT * FROM Employee;
UPDATE Employee
SET salary = salary * 1.10
WHERE employee_id = 102;
```

Output

employee_id	employee_name	department	salary	email_id	status
101	Arun	IT	30000	arun@gmail.com	Active
102	Bala	HR	25000	bala@gmail.com	Active
103	Karthik	IT	40000	karthik@gmail.com	Active
104	Priya	Finance	35000	priya@gmail.com	Active
105	Rahul	HR	28000	rahul@gmail.com	Left

Employee

employee_id	employee_name	department	salary	email_id
101	Arun	IT	30000	arun@gmail.com
102	Bala	HR	27500.000000000004	bala@gmail.com
103	Karthik	IT	40000	karthik@gmail.cor
104	Priya	Finance	35000	priya@gmail.com
105	Rahul	HR	28000	rahul@gmail.com

```sql
INSERT INTO Employee VALUES
(101,'Arun','IT',30000,'arun@gmail.com','Active'),
(102,'Bala','HR',25000,'bala@gmail.com','Active'),
(103,'Karthik','IT',40000,'karthik@gmail.com','Active'),
(104,'Priya','Finance',35000,'priya@gmail.com','Active'),
(105,'Rahul','HR',28000,'rahul@gmail.com','Left');
SELECT * FROM Employee;
UPDATE Employee
SET salary = salary * 1.10
WHERE employee_id = 102;
UPDATE Employee
SET department = 'HR'
WHERE employee_id = 103;
```

Output

employee_id	employee_name	department	salary	email_id	status
101	Arun	IT	30000	arun@gmail.com	Active
102	Bala	HR	25000	bala@gmail.com	Active
103	Karthik	IT	40000	karthik@gmail.com	Active
104	Priya	Finance	35000	priya@gmail.com	Active
105	Rahul	HR	28000	rahul@gmail.com	Left

Employee

employee_id	employee_name	department	salary	email_id
101	Arun	IT	30000	arun@gmail.com
102	Bala	HR	27500.000000000004	bala@gmail.com
103	Karthik	HR	40000	karthik@gmail.cor
104	Priya	Finance	35000	priya@gmail.com
105	Rahul	HR	28000	rahul@gmail.com

Input

Run SQL

```
(103,'Karthik','IT',40000,'karthik@gmail.com','Active'),
(104,'Priya','Finance',35000,'priya@gmail.com','Active'),
(105,'Rahul','HR',28000,'rahul@gmail.com','Left');
SELECT * FROM Employee;
UPDATE Employee
SET salary = salary * 1.10
WHERE employee_id = 102;
UPDATE Employee
SET department = 'HR'
WHERE employee_id = 103;
UPDATE Employee
SET email_id = 'priya.new@gmail.com'
WHERE employee_id = 104;
```

Output

employee_id	employee_name	department	salary	email_id	status
101	Arun	IT	30000	arun@gmail.com	Active
102	Bala	HR	25000	bala@gmail.com	Active
103	Karthik	IT	40000	karthik@gmail.com	Active
104	Priya	Finance	35000	priya@gmail.com	Active
105	Rahul	HR	28000	rahul@gmail.com	Left

Employee

employee_name	department	salary	email_id	status
Arun	IT	30000	arun@gmail.com	Active
Bala	HR	27500.000000000004	bala@gmail.com	Active
Karthik	HR	40000	karthik@gmail.com	Active
Priya	Finance	35000	priya.new@gmail.com	Active
Rahul	HR	28000	rahul@gmail.com	Left

```sql
(104, 'Priya', 'Finance', 55000, 'priya@gmail.com', 'Active');
(105,'Rahul','HR',28000,'rahul@gmail.com','Left');
SELECT * FROM Employee;
UPDATE Employee
SET salary = salary * 1.10
WHERE employee_id = 102;
UPDATE Employee
SET department = 'HR'
WHERE employee_id = 103;
UPDATE Employee
SET email_id = 'priya.new@gmail.com'
WHERE employee_id = 104;
DELETE FROM Employee
WHERE employee_id = 101;
```

Employee

employee_id	employee_name	department	salary	email_id
102	Bala	HR	27500.000000000004	bala@gmail.com
103	Karthik	HR	40000	karthik@gmail.cor
104	Priya	Finance	35000	priya.new@gmail.(
105	Rahul	HR	28000	rahul@gmail.com

Input

Run SQL

```
SELECT * FROM Employee;
UPDATE Employee
SET salary = salary * 1.10
WHERE employee_id = 102;
UPDATE Employee
SET department = 'HR'
WHERE employee_id = 103;
UPDATE Employee
SET email_id = 'priya.new@gmail.com'
WHERE employee_id = 104;
DELETE FROM Employee
WHERE employee_id = 101;
DELETE FROM Employee
WHERE department = 'HR';
```

Employee

employee_id	employee_name	department	salary	email_id	status
104	Priya	Finance	35000	priya.new@gmail.com	Active

Input

Run SQL

```
UPDATE Employee
SET salary = salary * 1.10
WHERE employee_id = 102;
UPDATE Employee
SET department = 'HR'
WHERE employee_id = 103;
UPDATE Employee
SET email_id = 'priya.new@gmail.com'
WHERE employee_id = 104;
DELETE FROM Employee
WHERE employee_id = 101;
DELETE FROM Employee
WHERE department = 'HR';
SELECT * FROM Employee;
```

Output

employee_id	employee_name	department	salary	email_id	status
101	Arun	IT	30000	arun@gmail.com	Active
102	Bala	HR	25000	bala@gmail.com	Active
103	Karthik	IT	40000	karthik@gmail.com	Active
104	Priya	Finance	35000	priya@gmail.com	Active
105	Rahul	HR	28000	rahul@gmail.com	Left

employee_id	employee_name	department	salary	email_id	status
104	Priya	Finance	35000	priya.new@gmail.com	Active