

SIMATS ENGINEERING
ASSESSMENT TOOL 2: LABORATORY PERFORMANCE

COURSE NAME:	Programming in Java	COURSE CODE:	CSA0915- SLOT B
NAME:	S.K.Deepa Arathi	REG NO:	192571020

ASSESSMENT TASKS:

2. Develop an Applet demonstrating the lifecycle methods: init() start() paint() stop() destroy()- Display an appropriate message when each lifecycle method is invoked. " tc1_input- Execute the Applet for the first time tc1_output- init() is invoked and initialization message is displayed tc2_input- Start or reload the Applet tc2_output- start() is invoked and start message is displayed tc3_input- Stop or navigate away from the Applet tc3_output- stop() is invoked and stop message is displayed

CODE:

A. JAVA CODE

```
import java.applet.Applet; import
java.awt.Graphics;

public class AppletLifecycle extends Applet {

    String message = "";

    public void init() {
        message = "init() is invoked - Applet initialized";
```

```

        System.out.println("init() is invoked");
    }

    public void start() {
        message = "start() is invoked - Applet started";
        System.out.println("start() is invoked");    repaint();
    }

    public void paint(Graphics g) {
        g.drawString(message, 80, 100);
        System.out.println("paint() is invoked");
    }

    public void stop() {
        message = "stop() is invoked - Applet stopped";
        System.out.println("stop() is invoked");
    }

    public void destroy() {
        System.out.println("destroy() is invoked");
    }
}
}
}

```

B. HTML CODE

```
<html>
```

```
<head>
  <title>Applet Lifecycle</title>
</head>
<body>
  <applet code="AppletLifecycle.class" width="500" height="200">
  </applet>
</body>
</html>
```

OUTPUT:

