

Airline Reservation system

SQL & JOIN

SELECT

P. Passenger_id,
P. name AS Passenger_name,
P. email,
P. Passport_no,
F. flight_id,
F. flight_number,
F. origin,
F. destination,
B. booking_id,
B. booking_date,
B. Seat_numbers

FROM Passengers P

INNER JOIN Bookings B

ON. P.Passenger_id = B.Passenger_id.

INNER JOIN Flights F

ON. B.flight_id = F.flight_id

WHERE F. origin = 'New York'.

AND F. destination = 'London'

ORDER BY B. booking_date:

2. CREATE VIEW

CREATE VIEW vw-flight-occupancy AS

SELECT

flight-id,

flight-number,

origin,

destination,

total-seats,

available-seats,

$((\text{total-seats} - \text{available-seats}) * 100.0 / \text{total-seats})$

AS occupancy-percentage

FROM flights;

USER DEFINED FUNCTION

DELIMITER \$\$

CREATE FUNCTION fn_check-seat-availability (

P-flight-id INT

)

RETURNS VARCHAR (20)

DETERMINISTIC

BEGIN

DECLARE Seats INT;

SELECT available-seats

INTO Seats

FROM flights

WHERE flight-id = P-flight-id;

✓ IF Seats > 0 THEN

RETURN 'AVAILABLE';

ELSE

RETURN 'NOT AVAILABLE';

END IF;

END \$\$

DELIMITER;

TRIGGER

DELIMITER \$\$

CREATE TRIGGER tog-update-available-seats
AFTER INSERT ON bookings

FOR EACH ROW

BEGIN

UPDATE Flights

SET available-seats = available-seats - 1

WHERE flight-id = NEW.flight-id;

END \$\$

DELIMITER.