

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – C Code Output Prediction

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 1 – C Code Output Prediction
Weightage:	35% of CIA	Total Marks:	100
CO1 Statement:	<i>Apply suitable data structures and ADTs for efficient problem solving by analyzing time and space complexity.</i>		
Student Name:	Pritham G	Reg. No.:	192572014
Section / Batch:	CSA	Date:	10/07/2026

Code of Conduct

I Pritham G (192572014) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: Pritham G

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Linked data structure	Basic data structure	1 - 2	20
Primitive and Non-Primitive Data Structure - Linear and Non-Linear Data Structure	Classifications of Linear data structure	3 - 4	20
Search Data Structure	Linear Search and Binary Search	5 -6	20
Recursion, Performance analysis	Recursion	7 - 8	20
Array Data Structures	Implementations Using Array data structure	9 - 10	20
GRAND TOTAL:			100 Marks

QUESTIONS
Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q7
C Code – Time Complexity Loop
10 marks

Q1 C Code – Array Traversal

10 marks

```
#include <stdio.h>
int main() {
    int arr[] = {5, 10, 15, 20};
    int i, sum = 0;
    for(i = 0; i < 4; i++)
        sum += arr[i];
    printf("%d", sum);
    return 0;
}
```

Your Answer

50

Save Answer

QUESTIONS
Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q7
C Code – Time Complexity Loop
10 marks

Q1 C Code – Array Traversal

10 marks

```
#include <stdio.h>
int main() {
    int arr[] = {5, 10, 15, 20};
    int i, sum = 0;
    for(i = 0; i < 4; i++)
        sum += arr[i];
    printf("%d", sum);
    return 0;
}
```

Your Answer

50

Save Answer

QUESTIONS
Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q7
C Code – Time Complexity Loop
10 marks

Q5 C Code – Array Update

10 marks

```
#include<stdio.h>
int main(){
    int arr[]={1,2,3};
    arr[1]=arr[0]+arr[2];
    printf("%d",arr[1]);
}
```

Your Answer

4

Save Answer

QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Linked List Node
10 marks

Q7 ✓
C Code – Time Complexity Loop
10 marks

Q2 C Code – Linear Search

10 marks

```
#include <stdio.h>
int main() {
    int arr[] = {2,4,6,8,10};
    int key = 8;
    int i;
    for(i=0;i<5;i++){
        if(arr[i]==key){
            printf("%d",i);
            break;
        }
    }
```

Your Answer

3

 Save Answer

QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Linked List Node
10 marks

Q7 ✓
C Code – Time Complexity Loop
10 marks

Q3 C Code – Binary Search Mid

10 marks

```
#include<stdio.h>
int main(){
    int low=0,high=7;
    int mid;
    mid=(low+high)/2;
    printf("%d",mid);
}
```

Your Answer

3

 Save Answer

QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Linked List Node
10 marks

Q7 ✓
C Code – Time Complexity Loop
10 marks

Q4 C Code – Pointer with Array

10 marks

```
#include<stdio.h>
int main(){
    int arr[]={10,20,30};
    int *p=arr;
    printf("%d",*(p+2));
}
```

Your Answer

30

 Save Answer

QUESTIONS
Q1

C Code – Array Traversal
10 marks

Q2

C Code – Linear Search
10 marks

Q3

C Code – Binary Search Mid
10 marks

Q4

C Code – Pointer with Array
10 marks

Q5

C Code – Array Update
10 marks

Q6

C Code - Linked List Node
10 marks

Q7

C Code - Time Complexity Loop
10 marks

Q5 C Code – Array Update

```
#include<stdio.h>
int main(){
int arr[]={1,2,3};
arr[1]=arr[0]+arr[2];
printf("%d",arr[1]);
}
```

Your Answer

4

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1

C Code – Array Traversal
10 marks

Q2

C Code – Linear Search
10 marks

Q3

C Code – Binary Search Mid
10 marks

Q4

C Code – Pointer with Array
10 marks

Q5

C Code – Array Update
10 marks

Q6

C Code - Linked List Node
10 marks

Q7 C Code - Time Complexity Loop

10 marks

```
for(i=0;i<n;i++)
printf("%s");
The complexity is
```

Your Answer

O(n)

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q8 C Code - Nested Loop

10 marks

```
for(i=0;i<n;i++)
for(j=0;j<n;j++)
printf("*");
```

Your Answer

 $O(n^2)$

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q9 C Code - Binary Search Complexity

10 marks

```
while(low<=high){
mid=(low+high)/2;
}
```

Your Answer

 $O(\log n)$

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q10 C Code - Pointer Increment

10 marks

```
#include<stdio.h>
int main(){
int a[]={5,10,15};
int *p=a;
p++;
printf("%d",*p);
}
```

Your Answer

10

Save Answer

QUESTIONS

Q1 ✓
C Code - Array Traversal
10 marks**Q2** ✓
C Code - Linear Search
10 marks**Q3** ✓
C Code - Binary Search Mid
10 marks**Q4** ✓
C Code - Pointer with Array
10 marks**Q5** ✓
C Code - Array Update
10 marks**Q6** ✓
C Code - Linked List Node
10 marks**Q7** ✓
C Code - Time Complexity Loop
10 marks**Q6 C Code - Linked List Node**

10 marks

```
#include<stdio.h>
struct Node{
int data;
struct Node *next;
};
int main(){
struct Node n1,n2;
n1.data=10;
n2.data=20;
n1.next=&n2;
n2.next=NULL;
printf("%d",n1.next->data);
}
```

Your Answer

20