

Submitted Answers Report

Student #29 | GNESESWAR KUMAR | 192572105HC

=====

[1] QID: 47

Question : Write a program to read a character until a * is encountered. Also count the number of uppercase, lowercase, and numbers entered by the users.

Sample Input:

Enter * to exit

Enter any character: W

Enter any character: d

Enter any character: A

Enter any character: G

Enter any character: g

Enter any character: H

Enter any character: *

Sample Output:

Total count of lower case:2

Total count of upper case:4

Total count of numbers =0

Testcases: 1. 1,7,6,9,5

2. S, Q, I, K,7, j, M

3. M, j, L, &, @, G

4. D, K, I, 6, L, *

5. *, K, A, e, 1, 8, %, *

Program : import java.io.*;

```
import java.util.*;

class count
{
    public static void main(String args[]){
    }
}
```

Input : (no input)

Output : (no output)

First Save: 2026-06-23 16:20:11

Last Save : 2026-06-23 16:20:11

[2] QID: 44

Question : Write a program to calculate tax given the following conditions:

- a. If income is less than or equal to 1,50,000 then no tax
- b. If taxable income is 1,50,001 3,00,000 the charge 10% tax
- c. If taxable income is 3,00,001 5,00,000 the charge 20% tax
- d. If taxable income is above 5,00,001 then charge 30% tax

Sample Input:

Enter the income:200000

Sample Output:

Tax= 20000

Testcases: Test cases:

- 1. 400700
- 2. 2789239
- 3. 150000
- 4. 00000

5. -125486

Submitted Answers Report

```
Program : import java.io.*;
import java.util.*;
class tax
{
public static void main(String args[]){
int n;
Scanner s=new Scanner(System.in);
n=s.nextInt();
if(n=150001&& n=300001&& n=500001){
System.out.print(n/100*30);
}
}
}
```

Input : 200000

Output : 20000

First Save: 2026-06-23 15:10:07

Last Save : 2026-06-23 16:25:06

[3] QID: 49

Question : Write a Program to Remove the Duplicate Items from a array.

Sample Input:

Enter the number of elements in array:7

Enter element1:10

Enter element2:20

Enter element3:20

Enter element4:30

Enter element5:40

Enter element6:40

Enter element7:50

Sample Output:

Non-duplicate items:

[10, 20, 30, 40, 50]

Testcases:

Program : import java.io.*;

import java.util.*;

class duplicate

{

public static void main(String args[]){

int a[]={10,20,20,30,40,40,50};

int i,j;

int res=0;

for(i=0;i

Input : (no input)

Output : 10 20 30 40 50

First Save: 2026-06-23 14:59:14

Last Save : 2026-06-23 16:25:09

[4] QID: 46

Question : Write a program to read the numbers until -1 is encountered. Find the average of

positive numbers and negative numbers entered by user.

Sample Input:

Submitted Answers Report

Enter -1 to exit

Enter the number: 7

Enter the number: -2

Enter the number: 9

Enter the number: -8

Enter the number: -6

Enter the number: -4

Enter the number: 10

Enter the number: -1

Sample Output:

The average of negative numbers is: -5.0

The average of positive numbers is : 8.66666667

Testcases: 1. -1,43, -87, -29, 1, -9

2. 73, 7-6,2,10,28,-1

3. -5, -9, -46,2,5,0

4. 9, 11, -5, 6, 0,-1

5. -1,-1,-1,-1,-1

Program : import java.io.*;

import java.util.*;

class average

{

public static void main(String args[]){

```
int n;  
int psum=0,pcount=0;  
int nsum=0,ncount=0;  
Scanner s=new Scanner(System.in);  
n=s.nextInt();  
for(int i=0;i0);  
pcount++;  
}  
if(n
```

Input : (no input)

Output : (no output)

First Save: 2026-06-23 14:43:42

Last Save : 2026-06-23 15:17:59