

Student #30 | GNESESWAR KUMAR | 192572105HC

=====

[1] QID: 17

Question : A loop attempts to access characters beyond the string length, causing an exception. Fix the boundary condition.

Submitted Answers Report

```
public class Q17_Boundary {  
    public static void main(String[] args) {  
        String str = "Java";  
        for(int i=0;i
```

Program : import java.io.*;

import java.util.*;

class boudary

{

```
    public static void main(String args[]){
```

```
        String str="java";
```

```
        int i;
```

```
        for(i=0;i
```

Input : (no input)

Output : java

First Save: 2026-06-23 13:51:22

Last Save : 2026-06-23 14:06:01

[2] QID: 25

Question : A program uses string concatenation inside a loop, causing performance issues. Suggest and implement an optimized solution.

```
public class Q25_StringBuilder {  
    public static void main(String[] args) {  
        StringBuilder str = new StringBuilder();  
        for(int i=0;i
```

```
Program : import java.io.*;  
import java.util.*;  
class stringbuilder
```

```
{  
    public static void main(String args[]){  
        StringBuilder str=new StringBuilder();  
        for(int i=0;i
```

Input : (no input)

Output : Error: stringbuilder.java:12: error: reached end of file while parsing

```
}
```

```
^
```

1 error

First Save: 2026-06-23 13:40:01

Last Save : 2026-06-23 14:07:56

[3] QID: 19

Question : A string trimming operation does not produce the expected output. Identify the issue and fix it.

```
public class Q19_Trim {  
    public static void main(String[] args) {
```

```
String str = " Java ";  
str = str.trim();  
System.out.println(str);  
}  
}
```

Submitted Answers Report

```
Program : import java.io.*;  
import java.util.*;  
class trim  
{  
public static void main(String args[]){  
String str=" java ";  
str=str.trim();  
System.out.print(str);  
}  
}
```

Input : (no input)

Output : java

First Save: 2026-06-23 13:33:12

Last Save : 2026-06-23 14:05:57

[4] QID: 6

Question : . A program is written to reverse a string. Verify whether the logic is correct and modify it if necessary.

```
public class Q5_Reverse {
```

```
public static void main(String[] args) {  
    String str = "Hello";  
    String rev = "";  
    for(int i = 0; i < str.length(); i++){  
        rev = str.charAt(i) + rev;  
    }  
    System.out.println(rev);  
}  
}
```

```
Program : import java.io.*;  
import java.util.*;  
class reverse  
{  
    public static void main(String args[]){  
        String str="Hello";  
        String rev="";  
        int i;  
        for(i=str.length()-1;i>=0;i--){  
            rev=rev+str.charAt(i);  
        }  
        System.out.print(rev);  
    }  
}
```

Input : (no input)

Output : olleH

First Save: 2026-06-23 13:30:15

Last Save : 2026-06-23 14:05:49